CUMULATIVE AUTHOR AND SUBJECT INDEXES VOLUMES 121–130

Supplied free of charge to the 1977 subscribers of the Jour
of Chromatography

ROMATOGRAPHY

NAL JOURNAL ON CHROMATOGRAPHY, ELECTROPHORESIS AND RELATED METHO

EDITOR, Michael Lederer (Rome)

ASSOCIATE EDITOR, K. Macek (Prague)

EDITORIAL BOARD
W. A. Aue (Halifax)
V. G. Berezkin (Moscow)
A. Bevenue (Honolulu, Hawaii)
P. Boulanger (Lille)
A. A. Boulton (Saskatoon)
G. P. Cartoni (Rome)
K. V. Chmutov (Moscow)
G. Duyckaerts (Liège)
L. Fishbein (Jefferson, Ark.)
A. Frigerio (Milan)
C. W. Gehrke (Columbia, Mo.)
E. Gil-Av (Rehovot)
G. Guiochon (Palaiseau)
I. M. Hais (Hradec Králové)
E. Heftmann (Berkeley, Calif.)
S. Hjertén (Uppsala)
E. C. Horning (Houston, Texas)
C. Horvath (New Haven, Conn.)
J. F. K. Huber (Vienna)
A. T. James (Sharnbrook)
J. Janák (Brno)
K. A. Kraus (Oak Ridge, Tenn.)
E. Lederer (Gif-sur-Yvette)
A. Liberti (Rome)
H. M. McNair (Blacksburg, Va.)
Y. Marcus (Jerusalem)
G. B. Marini-Bettòlo (Rome)
R. Neher (Basel)
G. Nickless (Bristol)
J. Novák (Brno)
N. A. Parris (Hitchin)
O. Samuelson (Göteborg)
G.-M. Schwab (Munich)
G. Semenza (Zürich)
L. R. Snyder (Tarrytown, N.Y.)
A. Zlatkis (Houston, Texas)

EDITORS, BIBLIOGRAPHY SECTION
K. Macek (Prague), J. Janák (Brno), Z. Deyl (Prague)

EDITOR, BOOK REVIEW SECTION
R. Amos (Abingdon)

EDITOR, NEWS SECTION
J. F. K. Huber (Vienna)

COORD. EDITOR, DATA SECTION
J. Gasparič (Hradec Králové)

MAY 4 8 52 AM '78
UNIVERSITY OF HAWAII
LIBRARY

ELSEVIER SCIENTIFIC PUBLISHING COMPANY
AMSTERDAM

PUBLICATION SCHEDULE FOR 1977

Journal of Chromatography (incorporating *Biomedical Applications* and *Chromatographic Reviews*)
In the course of 1977, also the cumulative indexes for Vols. 121–130 and 131–140 will appear.

MONTH	J	F	M	A	M	J	J	A	S	O	N	D
Journal of Chromatography	130 131	132/1 132/2 132/3	133/1 133/2	134/1 134/2	135/1 135/2	136/1 136/2 136/3	137/1 137/2	138/1 138/2	139/1 139/2	140/1 140/2 140/3	142 144/1	144 144
Biomedical Applications	143/1		143/2		143/3		143/4		143/5		143/6	
Chromatographic Reviews				141/1				141/2				141

Scope. The *Journal of Chromatography* publishes papers on all aspects of chromatography, electro phoresis and related methods. Contributions consist mainly of research papers dealing with chro matographic theory, instrumental development and their applications. The section *Biomedica Applications*, which is under separate editorship, deals with the following aspects: developments i and applications of chromatographic and electrophoretic techniques related to clinical diagnos (including the publication of normal values); screening and profiling procedures with special refer ence to metabolic disorders; results from basic medical research with direct consequences i clinical practice; combinations of chromatographic and electrophoretic methods with other physico chemical techniques such as mass spectrometry. In *Chromatographic Reviews*, reviews on all aspect of chromatography, electrophoresis and related methods are published.

Submission of Papers. Papers in English, French and German may be submitted, if possible in thre copies. Manuscripts should be submitted to:
The Editor of *Journal of Chromatography*, P.O. Box 681, Amsterdam, The Netherlands
or to:
The Editor of *Journal of Chromatography, Biomedical Applications*, P.O. Box 681, Amsterdam, Th Netherlands.
Reviews are invited or proposed by letter to the Editors and will appear in *Chromatographic Revie* or *Biomedical Applications*. An outline of the proposed review should first be forwarded to th Editors for preliminary discussion prior to preparation.

Subscription Orders. Subscription orders should be sent to: Elsevier Scientific Publishing Compan P.O. Box 211, Amsterdam, The Netherlands. The *Journal of Chromatography, Biomedical Applicatio* can be subscribed to separately.

Publication. The *Journal of Chromatography* (including *Biomedical Applications* and *Chromatograph Reviews*) has 15 volumes in 1977. The subscription price for 1977 (Vols. 130–144) is Dfl. 1650.0 plus Dfl. 210.00 (postage) (total *ca.* US$ 744.00). The subscription price for the *Biomedical Applicatio* section only (Vol. 143) is Dfl. 110.00 plus Dfl. 14.00 (postage) (total *ca.* US$ 49.60). Journals are aut matically sent by air mail to the U.S.A. and Canada at no extra costs, and to Japan, Australia an New Zealand with a small additional postal charge. Back volumes of the *Journal of Chromatograp* (Vols. 1 through 129) are available at Dfl. 100.00 (plus postage). Claims for issues not receive should be made within three months of publication of the issue. If not, they cannot be honoure free of charge.

For further information, see page 3 of cover.

© ELSEVIER SCIENTIFIC PUBLISHING COMPANY — 1977

All rights reserved. No part of this publication may be reproduced, stored in a retrieval system transmitted in any form or by any means, electronic, mechanical, photocopying, recording or othe wise, without the prior written permission of the publisher, Elsevier Scientific Publishing Compan P.O. Box 330, Amsterdam, The Netherlands.

Submission of an article for publication implies the transfer of the copyright from the author to t publisher and is also understood to imply that the article is not being considered for publicati elsewhere.

Printed in The Netherlands

JOURNAL OF CHROMATOGRAPHY

Cumulative Author and Subject Indexes

VOLUMES 121–130

JOURNAL *of* CHROMATOGRAPHY

INTERNATIONAL JOURNAL ON CHROMATOGRAPHY, ELECTROPHORESIS AND RELATED METHODS

Cumulative Author and Subject Indexes Volumes 121-130 (1976-1977)

EDITOR

MICHAEL LEDERER (Rome)

ASSOCIATE EDITOR

K. MACEK (Prague)

EDITORIAL BOARD

W. A. Aue (Halifax), V. G. Berezkin (Moscow), A. Bevenue (Honolulu, Hawaii), P. Boulanger (Lille), A. A. Boulton (Saskatoon), G. P. Cartoni (Rome), K. V. Chmutov (Moscow), G. Duyckaerts (Liège), L. Fishbein (Jefferson, Ark.), A. Frigerio (Milan), C. W. Gehrke (Columbia, Mo.), E. Gil-Av (Rehovot), G. Guiochon (Palaiseau), I. M. Hais (Hradec Králové), E. Heftmann (Berkeley, Calif.), S. Hjertén (Uppsala), E. C. Horning (Houston, Texas), C. Horvath (New Haven, Conn.), J. F. K. Huber (Vienna), A. T. James (Sharnbrook), J. Janák (Brno), K. A. Kraus (Oak Ridge, Tenn.), E. Lederer (Gif-sur-Yvette), A. Liberti (Rome), H. M. McNair (Blacksburg, Va.), Y. Marcus (Jerusalem), G. B. Marini-Bettòlo (Rome), R. Neher (Basel), G. Nickless (Bristol), J. Novák (Brno), N. A. Parris (Hitchin), O. Samuelson (Göteborg), G.-M. Schwab (Munich), G. Semenza (Zürich), L. R. Snyder (Tarrytown, N.Y.), A. Zlatkis (Houston, Texas)

EDITORS, BIBLIOGRAPHY SECTION

K. Macek (Prague), J. Janák (Brno), Z. Deyl (Prague)

EDITOR, BOOK REVIEW SECTION

R. Amos (Abingdon)

EDITOR, NEWS SECTION

J. F. K. Huber (Vienna)

COORDINATING EDITOR, DATA SECTION

J. Gasparič (Hradec Králové)

1977

Electronic data processing:
Dipl.-Kfm. Karlheinz Wenzel KG
and
ADV-Service Wilfried Meyer GmbH,
Hanau, G.F.R.

© ELSEVIER SCIENTIFIC PUBLISHING COMPANY — 1977

All rights reserved. No part of this publication may be reproduced, stored in a retrieval system o
transmitted in any form or by any means, electronic, mechanical, photocopying, recording or othe
wise, without the prior written permission of the publisher, Elsevier Scientific Publishing Compan
P.O. Box 330, Amsterdam, The Netherlands.

Submission of an article for publication implies the transfer of the copyright from the author to th
publisher and is also understood to imply that the article is not being considered for publicatio
elsewhere.

Printed in The Netherlands

AUTHOR INDEX

VOLUMES 121–130

The volume number is placed in parentheses before the page number

A

bbott, S.R., see Achener, P. (130) 29
bbott, S.R., Berg, J.R., Achener, P. and Stevenson, R.L.
Chromatographic reproducibility in HPLC gradient elution (126) 421
bdel-Monem, M.M., see Newton, N.E. (124) 277
bernethy, J.L. and Srulevitch, D.
TLC for detection of peptide cleavage or integrity during reactions of the Z-alanylglycines with aniline or phenylhydrazine under papain catalysis (123) 309
braham, C.V. and Joslin, H.D.
Simultaneous GC analysis for the four commonly used antiepileptic drugs in serum (128) 281
braham, K.I., see Joshi, P.N. (121) 65
chener, P., Abbott, S.R. and Stevenson, R.L.
Experimental evaluation of compressibility effects in syringe pumps for LC (130) 29
chener, P., see Abbott, S.R. (126) 421
ckman, R.G.
Contrast improvement in the copying of recorder charts on the Xerox Model 4500 copier (130) 454
damovics, J. and Stermitz, F.R.
HPLC of some anthocyanidins and flavonoids (129) 464
garwal, D.P. and Goedde, H.W.
TLC separation of ^{14}C-labelled succinyldicholine, succinylmonocholine and choline (121) 170
gayeva, M.N., see Berezkin, V.G. (130) 318
gris, P.F., see Sargent, E.R. (123) 490
hmed, M., see Sugden, D. (121) 401
-Alawi, S.J., see Heathcote, J.G. (129) 211
berti, G., Casciola, M., Costantino, U. and Luciani, M.L.
Crystalline insoluble acid salts of tetravalent metals. XXIV. Ion-exchange behaviour of fibrous cerium(IV) phosphate (128) 289
den, K.E. Jr., see Wu, A.C.M. (128) 87
lexander, G., see Maskarinec, M.P. (126) 559
lexander, J., see Jellum, E. (126) 487
Ali, S.L.
Application of GLC and HPLC to the analysis of trace amounts of salicylic acid, acetylsalicylic anhydride and acetylsalicylsalicylic acid in aspirin samples and aspirin formulations (126) 651
Alibert, G. and Puech, J.-L.
Automatic separation and determination of benzoic and cinnamic aldehydes by LC (in French) (124) 369
Ambrosius, D., see Klimisch, H.-J. (121) 93
Anderson, E., see Bertsch, W. (126) 213
Anderson, F.S. and Murphy, R.C.
Isocratic separation of some purine nucleotide, nucleoside, and base metabolites from biological extracts by HPLC (121) 251
Andronikashvili, T.G., see Tsitsishvili, G.V. (130) 13
Annino, R., Curren, J. Jr., Kalinowiski, R., Karas, E., Lindquist, R. and Prescott, R.
Totally pneumatic GC process stream analyzer (126) 301
Antal, M. and Toman, R.
DEAHP-starch and DEAHP-cellulose, new ion exchangers for fractionating polysaccharides and other biopolymers (123) 434
Appelqvist, L.-Å. and Nair, B.M.
Improved technique for the GLC separation of the N-trifluoroacetyl *n*-butyl derivatives of amino acids (124) 239
Archer, M.C., see Reed, L.S. (121) 100
Arjmand, M. and Mumma, R.O.
Metabolism of 2,4-dichlorophenoxyacetic acid. IX. GLC of methyl esters of amino acid conjugates (124) 97
Arora, A.K., see Kohli, J.C. (129) 473
Arsov, A., see Dousheva, M. (121) 131
Artyukov, A.A. and Molodtsov, N.V.
Hydrophobic chromatography of N-acetyl-β-D-hexosaminidase (130) 451
Arx, E. von, see Von Arx, E. (123) 439
Asai, K., Kanno, Y.-I., Nakamoto, A. and Hara, T.
Flow controller for HPLC and its applications (126) 369
Asmus, P.A., Jorgenson, J.W. and Novotný, M.
Fluorescence enhancement. New selective detection principle for liquid chromatography (126) 317

Asmus, P.A., Low, C.-E. and Novotný, M.
Preparation and chromatographic evaluation of chemically bonded ion-exchange stationary phases. II. Weak and strong cation exchangers (123) 109
Audebert, R., see Lecourtier, J. (121) 173
Aue, W.A., see Hill, H.H. Jr. (122) 515
Axelson, M. and Sjövall, J.
Selective LC isolation procedure for GC-MS analysis of 3-ketosteroids in biological materials (126) 705
Ayad, S.R. and Delinassios, J.G.
Fractionation of Sendai virus RNA by polylysine-Kieselguhr column chromatography (130) 396

B

Badger, C.M.A., Harris, J.A., Scott, K.F., Walke M.J. and Phillips, C.S.G.
Heater-displacement chromatography (126) 11
Baerheim Svendsen, A., see Verpoorte, R. (124) 152
Bailey, D.G., Davis, H.L. and Johnson, G.E.
Improved theophylline serum analysis by an appropriate internal standard for GC (121) 263
Bailey, D.S.
Separation of isomeric pentoses and hexoses by continuous-flow TLC (130) 431
Bailey, F.
Applications of HPLC in the pharmaceutical industry (122) 73
Bakalyar, S.R. and Henry, R.A.
Variables affecting precision and accuracy in HPLC (126) 327
Baker, G.B., see Martin, I.L. (123) 45
Baranowski, J.D., see Lin, J.S. (130) 426
Bardou, L., see Menez, J.F. (129) 155
Barna, J., see März, L. (123) 495
Barnes, D., see Subach, D.J. (125) 435
Barnes, W.T., see Kalász, H. (128) 300
Barnhart, J.W. and Caldwell, W.J.
GC determination of hydrocodone in seru (130) 243
Barton, R.A., Schulman, A., Jacobson, E.L. an Jacobson, M.K.
Chromatographic separation of pyridine and adenine nucleotides on thin layers of poly(ethyleneimine) cellulose (130) 145
Bather, J.M. and Gray, R.A.C.
Relationship between chromatographic performance and surface structure of silic microspheres (122) 159
Battistuzzi, R., see Peyronel, G. (123) 367
Baudisch, J., see Papendick, H.-D. (122) 443
Baudot, P., Monal, J.L., Livertoux, M.H. and Truhaut, R.
Identification of toxic metals after extraction and TLC of their dithizonates. Toxicological applications (in French) (128) 141
Bauer, H., see Voelter, W. (126) 693
Becker, G., see Stahl, E. (129) 41
Becker, N., see Unger, K.K. (125) 115
Beiss, A., see Klimisch, H.-J. (128) 117
Beitler, U. and Feibush, B.
Interaction between asymmetric solutes and solvents. Diamides derived from L-valine as stationary phases in gas-liquid partition chromatography (123) 149
Bejnarowicz, E.A., see Rao, G.S. (123) 486

elenky, B.G., Valchikhina, M.D., Vakhtina, I.A., Gankina, E.S. and Tarakanov, O.G.
TLC of oligomers (129) 115
ell, S.H., see Drysdale, A.C. (124) 418
enet, L.Z., see Lee, C.S. (128) 188
eretta, E., see Morrone, A. (128) 27
erezkin, V.G., Rudenko, B.A., Popova, T.P., Agayeva, M.N., Lipavsky, V.N., Sokolin, G.F. and Zabokritsky, M.P.
Use of carbon disulphide and formamide as the mobile phase and flame-forming agent in the flame-ionization detector (130) 318
erg, J.H.M. van den, see Van den Berg, J.H.M. (125) 307
erg, J.R., see Abbott, S.R. (126) 421
erger, J.-A., see Chabard, J.-L. (121) 295
ergman, Å., Göthe, R. and Wachtmeister, C.A.
Impregnation of silica gel with tetraalkylammonium salts in adsorption chromatography of neutral aromatic compounds (123) 231
erthou, F., see Menez, J.F. (129) 155
erticat, P., see Collet, G. (121) 213
ertoni, G., see Ciccioli, P. (126) 757
ertsch, W., Anderson, E. and Holzer, G.
Characterization of coal-derived fluids by capillary column GC-MS (126) 213
ertsch, W., see Holzer, G. (126) 771
ethke, H., Delz, B. and Stich, K.
Determination of the content and purity of ergotamine preparations by means of HPLC (123) 193
ianchetti, G., Latini, R. and Morselli, P.L.
GC determination of acenocoumarin in human plasma (124) 331
iddington, N.L. and Thomas, T.H.
Effect of pH on the elution of cytokinins from polyvinylpyrrolidone columns (121) 107
illiet, H.A.H., see Tijssen, R. (122) 185
inder, H. and Stürzenbecher, E.
GC and TLC investigation of malonic acid dinitrile (in German) (130) 405
iswas, A., see Dutta, J. (124) 29
lasius, E. and Maurer, P.G.
Exchangers with monobenzocryptate K $[2_B.2.2]$ as anchor group (in German) (125) 511
lattná, J., see Holasová, M. (123) 225
lomberg, L.
GC separation of some sulphur compounds on glass capillary columns using flame photometric detection (125) 389
loomquist, C.A.A., see Horwitz, E.P. (125) 203
lu, G., see Martin, M. (130) 458
lüchel, E., see Hofmann, K. (130) 444
ly, D.D., see Yau, W.W. (125) 219
odrogi, L., see Fehér, T. (123) 460
oksányi, L. and Kováts, E.sz.
Study of column performances in GC. C_{87} hydrocarbon on chemically modified supports (126) 87
Bollet, C. and Caude, M.
Separation by HPLC of phenylthiohydantoin derivatives of amino acids released by Edman degradation (in French) (121) 323
Bollet, C., see Chevalier, G. (124) 343
Bonferoni, B., see Corona, G.L. (124) 401
Bonilla, C.A. and Rammel, O.J.
Comparative biochemistry and pharmacology of salivary gland secretions. III. Chromatographic isolation of a myocardial depressor protein (MDP) from the venom of *Crotalus atrox* (124) 303
Bories, G.
Use of polyamide for the separation of different polycyclic aromatic hydrocarbons by TLC (in French) (130) 387
Bortnikov, G.N., Brevnova, T.N., Kiselev, A.V., Makarenko, N.P., Tcherepennikova, N.F. and Yashin, Y.I.
LC of *tert.*-butyl per-esters of silyl-substituted carboxylic acids on modified adsorbents (124) 337
Boshart, G., see Mikeš, F. (122) 205
Boshoff, P.R., Hopkins, B.J. and Pretorius, V.
TLC transport detector for HPLC (126) 35
Bossuyt, R., Van Renterghem, R. and Waes, G.
Identification of antibiotic residues in milk by TLC (124) 37
Bough, W.A., see Wu, A.C.M. (128) 87
Boulton, A.A., see Slingsby, J.M. (123) 51
Boyde, T.R.C.
Swelling and contraction of polyacrylamide gel slabs in aqueous solutions (124) 219
Brancaleoni, E., see Ciccioli, P. (126) 757
Brantner, J.H., Medicus, R.G. and McRorie, R.A.
Fractionation of proteolytic enzymes by affinity chromatography on Sepharose aminocaproyl proflavin (129) 97
Brazhnikov, V.V. and Shmidel, E.B.
Thermionic ionization detector for the analysis of phosphorus- and nitrogen-containing organic compounds (122) 527
Brent, D.A., see Sabatka, J.J. (125) 523
Bresler, S.E., Katushkina, N.V., Kolikov, V.M., Potokin, J.L. and Vinogradskaya, G.N.
Adsorption chromatography of viruses (130) 275
Brevnova, T.N., see Bortnikov, G.N. (124) 337
Brinkman, U.A.T. and De Kok, A.
HPLC analysis of the heptachloronaphthalenes present in Halowax 1051 (129) 451
Brinkman, U.A.T., De Kok, A., De Vries, G. a Reymer, H.G.M.
High-speed LC and TLC of polychlorinate biphenyls (128) 101
Brinkman, U.A.T., De Kok, A., Reymer, H.G.M and De Vries, G.
Analysis of polychlorinated naphthalenes by HPLC and TLC (129) 193

Brinkman, U.A.T. and Reymer, H.G.M.
Polychlorinated naphthalenes (Review) (127) 203
Bristow, P.A.
Computer-controlled preparative liquid chromatograph (122) 277
Brodasky, T.F., Lewis, C. and Eble, T.E.
Bioautographic TLC analysis of antibiotics and their metabolites in the whole animal. I. Clindamycin in the rat (123) 33
Bromilow, R.H. and Lord, K.A.
Analysis of sulphur-containing carbamates by formation of derivatives in the gas-liquid chromatograph using trimethyl-phenylammonium hydroxide (125) 495
Brooks, C.J.W., see Gaskell, S.J. (122) 415
Brooks, C.J.W., see Gaskell, S.J. (126) 591
Broś, E. and Page, F.M.
Continuous stirred reactor model as basis for optimisation of electron capture detector operation in coulometric and constant current modes (126) 271
Brötell, H., see Gyllenhaal, O. (122) 471
Brötell, H., see Gyllenhaal, O. (129) 295
Brown, A.C. III, see Cram, S.P. (126) 279
Brown, I.R.F.
Simple screening method for urinary purines (125) 530
Brown, N.D. and Michalski, E.J.
Improved HPLC method for quantifying *p*-aminobenzoic acid and some of its metabolites (121) 76
Brown, P.R., see Hartwick, R.A. (126) 679
Brown, W.V., see Moore, B.P. (121) 279
Brown, W.V., see Moore, B.P. (128) 178
Brüderle, V., see Stahl, E. (129) 41
Bruner, F., see Ciccioli, P. (126) 757
Brunfeldt, K., see Lund, E. (130) 51
Bryan, A.M., see Olafsson, P.G. (124) 388
Buchatsky, P.M., see Matorina, N.N. (129) 19
Bugge, A.
Quantitative HPLC of diazepam and N-desmethyldiazepam in blood (128) 111
Bullman, H., see O'Hare, M.J. (125) 357
Burns, D.T., see Stretton, R.J. (129) 321
Bursa, J., see Rezl, V. (126) 723
Buryan, P., see Dvořák, B. (124) 1
Buser, H.R.
Preparation of qualitative standard mixtures of polychlorinated dibenzo-*p*-dioxins and dibenzofurans by UV and γ-irradiation of the octachloro compounds (129) 303
Bush, B., see Dell'Acqua, R. (128) 271
Butts, E.T., see Rabel, F.M. (126) 731

C

Caldwell, W.J., see Barnhart, J.W. (130) 243
Camillo, D.J., see Gilpin, R.K. (121) 13
Campbell, M., see Stretton, R.J. (129) 321
Cant, P.A.E. and Walker, N.J.
Regeneration of monocarbonyls from their 2,4-dinitrophenylhydrazone derivatives (130) 267
Čapek, A., see Mařík, J. (128) 1
Capponi, G., see Di Corcia, A. (121) 370
Caputo, A.G., see Rabel, F.M. (126) 731
Caravaggio, T., see Righetti, P.G. (127) 1
Carbonell, R.G., see Wong, A.K. (129) 1
Carr, K., Woosley, R.L. and Oates, J.A.
Simultaneous quantification of procainamide and N-acetylprocainamide with HPLC (129) 363
Cartoni, G.P. and Ferretti, I.
Separation of isotopic molecules by HPLC (122) 287
Cartoni, G.P. and Natalizia, F.
Determination of pemoline by HPLC (123) 474
Casanova, J., see Maysinger, D. (130) 129
Casciola, M., see Alberti, G. (128) 289
Cassidy, R.M. and Niro, C.M.
Application of high-speed LC to the analysis of polyoxyethylene surfactants and their decomposition products in industrial process waters (126) 787
Casteele, K. vande, see Vande Casteele, K. (121) 49
Caude, M., see Bollet, C. (121) 323
Caude, M., see Chevalier, G. (124) 343
Černá, J., see Káš, J. (124) 53
Chabard, J.-L., Védrine, F., Godeneche, D., Petit, J. and Berger, J.-A.
Quantitative separation of biological lipids by successive chromatographic runs on juxtaposed thin layers (in French) (121) 295
Chambaz, E.M., see Madani, C. (126) 161
Chang, S.H., Gooding, K.M. and Regnier, F.E.
HPLC of proteins (125) 103
Charles, J., see Sabatka, J.J. (125) 523
Chasseaud, L.F., see Elsom, L.F. (123) 463
Chebroux, P., see Madani, C. (126) 161
Chelvarajan, D.W., see Wijesekera, R.O.B. (121) 388
Chen, T.F., see Lacko, A.G. (130) 446
Chesler, S., see Wasik, S. (122) 451
Chesler, S.N., see Cram, S.P. (126) 279
Chevalier, G., Bollet, C., Rohrbach, P., Risse, C., Caude, M. and Rosset, R.
HPLC of penimocycline (in French) (124) 343
Chin, W.-T., see Szalkowski, M.B. (129) 426
Chmutov, K.V., see Matorina, N.N. (129) 19
Chojnowski, J., see Kowalski, J. (130) 351

loudhary, G. and Moss, C.W.
GC-MS of some biologically important short chain acid butyl esters (128) 261
loulis, N.H.
TLC studies of methadone salts (124) 172
rétien, J.R. and Dubois, J.-É.
New perspectives in the prediction of Kováts indices (126) 171
ristiansen, J.
Quantitative *in situ* TLC of quinidine and salicylic acid in capillary blood (123) 57
ccioli, P., Bertoni, G., Brancaleoni, E., Fratarcangeli, R. and Bruner, F.
Evaluation of organic pollutants in the open air and atmospheres in industrial sites using graphitized carbon black traps and GC-MS analysis with specific detectors (126) 757
erc, J.T., Kutter, M., Reinhard, M. and Schwarzenbach, R.
Improving the efficiency of small GC-MS data systems by means of simple algorithms (123) 271
ercq, H. de, see De Clercq, H. (122) 535
bb, P.H. and Hill, G.T.
HPLC of some sulphonamides (123) 444
ca, J., see Langer, S.H. (122) 487
ckerill, A.F., Hall, M., Mallen, D.N.B., Osborne, D.J. and Prime, D.M.
Analysis of isomeric impurities in a synthesis of the novel anti-inflammatory drug, benoxaprofen (129) 339
ggon, P., see Hoefler, A.C. (129) 460
leman, W.M., Wooton, D.L., Dorn, H.C. and Taylor, L.T.
Chromatographic separation studies of solvent refined coal (123) 419
lin, H., Eon, C. and Guiochon, G.
Reversed-phase LSC on modified carbon black (122) 223
lin, H. and Guiochon, G.
Development and use of carbon adsorbents in high-performance LSC. I. Carbon-coated silica particles (126) 43
llet, G., Rocca, J.L., Sage, D. and Berticat, P.
Polyamides in HPLC (in French) (121) 213
lombo, R.J., see Leoni, V. (125) 399
lomé, J., see Sánchez, M.C. (126) 601
mba, M.E., see Onuska, F.I. (126) 133
mpaan, H., see Dhont, J.H. (130) 205
ne, E.J.
General procedure for the isolation and identification of 6-α- and 6-β-hydroxy metabolites of narcotic agonists and antagonists with a hydromorphone structure (129) 355
nrad, E.C., see Wu, A.C.M. (128) 87
nway, R.L. and Hood, L.F.
Comparison of spectrodensitometric and colorimetric methods for quantifying starch hydrolysis products separated by TLC (129) 415
rcia, A. di, see Di Corcia, A. (121) 370
rcia, A. di, see Di Corcia, A. (122) 459
Corona, G.L. and Bonferoni, B.
Simultaneous determination of therapeutic levels of amitriptyline and nortriptyline in plasma by GLC (124) 401
Cossu, P., see De Marco, C. (129) 369
Costantino, U., see Alberti, G. (128) 289
Cotter, R.L., see Little, J.N. (126) 439
Čoupek, J., see Luan, N.-T. (130) 378
Čoupek, J., see Popl, M. (130) 195
Court, W.A.
High-performance reversed-phase liquid chromatography of naturally occurring phenolic compounds (130) 287
Covacevich, M.T. and Richards, G.N.
Continuous quantitative TLC of oligosaccharides (129) 420
Cox, H.C. and Teven, J.M.G.
Mechanism of the molecular-sieve effect in polyacrylamide gel electrophoresis (123) 261
Cram, S.P., Chesler, S.N. and Brown, A.C. III
Effects of digital filters on chromatographic signals (126) 279
Crone, H.D. and Dawson, R.M.
Residual anionic properties of a covalently substituted controlled-pore glass, Glyceryl-CPG (129) 91
Crosby, N.T., see Hunt, D.C. (130) 320
Culberson, C.F. and Johnson, A.
Standardized two-dimensional TLC method for lichen products (128) 253
Curren, J. Jr., see Annino, R. (126) 301
Curry, S.H., see Whelpton, R. (121) 88
Curtius, H.C., Mettler, M. and Ettlinger, L.
Study of the intestinal tyrosine metabolism using stable isotopes and GC-MS (126) 569
Czebotar, V. and Dietz, A.A.
Chromatography of the components of the purine reutilization pathway (124) 141
Czerwiec, Z. and Markowski, J.
GC analysis of aromatic sulphinylamines (124) 76

D

Dalmonego, H., see Ortner, H.M. (125) 517
Dass, R.S., see Singh, M.V. (124) 145
Davis, H.L., see Bailey, D.G. (121) 263
Dawidowicz, A. and Sokołowski, S.
Simplified numerical method for correction of polydispersities from GPC (125) 428
Dawson, R.M., see Crone, H.D. (129) 91
De Clercq, H., Despontin, M., Kaufman, L. and Massart, D.L.
Selection of representative substances by operations research techniques. Application to the selection of functional probes for GLC (122) 535
De Graeve, J. and Vanroy, J.
Simultaneous determination of methylated barbiturates and other anticonvulsant drugs by high-resolution GC (129) 171
De Groot, M., see Versino, B. (122) 373
De Kok, A., see Brinkman, U.A.T. (128) 101
De Kok, A., see Brinkman, U.A.T. (129) 193
De Kok, A., see Brinkman, U.A.T. (129) 451
De la Farge, F. and Valdiguie, P.
Purification of Fab and Fc fragments from human serum immunoglobulin G by electrophoresis and affinity chromatography (123) 247
De Ligny, C.L., see Gelsema, W.J. (130) 41
De Marco, C., Cossu, P., Dernini, S. and Rinaldi, A.
Chromatographic separation of selenohypotaurine, selenotaurine, selenohomohypotaurine and selenohomotaurine (129) 369
De Pooter, H., see Vande Casteele, K. (121) 49
De Ridder, J.J. and Van Hal, H.J.M.
Unexpected HPLC separation of Org GC 94 and [3,3,4,4-$^2H_4$]Org GC 94 (121) 96
De Villiers, L.S., see Serfontein, W.J. (130) 342
De Vries, G., see Brinkman, U.A.T. (128) 101
De Vries, G., see Brinkman, U.A.T. (129) 193
De Zeeuw, R.A., see Dhont, J.H. (130) 205
De Zeeuw, R.A., see Jonkman, J.H.G. (128) 208
Dean, W.W., Lubrano, G.J., Heinsohn, H.G. and Stastny, M.
Analysis of Romanowsky blood stains by HPLC (124) 287
Deb, C., see Dutta, J. (124) 29
Debbi, G., see Peyronel, G. (123) 367
Decuypere, J.A., see Dierick, N.A. (129) 403
Deelder, R.S., Kroll, M.G.F. and Van den Berg, J.H.M.
Determination of trace amounts of hydroperoxides by column liquid chromatography and colorimetric detection (125) 307
Degen, P.H. and Riess, W.
Simplified method for the determination of oxprenolol and other β-receptor blocking agents in biological fluids by GLC (121) 72
Delacourte, A., see Desreumaux, C. (130) 336
Delinassios, J.G., see Ayad, S.R. (130) 396
Dell'Acqua, R., Bush, B. and Egan, J.
Identification of gasoline contamination of groundwater by GC (128) 271
Delphin, W.H., see Horwitz, E.P. (125) 203
Delz, B., see Bethke, H. (123) 193
Deml, M., see Kouřilová, D. (128) 79
Derge, K., see Leung, A.T. (122) 355
Dericbourg, J.
Rapid determination of ortho- and parahydrogen by GSC (in French) (123) 405
Dernini, S., see De Marco, C. (129) 369
Desager, J.P., see Hulhoven, R. (125) 369
Desager, J.P., Vanderbist, M., Hwang, B. and Levandoski, P.
GLC determination of tienilic acid (SKF 62.698) in human plasma and urine (123) 379
Desideri, P.G., see Lepri, L. (123) 175
Desideri, P.G., see Lepri, L. (129) 239
Despontin, M., see De Clercq, H. (122) 535
Desreumaux, C., Fruchart, J.C., Dewailly, P., Jaillard, J., Sezille, G., Moschetto, Y. and Delacourte, A.
Fractionation of serum lipoproteins by preparative electrophoresis in polyacrylamide gel (130) 336
Dessy, R.E., Reynolds, W.D., Nunn, W.G., Titus, C.A. and Moler, G.F.
New mini-computer automated linear photodiode array spectrometer system for high-resolution LC (126) 347
Detaevernier, M.R., Dryon, L. and Massart, D.L.
Separation of some tricyclic antidepressants by HPLC (128) 204
Devaux, P., see Godbille, E. (122) 317
Dewailly, P., see Desreumaux, C. (130) 336
Deyl, Z.
Advances in separation techniques in sequence analysis of proteins and peptides (Review) (127) 91
Dhar, M.L., Jain, S.M. and Raina, R.
o-Vanillin oxime as a chromatographic spray reagent for metal ions (129) 488
Dhont, J.H., Vinkenborg, C., Compaan, H., Ritter, F.J., Verweij, A. and De Zeeuw, R.A.
Application of R_F correction in TLC by means of two reference R_F values. III. Results obtained in reversed-phase TLC (130) 205
Di Corcia, A., Liberti, A. and Samperi, R.
GC analysis of aliphatic and aromatic hydrocarbons with 2,4,5,7-tetranitrofluorenone-modified graphitized carbon black (122) 459
Di Corcia, A., Samperi, R. and Capponi, G.
2,4,7-Trinitrofluorenone-modified

graphitized carbon black as stationary phase for the GC separation of aromatic hydrocarbons (121) 370
Gregorio, V. and Sinibaldi, M.
Adsorption of inorganic anions on Sephadex gels. Part II (129) 407
elmann, R., see Schomburg, G. (122) 55
erick, N.A., Vervaeke, I.J., Decuypere, J.A. and Henderickx, H.K.
Determination of biogenic amines in intestinal contents by ion-exchange chromatography (129) 403
etrich, C.P., McDuffie, N.M. and Sampaio, L.O.
Identification of acidic mucopolysaccharides by agarose gel electrophoresis (130) 299
etz, A.A., see Czebotar, V. (124) 141
lli, S. and Patsalides, E.
GC of some oxovanadium(IV) tetradentate β-ketoamine chelates (130) 251
mitrova, Z.S., see Vitenberg, A.G. (126) 205
bberstein, P., see Zune, A. (122) 365
bbins, M.F., see Touchstone, J.C. (124) 111
lanský, V., see Popl, M. (130) 195
lphin, R.J., Willmott, F.W., Mills, A.D. and Hoogeveen, L.P.J.
Column switching techniques in the LC analysis of organochlorine pesticides in milk (122) 259
ne, J.N.
Sample loading and efficiency in adsorption, partition and bonded-phase high-speed LC (125) 43
rn, H.C., see Coleman, W.M. (123) 419
usheva, M., Arsov, A., Kostova, V. and Mesrob, B.
TLC of disperse dyes (121) 131
Ovidio, A.M., see Leoni, V. (125) 399
wsett, M., see Eastman, A.R. (128) 224
yon, L., see Detaevernier, M.R. (128) 204
lysdale, A.C., Green, W. and Bell, S.H.
Relatively non-chemical approach to the isolation of peptide materials from plasma (124) 418
Preez, J.C. and Lategan, P.M.
GC determination of C_2-C_5 fatty acids in aqueous media with a Porapak N column (124) 63
ane, W.C., see Szalkowski, M.B. (129) 426
bois, J.-É., see Chrétien, J.R. (126) 171
ggin, G.G.
Phenacetin estimation from biological samples by HPLC (121) 156
mas, T.
Determination of ethylene oxide in air by GC (121) 147
rand, J., see Madani, C. (126) 161
tta, J., Biswas, A., Saha, S. and Deb, C.
Method for the estimation of free and esterified cholesterol involving TLC (124) 29
tta, J., see Sen, P.C. (129) 469
vivier, J., see Germeau, P. (129) 471
Dvořák, B., Buryan, P. and Pašek, J.
Chromatographic analysis of a mixture of isomeric methylcyclohexanones and methylcyclohexanols (124) 1

E

Easterbrook, S.M. and Hersey, J.A.
Bioautography of erythromycin and its esters (121) 390
Eastin, E.F.
Separation of bifenox and related compounds by TLC (124) 422
Eastin, E.F.
Separation of benthiocarb and related compounds by TLC (130) 439
Eastman, A.R. and Dowsett, M.
Simultaneous separation of individual prostaglandins by TLC on an unmodified support (128) 224
Ebel, S. and Hocke, J.
Computer-controlled evaluation in TLC. Results and possibilities (126) 449
Ebermann, R., see März, L. (123) 495
Eble, T.E., see Brodasky, T.F. (123) 33
Eckelman, W.C., see Rzeszotarski, W.J. (124) 88
Eder, G.
Evaluation of environmental polychlorobiphenyls and DDE in terms of mixtures of commercial preparations from peak heights of packed-column gas chromatograms using a programmable calculator (121) 269
Edmonds, C.G., see Gaskell, S.J. (126) 591
Egan, J., see Dell'Acqua, R. (128) 271
Eijk, G.W. van, see Van Eijk, G.W. (124) 66
Eisen, O., see Rang, S. (128) 53
Eisen, O., see Rang, S. (128) 59
Eisenbrand, G., see Von Rappard, E. (124) 247
El Rassi, Z., Gonnet, C. and Rocca, J.L.
Chromatographic studies of the influence of water and thermal treatment on the activity of silica gel (125) 179
Elphick, M.C. and Lawlor, J.P.
Quantitative recovery of free and esterified fatty acids from thin-layer plates coated with silica gel (130) 139
Elsom, L.F., Hawkins, D.R. and Chasseaud, L.F.
Identification of a major metabolite of the new hypolipidaemic agent, isopropyl 2-[4'(*p*-chlorobenzoyl)phenoxyl-2-methylpropionate (procetofene) in humans by GC-MS (123) 463
Engel, G.
Investigations on the production of mycotoxins and their quantitative analysis. VI. Citreoviridin (in German) (130) 293
Engelhardt, H., see Karch, K. (122) 171
Eon, C., see Colin, H. (122) 223
Eon, C., see Karger, B.L. (125) 71
Eon, C., see Martin, M. (125) 17
Eon, C., see Martin, M. (130) 458
Erni, F. and Frei, R.W.
Comparison of reversed-phase and partition HPLC of some digitalis glycosides (130) 169
Erni, F., Frei, R.W. and Lindner, W.
Low-cost gradient system for HPLC. Quantitation of complex pharmaceutical raw materials (125) 265
Ernst, W. and Niedner, R.
Simple apparatus for preparative polyacrylamide gel electrophoresis (130) 33
Ettlinger, L., see Curtius, H.C. (126) 569
Evans, N., Jackson, A.H., Matlin, S.A. and Towill, R.
HPLC analysis of porphyrins in clinical materials (125) 345
Evans, S., see McFadden, W.H. (122) 389
Everaerts, F.M., Verheggen, T.P.E.M. and Van de Venne, J.L.M.
Isotachophoretic experiments with a counter flow of electrolyte (123) 139

ıg, P., see McGinnis, G.D. (130) 181
ge, F. de la, see De la Farge, F. (123) 247
rand, J.R., see Gulyassy, P.F. (129) 107
ıpel, M., see Von Arx, E. (123) 439
ıér, T., Bodrogi, L. and Váradi, A.
Simple GC method with flame ionization detection for the determination of aldadiene in human urine (123) 460
bush, B., see Beitler, U. (123) 149
bush, B., see Weinstein, S. (126) 97
es, P., see Kiricsi, I. (123) 279
l, V. and Lee, C.R.
Determination of urinary monohydric and dihydric phenols by GC of the acetate and TMS derivatives. 4-Dimethylaminopyridine as a catalyst for acetylation reactions (121) 41
retti, I., see Cartoni, G.P. (122) 287
ry, D.G., see Parry, G.J.G. (128) 166
., P.S., Peterkin, P.I. and Grey, V.L.
Separation of deoxythymidine and deoxythymidine nucleotides by CC and TLC (124) 137
ch, H.H., see Menez, J.F. (129) 155
glietti, M.J.
Purification of a vegetal galactokinase. Advantages of affinity chromatography (in French) (128) 309
tz, R.L., see Graffeo, A.P. (126) 717
malnova, T.I., see Matorina, N.N. (129) 19
nc, J. and Pour, J.
Continuous elemental analysis of sulphur-containing substances by GC (129) 315
nco, R., see Frigerio, A. (130) 354
nken, J.J., Rutten, G.A.F.M. and Rijks, J.A.
Preparation of glass capillary columns coated with polar phase for high-temperature GC. I. Study of roughening of the glass surface (126) 117
nsson, B., Wahlund, K.-G., Johansson, I.M. and Schill, G.
Ion-pair chromatography of acidic drug metabolites and endogenic compounds (125) 327
tarcangeli, R., see Ciccioli, P. (126) 757
i, R.W., see Erni, F. (125) 265
i, R.W., see Erni, F. (130) 169
i, R.W., see Lawrence, J.F. (121) 343
i, R.W., Michel, L. and Santi, W.
Post-column fluorescence derivatization of peptides. Problems and potential in HPLC (126) 665
i, R.W., see Nachtmann, F. (122) 293
y, J., see Perier, C. (125) 526
gerio, A. and Pantarotto, C.
Quantitative determination of sulpyrid in biological samples from rats by GLC and chemical ionization-mass fragmentography (130) 361
Frigerio, A., Pantarotto, C., Franco, R., Gomeni, R. and Morselli, P.L.
Quantitative determination of doxepin and desmethyldoxepin in rat plasma by means of GLC-mass fragmentography (130) 354
Fritz, D., see Riedo, F. (126) 63
Fruchart, J.C., see Desreumaux, C. (130) 336
Fudano, S., Terai, S. and Konishi, K.
Attempt to predict elution behaviour in a LLC model system (128) 199
Fujii, Y., see Shimada, K. (124) 79
Fujita, A., see Nakamura, T. (130) 384
Fukuda, T., Nakamura, T. and Ohashi, S.
Anomalous behaviour of diphosphate anions in ion-exchange chromatography (128) 212
Furukawa, T., see Karashima, D. (130) 77

G

Gabriel, T.F., Michalewsky, J. and Meienhofer, J.
Preparative HPLC applied to peptide synthesis (129) 287
Gallo, G.G., see Roggia, S. (124) 169
Gal'pern, G.D., Gollandskikh, N.I. and Gordadze, G.N.
Application of methylene-insertion reactions to cyclic sulphides (C_4H_8S, $C_5H_{10}S$ and $C_6H_{12}S$) to produce standard compounds for GC (124) 43
Galpin, I.J., Handa, B.K., Kenner, G.W., Moore, S. and Ramage, R.
Gel filtration of protected peptides on Enzacryl K2 in dimethylformamide and N-methyl-2-pyrrolidone (123) 237
Gankina, E.S., see Belenky, B.G. (129) 115
Gant, J.R., see Karger, B.L. (128) 65
Gaskell, S.J. and Brooks, C.J.W.
New derivatives for the analysis of sphingosine long-chain bases by GLC-MS (122) 415
Gaskell, S.J., Edmonds, C.G. and Brooks, C.J.W.
Applications of boronate derivatives in the study of ceramides by GLC-MS (126) 591
Gault, M.H., see Sabatka, J.J. (125) 523
Gault, M.H., see Sugden, D. (121) 401
Gawdzik, J., Suprynowicz, Z. and Jaroniec, M.
Determination of the pre-exponential factor of Henry's constant by gas adsorption chromatography (121) 185
Gazdag, M., see Szepesi, G. (122) 479
Gehrke, C.W. and Patel, A.B.
GLC of nucleosides. Derivatization and chromatography (123) 335
Gehrke, C.W. and Patel, A.B.
GLC of nucleosides. Effect of silylating reagents and solvents (130) 103
Gehrke, C.W., see Patel, A.B. (130) 115
Geiss, F., see Versino, B. (122) 373
Gelpi, E., see Mahy, N. (130) 237
Gelpi, E., see Rosello, J. (122) 469
Gelpi, E., see Rosello, J. (130) 65
Gelpí, E., see Sánchez, M.C. (126) 601
Gelsema, W.J. and De Ligny, C.L.
Isoelectric focusing as a method for the characterization of ampholytes (130) 41
George, R.D., see MacArthur Moodie, I. (124) 315
Gerber, N., see Thompson, R.M. (124) 321
Germeau, P. and Duvivier, J.
Chromatography of sex gland hormones on Sephadex LH-20 (in French) (129) 471
Ghebregzabher, M., Rufini, S., Monaldi, B. and Lato, M.
TLC of carbohydrates (Review) (127) 133
Ghosh, A., see Sen, P.C. (129) 469
Giannovario, J.A., Grob, R.L. and Rulon, P.W
Analysis of trace pollutants in the air by means of cryogenic GC (121) 285
Giddings, J.C.
Field-flow fractionation. Extending the molecular weight range of LC to one trillion (10^{12}) (125) 3
Giese, R.W., see Petersen, B.A. (126) 503
Gil-Av, E., see Mikeš, F. (122) 205
Gil-Av, E., see Weinstein, S. (126) 97
Gilgan, M.W.
Separation of ecdysterone, inokosterone, makisterone A, α-ecdysone and ponasterone A by a combination of adsorptive and reversed-phase LC (129) 4
Gilpin, R.K., Camillo, D.J. and Janicki, C.A.
Preparation and use of *in situ* chemically bonded small-particle silica as packings HPLC (121) 13
Gilpin, R.K. and Sisco, W.R.
Preparation and characterization of chemically bonded TLC plates (124) 257
Giumanini, A.G., see Lanzarini, G. (130) 261
Godbille, E. and Devaux, P.
Use of an 18-mm I.D. column for analytic and semi-preparative-scale HPLC (122) 3
Godeneche, D., see Chabard, J.-L. (121) 295
Goedde, H.W., see Agarwal, D.P. (121) 170
Golder, W.A. and Sippell, W.G.
Sephadex LH-20 multiple-column chromatography for the simultaneous separation of progesterone, deoxycorticosterone and 17α-hydroxyprogesterone from small plasma samples (123) 293
Goldstein, G.
Separation of polycyclic aromatic hydrocarbons by LC on cross-linked polyvinylpyrrolidone (129) 61
Goldstein, G.
LC separation of plant phenolics using polyethylene glycol dimethacrylate gel (129) 466
Gollandskikh, N.I., see Gal'pern, G.D. (124) 4
Golovnya, R.V., Uralets, V.P. and Kuzmenko T.E.
Characterization of fatty acid methyl est by GC on siloxane liquid phases (121) 11
Gomeni, R., see Frigerio, A. (130) 354
Gonnet, C., see El Rassi, Z. (125) 179
Goodall, R.R.
Significant factors in the preparation an scanning of thin-layer chromatograms, particularly by transmission in the UV (123) 5
Gooding, K.M., see Chang, S.H. (125) 103
Gordadze, G.N., see Gal'pern, G.D. (124) 43
Gorp, R.E. van, see Van Gorp, R.E. (128) 208
Göthe, R., see Bergman, Å. (123) 231
Gräbner, R., Schneider, G. and Sembdner, G
Gibberellins. XLIII. Fractionation of gibberellins, gibberellin-conjugates and other phytohormones by DEAE-Sephade chromatography (in German) (121) 110

eve, J. de, see De Graeve, J. (129) 171
ffeo, A.P., Lin, D.C.K. and Foltz, R.L.
Analysis of benzoylecgonine in urine by HPLC and GC-MS (126) 717
ham, K.C., Wilson, W.L. and Vilim, A.
Simple TLC identification method for erythromycin stearate (125) 447
nt, D.W.
Column development and technology in GC (122) 107
y, R.A.C., see Bather, J.M. (122) 159
en, W., see Drysdale, A.C. (124) 418
enhalgh, R. and Wilson, M.A.
Optimization and response of the Pye flame photometric detector to some insecticides in the phosphorus and sulphur modes (128) 157
gorio, V. di, see Di Gregorio, V. (129) 407
ving, J.E., see Jonkman, J.H.G. (128) 208
y, V.L., see Fitt, P.S. (124) 137
ffith, T.D., see Langer, S.H. (122) 487
ob, G., see Grob, K. (125) 471
ob, K. and Grob, G.
New, generally applicable procedure for the preparation of glass capillary columns (125) 471
ob, R.L., see Giannovario, J.A. (121) 285
oot, M. de, see De Groot, M. (122) 373
ossoni, G., see Roggia, S. (124) 169
uft, H., see Ruck, R. (129) 382
ushka, E., see Milano, M.J. (125) 315
ushka, E., see Mott, S.D. (126) 191
ha, O.K., see Novák, J. (123) 497
iochon, G., see Colin, H. (122) 223
iochon, G., see Colin, H. (126) 43
iochon, G., see Martin, M. (125) 17
iochon, G., see Martin, M. (130) 458
lyassy, P.F. and Farrand, J.R.
Comparison of batch and chromatographic assays of cyclic nucleotide phosphodiesterases (129) 107
mp, B.H., see Kauffman, G.B. (121) 138
mp, B.H., see Kauffman, G.B. (121) 395
mp, B.H., see Kauffman, G.B. (123) 448
y, P., see Karasek, F.W. (124) 179
llenhaal, O., Brötell, H. and Hartvig, P.
Determination of free fatty acids as pentafluorobenzyl esters by electron capture GC (129) 295
llenhaal, O., Brötell, H. and Sandgren, B.
Determination of phenobarbital in human saliva by GC with electron-capture detection (122) 471

H

Habboush, A.E. and Najm, K.A.B.
Separation of monosubstituted benzonitriles by GLC (130) 161
Hack, M.H. and Helmy, F.M.
Some additional observations on the analysis of glyceryl ethers and chromatographically related lipids (128) 239
Haefelfinger, P.
Determination of nanogram amounts of aromatic compounds by spectrophotometry on thin-layer chromatograms (124) 351
Haegele, K.D., Skrdlant, H.B., Robie, N.W., Lalka, D. and McNay, J.L. Jr.
Determination of hydralazine and its metabolites by GC-MS (126) 517
Haken, J.K. and Ho, D.K.M.
Quantitative pyrolysis studies of styrene, acrylate ester systems, and their *a*-methyl-substituted homologs (126) 239
Hal, H.J.M. van, see Van Hal, H.J.M. (121) 96
Halász, I., see Karch, K. (122) 3
Halász, I., see Karch, K. (122) 171
Halász, I., Schmidt, H. and Vogtel, P.
Particle size, pressure and analysis time in routine HPLC (126) 19
Hall, M., see Cockerill, A.F. (129) 339
Hallén, A., see Pertoft, H. (128) 125
Handa, B.K., see Galpin, I.J. (123) 237
Hanefeld, M. and Herrmann, K.
Quantitative determination of caffeic acid esters and catechins by direct measurement on thin-layer chromatograms (123) 391
Haney, W.G., see McHugh, W. (124) 376
Hanifl, E., see Wad, N. (128) 231
Hansen, G.R., see Touchstone, J.C. (124) 111
Hansen, S.A.
TLC method for the identification of organic acids (124) 123
Hansen, S.H. and Thomsen, M.
Comparison of candicidin, levorin and trichomycin by means of HPLC (123) 205
Hanson, R.N., see Petersen, B.A. (126) 503
Hara, T., see Asai, K. (126) 369
Haraldson, L., see Olsson, A.-M. (128) 35
Harpalani, S.P., see Tewari, S.N. (130) 229
Harris, J.A., see Badger, C.M.A. (126) 11
Hartkopf, A., see Karger, B.L. (128) 65
Hartvig, P., see Gyllenhaal, O. (129) 295
Hartvig, P., Karlsson, K.-E., Johansson, L. and Lindberg, C.
Determination of pethidine in plasma by electron capture GC after reaction with trichloroethyl chloroformate (121) 235
Hartwick, R.A. and Brown, P.R.
Evaluation of microparticle chemically

bonded reversed-phase packings in the HPLC analysis of nucleosides and their bases (126) 679
Hasebe, K., see Shimada, K. (124) 79
Hasegawa, K., see Lee, K.-R. (123) 119
Hasegawa, M., see Shimada, K. (124) 79
Hastings Vogt, C.R., see Ryan, T.R. (130) 346
Hatano, H., see Rokushika, S. (130) 324
Hawkes, S.J.
Plate height in porous-layer open-tubular columns (124) 359
Hawkins, D.R., see Elsom, L.F. (123) 463
Hayashi, A., see Viswanathan, C.V. (123) 243
Hayashi, T., see Terada, H. (130) 281
Hayes, K.C., see Hojnacki, J.L. (128) 133
Heathcote, J.G. and Al-Alawi, S.J.
Improved technique for the analysis of amino acids and related compounds on thin layers of cellulose. XI. Direct, visual micro-method for investigating the primary structural sequence of collagen and other proteins (129) 211
Heide, R. ter, see Ter Heide, R. (129) 143
Heidemann, G. and Lekim, D.
Densitometric analysis of ethanolamine- and serine-containing phosphoglycerides (128) 235
Heinsohn, H.G., see Dean, W.W. (124) 287
Helland, P., see Jellum, E. (126) 487
Helmy, F.M., see Hack, M.H. (128) 239
Henderickx, H.K., see Dierick, N.A. (129) 403
Henderson, D.E., see Uden, P.C. (126) 225
Henderson, G.L., see Lau, D.H.M. (129) 329
Henry, R.A., see Bakalyar, S.R. (126) 327
Henry, R.A., see Leung, A.T. (122) 355
Hentschel, P.R., see Swallow, W.H. (130) 403
Hermann, U., see Wehrli, A. (125) 59
Hermansson, J. and Karlén, B.
Assay of the major (4-hydroxylated) metabolite of diphenylhydantoin in human urine by reversed-phase HPLC (130) 422
Herrmann, K., see Hanefeld, M. (123) 391
Herrmann, K., see Schmidtlein, H. (123) 385
Hersey, J.A., see Easterbrook, S.M. (121) 390
Herzel, F., see Pribyl, J. (125) 487
Higgins, J.W.
HPLC analysis of the benzoate esters of sapogenins isolated from *Agave* (121) 329
Hill, G.T., see Cobb, P.H. (123) 444
Hill, H.H. Jr. and Aue, W.A.
Performance of a silicon-doped hydrogen atmosphere flame ionization detector for GC (122) 515
Hill, H.H. Jr., see Karasek, F.W. (124) 179
Hirose, A., see Nose, N. (123) 167
Hirose, A., see Nose, N. (125) 439
Hirose, A., see Nose, N. (130) 410
Hložek, V., see Pailer, M. (128) 163
Ho, D.K.M., see Haken, J.K. (126) 239
Hocke, J., see Ebel, S. (126) 449
Hodda, A.E.
Detection and significance of glycols in drug screening (124) 424
Hoefler, A.C. and Coggon, P.
Reversed-phase HPLC of tea constituents (129) 460
Hofmann, K. and Blüchel, E.
Storage and densitometry of electrophoret gel plates in vacuum transparent bags (in German) (130) 444
Hojnacki, J.L., Nicolosi, R.J. and Hayes, K.C.
Densitometric quantitation of neutral lipid on ammonium sulfate impregnated thin-layer chromatograms (128) 133
Holasová, M. and Blattná, J.
Gel chromatographic separation of retinol, retinyl esters and other fat-soluble vitamins (123) 225
Holzer, G., see Bertsch, W. (126) 213
Holzer, G., Oró, J. and Bertsch, W.
GC-MS evaluation of exhaled tobacco smoke (126) 771
Hood, L.F., see Conway, R.L. (129) 415
Hoogeveen, L.P.J., see Dolphin, R.J. (122) 259
Hopkins, B.J., see Boshoff, P.R. (126) 35
Hörchner, P. and Rietveld, T.
Rapid method for the quantitative determination of porphyrin methyl esters by HPLC (123) 414
Horning, E.C., see Pfaffenberger, C.D. (126) 53
Horning, M.G., see Stafford, M. (126) 495
Horvath, C. and Lin, H.-J.
Movement and band spreading of unsorbe solutes in LC (126) 401
Horváth, C., Melander, W. and Molnár, I.
Solvophobic interactions in LC with nonpolar stationary phases (125) 129
Horwitz, E.P., Delphin, W.H., Bloomquist, C.A.A. and Vandegrift, G.F.
Radiochemical and isotope separations by high-efficiency LLC (125) 203
Hoshika, Y.
Selective and sensitive GC determination benzaldehyde (129) 436
Hostettmann, K. and Jacot-Guillarmod, A.
Application of HPLC and MS to the identification of xanthones (in French) (124) 381
Houghten, R.A. Jr., see Kauffman, G.B. (123) 448
Houx, N.W.H. and Voerman, S.
HPLC of potential insect sex attractants and other geometrical isomers on a silver-loaded ion exchanger (129) 456
Hradil, J., see Peška, J. (125) 455
Hsu, F., see Shanfield, H. (126) 457
Huber, J.F.K. and Vodenik, R.
Exploitation of phase-system selectivity by two-column LC. Separation of carbamate pesticides (Summary) (122) 331
Huber, J.F.K., see Wehrli, A. (125) 59
Hucker, H.B. and Stauffer, S.C.
GLC determination of nanogram amounts of cyclobenzaprine in plasma using a nitrogen detector (124) 164
Huesgen, G., see Liebich, H.M. (126) 465

hoven, R. and Desager, J.P.
Quantitative determination of low levels of daunomycin and daunomycinol in plasma by HPLC (125) 369
shoff, A. and Perrin, J.H.
Chromatographic characterization of phenothiazine drugs by a reversed-phase thin-layer technique (129) 249
shoff, A. and Perrin, J.H.
Comparison of the determination of partition coefficients of 1,4-benzodiazepines by HPLC and TLC (129) 263
nt, D.C., Wild, P.J. and Crosby, N.T.
Phthalimidopropylsilane: A new chemically bonded stationary phase for the determination of polynuclear aromatic hydrocarbons by HPLC (130) 320
smann, H., see Schomburg, G. (122) 55
ang, B., see Desager, J.P. (123) 379

I

Iatridis, B. and Parissakis, G.
Chlorination and GC determination of arsenic in oxides, sulphides, ores and alloys (122) 505
Ichiba, T., see Tsuda, T. (130) 87
Ilavský, M., see Peška, J. (125) 455
Improta, C., see Nota, G. (123) 411
Inczédy, J., see Vigh, G. (129) 81
Inglis, A.S.
Improved conversion of thiazolinones to phenylthiohydantoins during amino acid sequence analysis (123) 482
Inoue, O., see Ogihara, Y. (128) 218
Inoue, T., see Niwaguchi, T. (121) 165
Inturrisi, C.E., see Szeto, H.H. (125) 503
Ioffe, B.V., see Vitenberg, A.G. (126) 205
Irvine, D.G.
Autotransfer chromatography in the characterization of pyrroles. Chemistry of multiple-spot phenomena (123) 69
Ishii, D., see Tsuda, T. (130) 87
Iwai, K., see Lee, K.-R. (123) 119
Iwaoka, W. and Tannenbaum, S.R.
LC of N-nitrosoamino acids and their *syn* and *anti* conformers (124) 105

J

Jackson, A.H., see Evans, N. (125) 345
Jacobson, E.L., see Barton, R.A. (130) 145
Jacobson, M.K., see Barton, R.A. (130) 145
Jacot-Guillarmod, A., see Hostettmann, K. (124) 381
Jähnchen, E., see Schmitt, K.-F. (130) 418
Jaillard, J., see Desreumaux, C. (130) 336
Jain, S.M., see Dhar, M.L. (129) 488
Jakubowski, A., see Mielniczuk, Z. (125) 444
Jamieson, G.R. and Reid, E.H.
GLC characteristics of some long-chain acetylenic methyl esters (128) 193
Janák, J., see Novák, J. (123) 497
Janča, J., Kolínský, M. and Mrkvičková, L.
Calibration of separation systems for GPC (121) 23
Janicki, C.A., see Gilpin, R.K. (121) 13
Janiga, Š., see Krupčík, J. (126) 147
Jaroniec, M., see Gawdzik, J. (121) 185
Jellum, E., Størseth, P., Alexander, J., Helland, P., Stokke, O. and Teig, E.
Application of glass capillary-column GC-MS to the studies of human diseases (126) 487
Jinnai, N., see Takeshita, R. (123) 301
Johansson, I.M., see Fransson, B. (125) 327
Johansson, L., see Hartvig, P. (121) 235
Johnson, A., see Culberson, C.F. (128) 253
Johnson, G.E., see Bailey, D.G. (121) 263
Jones, R.A., Neale, M.E. and Ridlington, J.
Chemistry of terpenes. VII. New procedure for the determination of neral and geranial in essential oils (130) 368
Jonkman, J.H.G., Wijsbeek, J., Greving, J.E., Van Gorp, R.E. and De Zeeuw, R.A.
Determination of thiazinamium sulphoxide in urine by means of Amberlite XAD-2 CC and thin-layer densitometry (128) 208
Jönsson, J.Å., see Olsson, A.-M. (128) 35
Jorgenson, J.W., see Asmus, P.A. (126) 317
Joshi, P.N., Shankar, V., Abraham, K.I. and Sreenivasan, K.
Separation of chymopapain from papaya latex *(Carica papaya)* on Amberlite IR-120 (Hg^{2+}) (121) 65
Joslin, H.D., see Abraham, C.V. (128) 281
Jurand, J., see Knox, J.H. (125) 89

K

Kainuma, K., Nogami, A. and Mercier, C.
GPC of maltosaccharides on polyacrylamide gel (121) 361
Kaiser, R.E., see Ševčík, J. (126) 263
Kalász, H., Magyar, K. and Barnes, W.T.
Numerical calculation of the separation parameters in gel chromatography (128) 3
Kalinowiski, R., see Annino, R. (126) 301
Kaljurand, M., see Küllik, E. (126) 249
Kambara, T., see Ohzeki, K. (121) 199
Kanno, Y.-I., see Asai, K. (126) 369
Karabasis, I.Z., see Katsanos, N.A. (130) 3
Karaiskakis, G., see Katsanos, N.A. (130) 3
Karas, E., see Annino, R. (126) 301
Karasek, F.W., Guy, P., Hill, H.H. Jr. and Tiernay, J.M.
Chromatographic design and temperature related characteristics of the piezoelectric detector (124) 179
Karashima, D., Shigematsu, A., Furukawa, T., Nagayoshi, T. and Matsumoto, I.
Esterification of trifluoroacetic acid with phenyldiazomethane for quantitative GC analysis. Methods involving separation from biological materials (130) 77
Karch, K., Sebestian, I. and Halász, I.
Preparation and properties of reversed phases (122) 3
Karch, K., Sebestian, I., Halász, I. and Engelhardt, H.
Optimization of reversed-phase separation (122) 171
Karger, B.L., Gant, J.R., Hartkopf, A. and Weiner, P.H.
Hydrophobic effects in reversed-phase LC (128) 65
Karger, B.L., see Petersen, B.A. (126) 503
Karger, B.L., Snyder, L.R. and Eon, C.
Expanded solubility parameter treatment for classification and use of chromatographic solvents and adsorbents. Parameters for dispersion, dipole and hydrogen bonding interactions (125) 71
Karl, H., see Thiem, J. (130) 305
Karlén, B., see Hermansson, J. (130) 422
Karlsson, K.-E., see Hartvig, P. (121) 235
Karmen, A., see Lehrer, M. (126) 615
Káš, J. and Černá, J.
Chromatography of folates on Sephadex G-10 (124) 53
Kasprzyk, Z., see Wiłkomirski, B. (129) 440
Katsanos, N.A., Karaiskakis, G. and Karabasis, I.Z.
Theory of non-equilibrium stopped-flow (130) 3
Katushkina, N.V., see Bresler, S.E. (130) 275

ffman, G.B., Gump, B.H. and Stedjee, B.J.
eparation of inorganic isomers by TLC.
V. Ligand isomers of various coordination
umbers (121) 138
ffman, G.B., Gump, B.H. and Stedjee, B.J.
eparation of inorganic isomers by TLC. V.
tructural, linkage, geometric, and
onformational isomers of various
oordination numbers (121) 395
ffman, G.B., Gump, B.H., Stedjee, B.J. and
loughten, R.A. Jr.
eparation of inorganic isomers by TLC.
VI. Isomers of the non-metals boron,
hosphorus and silica (123) 448
fman, L., see De Clercq, H. (122) 535
shik, R.C., see Qureshi, M. (128) 149
vaguchi, H., see Sakamoto, T. (121) 383
vai, K.-I., see Ogihara, Y. (128) 218
vai, M., see Rosenfeld, J. (129) 387
vai, S., see Terada, H. (130) 281
vanishi, Y., see Machida, A. (130) 390
ly, D.P., see Silver, M. (123) 479
mer, G.W., see Galpin, I.J. (123) 237
n, R., see Unger, K. (122) 345
n, T., see Qureshi, M. (128) 149
ndelwal, J.K., see Rosenfeld, J. (129) 387
vm, J.X.
Rapid resolution of 5'-mono-, -di-, and -
riphosphate ribo- and deoxyribonucleoside
mixtures by conventional anion-exchange
hromatography (124) 415
n, K., see Zlatkis, A. (126) 475
g, J.W., see MacDonald, J. (124) 364
icsi, I., Varga, K. and Fejes, P.
Some theoretical and practical aspects of
he use of radio gas chromatographs
123) 279
kland, J.J.
Porous silica microspheres for high-
performance size exclusion
chromatography (125) 231
kland, J.J., see Yau, W.W. (125) 219
kpatrick, D.
Separation of optical brighteners by LSC
(121) 153
elev, A.V., see Bortnikov, G.N. (124) 337
e, R. and Steubing, L.
Quantitative analysis of atranorin by TLC
(129) 478
ijn, E. van der, see Van der Kleijn, E.
(121) 150
in, J. and Widdecke, H.
Influence of the support material and
liquid loading on retention indices in GLC
(129) 375
misch, H.-J. and Ambrosius, D.
Quantitative determination of nitrosamines
after separation of their derivatives by
HPLC (in German) (121) 93
misch, H.-J. and Beiss, A.
Separation of N-heteropolycyclic aromatic
hydrocarbons from polycyclic aromatic
hydrocarbons. Separation by ion-exchange
chromatography and fractionation of
cigarette smoke condensate (in German)
(128) 117
Knight, B.I., see Skellern, G.G. (124) 405
Knight, C.G.
Chromogenic subtrates for proteinases.
Purification by chromatography on
lipophilic Sephadex (123) 429
Knop, H.J., see Vree, T.B. (121) 150
Knöppel, H., see Versino, B. (122) 373
Knox, J.H. and Jurand, J.
Separation of catecholamines and their
metabolites by adsorption, ion-pair and
soap chromatography (125) 89
Knox, J.H. and Laird, G.R.
Soap chromatography: A new HPLC
technique for separation of ionizable
materials. Dyestuff intermediates (122) 17
Knox, J.H., Laird, G.R. and Raven, P.A.
Interaction of radial and axial dispersion in
LC in relation to the "infinite diameter
effect" (122) 129
Kobashi, M., see Lee, K.-R. (123) 119
Kobayashi, S., see Nose, N. (123) 167
Kobayashi, S., see Nose, N. (125) 439
Kobayashi, S., see Nose, N. (130) 410
Kodama, K., see Ohzeki, K. (121) 199
Koel, M., see Küllik, E. (126) 249
Kohli, J.C.
General spray reagent for the detection of
terpene derivatives on thin-layer plates
(121) 116
Kohli, J.C. and Arora, A.K.
Specific separation of equol from estrogens
by TLC (129) 473
Kok, A. de, see De Kok, A. (128) 101
Kok, A. de, see De Kok, A. (129) 193
Kok, A. de, see De Kok, A. (129) 451
Kolb, B.
Application of an automated head-space
procedure for trace analysis by GC
(122) 553
Kolikov, V.M., see Bresler, S.E. (130) 275
Kolínský, M., see Janča, J. (121) 23
Komárek, K., see Novrocík, J. (124) 73
Konishi, K., see Fudano, S. (128) 199
Kopecká, H., see Kraus, M. (124) 360
Korol, A.N.
Selectivity of stationary phases for the
resolution of some simple substances
(129) 125
Korolczuk, J., see Mielniczuk, Z. (125) 444
Koshy, K.T.
Structure-GC electron capture sensitivity
relationships of some substituted 17α-
acetoxyprogesterones (126) 641
Kostova, V., see Dousheva, M. (121) 131
Kouřilová, D., Krejčí, M., Slavík, V. and Deml,
M.
Device for LC with a dynamic temperature
gradient (128) 79
Kováts, E.sz., see Boksányi, L. (126) 87
Kováts, E.sz., see Riedo, F. (126) 63

Kowalski, J., Scibiorek, M. and Chojnowski, J.
Correlation of the response factors of thermal-conductivity detector with molecular weight for methylsiloxanes (130) 351
Kraak, J.C., Poppe, H. and Smedes, F.
Construction of columns for LC with very large plate numbers. Theory and practice (122) 147
Králíček, J., see Mařík, J. (128) 1
Kraus, M. and Kopecká, H.
Importance of macropores in polymer packings for GC (124) 360
Krejčí, M., see Kouřilová, D. (128) 79
Kringstad, R.
Quantitative determination of phorbic acid by GLC (130) 414
Kristín, M., see Krupčík, J. (126) 147
Krohn, K.
Osmium tetroxide as specific detection reagent in TLC (in German) (130) 327
Kroll, M.G.F., see Deelder, R.S. (125) 307
Krška, M., see Rittich, B. (130) 189
Krupčík, J., Kristín, M., Valachovičová, M. and Janiga, Š.
Effect of etching with gaseous hydrogen chloride on the quality of glass capillary columns (126) 147
Kucera, P., see Scott, R.P.W. (125) 251
Kuleš, M., see Trkovnik, M. (128) 227
Küllik, E., Kaljurand, M. and Koel, M.
Analysis of pyrolysis gas chromatograms using pattern recognition techniques (126) 249
Kuningas, K., see Rang, S. (128) 59
Kunningas, K., see Rang, S. (128) 53
Kutter, M., see Clerc, J.T. (123) 271
Kuzmenko, T.E., see Golovnya, R.V. (121) 118

L

Lacko, A.G. and Chen, T.F.
Enzyme purification by affinity chromatography using a non-covalently bound adsorbent (130) 446
Laffort, P. and Patte, F.
Solubility factors in GLC. Comparison between two approaches and application to some biological studies (126) 625
Lagerström, P.-O., see Persson, B.-A. (122) 305
Laird, G.R., see Knox, J.H. (122) 17
Laird, G.R., see Knox, J.H. (122) 129
Lakshmi, M.B. and Subrahmanyam, D.
Separation and detection of lipases using polyacrylamide gel electrophoresis (130) 44
Lalka, D., see Haegele, K.D. (126) 517
Lam, C.H. and Lie Ken Jie, M.S.F.
Fatty acids. VIII. GLC properties of all dimethylene interrupted methyl *trans,trans*-octadecadienoates (121) 303
Lam, C.H., see Lie Ken Jie, M.S.F. (124) 147
Lam, C.H., see Lie Ken Jie, M.S.F. (129) 181
Lam, S., see Milano, M.J. (125) 315
Landini, M., see Lepri, L. (129) 239
Langer, S.H., Melton, H.R., Griffith, T.D. and Coca, J.
GC reactor study of the kinetics of methylcyclopentadiene dimer dissociation (122) 487
Lankelma, J. and Poppe, H.
Design and characterization of a coulometric detector with a glassy carbon electrode for HPLC (125) 375
Lankelma, J., see Tjaden, U.R. (125) 275
Lanouette, M. and Lodge, B.A.
TLC separation of corticosteroids from their respective 17-oxo-oxidation products (129) 475
Lanzarini, G., Morselli, L., Pifferi, P.G. and Giumanini, A.G.
Pyrolysis GC-MS for the identification of anthocyanins (130) 261
Lategan, P.M., see Du Preez, J.C. (124) 63
Latini, R., see Bianchetti, G. (124) 331
Lato, M., see Ghebregzabher, M. (127) 133
Lau, D.H.M. and Henderson, G.L.
Comparative study on the derivatization of *l-α*-acetylmethadol metabolites for electron capture GLC (129) 329
Lau, K., see Olafsson, P.G. (124) 388
Lawlor, J.P., see Elphick, M.C. (130) 139
Lawrence, J.F.
GC separation of herbicides of major interest in Canada, with electrolytic conductivity detection in the nitrogen and chlorine modes (121) 85

ence, J.F.
C analysis of heptafluorobutyryl
rivatives of some carbamate insecticides
23) 287
ence, J.F.
nsitivity enhancement of the Coulson
nductivity detector by modification of the
idge circuitry (128) 154
ence, J.F., Renault, C. and Frei, R.W.
uorogenic labeling of organophosphate
sticides with dansyl chloride. Application
residue analysis by HPLC and TLC
21) 343
ence, J.F. and Ryan, J.J.
mparison of electron-capture and
ectrolytic-conductivity detection for the
LC analysis of heptafluorobutyryl
rivatives of some agricultural chemicals
30) 97
ence, J.F., see Sen, N.P. (128) 169
da, R., see Sokołowski, S. (128) 180
da, R., Waksmundzki, A. and Sokołowski,

fluence of the energetic heterogeneity of
column packing on the separation
ocess in GSC (124) 60
illon, J.-B. and Souppart, C.
uantitative assay of sulphinpyrazone in
asma and urine by HPLC (121) 227
urtier, J., Audebert, R. and Quivoron, C.
neoretical study of chromatographic
parations performed with cross-linked
ganic polymers (121) 173
rer, M., see Sinibaldi, M. (129) 412
C.R., see Fell, V. (121) 41
C.S. and Benet, L.Z.
LC determination of ethambutol in
asma and urine of man and monkey
28) 188
K.-R., Suzuki, T., Kobashi, M., Hasegawa,
and Iwai, K.
uantitative microanalysis of capsaicin,
hydrocapsaicin and nordihydrocapsaicin
ing mass fragmentography (123) 119
S.-C. and Yin, S.-J.
LC separation of imidazole compounds
d its application to radiotracing studies
brain histidine metabolism (129) 482
J.I., see White, W.I. (124) 134
er, M. and Karmen, A.
nemical ionization MS for rapid assay of
ugs in serum (126) 615
n, D., see Heidemann, G. (128) 235
, V.K., see Viswanathan, C.V. (128) 302
ar, M. and Porthault, M.
nperometric detection in HPLC with
n-conductive eluents (in French)
30) 372
i, V., Puccetti, G., Colombo, R.J. and
Ovidio, A.M.
se of Tenax for the extraction of
sticides and polychlorinated biphenyls
om water. II. Tests with artificially
lluted and natural waters (125) 399

Lepori, M., see Lepri, L. (123) 175
Lepri, L., Desideri, P.G., Landini, M. and Tanturli, G.
Chromatographic behaviour of phenols on thin layers of anion and cation exchangers. III. AG 1-X4 and BD-cellulose (129) 239
Lepri, L., Desideri, P.G. and Lepori, M.
Chromatographic behaviour of alkaloids on thin layers of cation exchangers. II. Alginic acid, Rexyn 102, Dowex 50-X4 and CMCNa (123) 175
Leung, A.T., Rock, J.V., Henry, R.A., Derge, K. and McIllwrick, R.
Effect of microprocessors on traditional chromatography instrumentation (122) 355
Levandoski, P., see Desager, J.P. (123) 379
Lewis, C., see Brodasky, T.F. (123) 33
Liberti, A., see Di Corcia, A. (122) 459
Lie Ken Jie, M.S.F. and Lam, C.H.
Fatty acids. IX. The TLC behaviour of all of the *cis,cis-* and *trans,trans*-dimethylene-interrupted methyl octadecadienoates and methyl octadecadiynoates (124) 147
Lie Ken Jie, M.S.F. and Lam, C.H.
Fatty acids. XI. The synthesis of epoxides from methyl octadecadienoates and a study of their chromatographic properties (129) 181
Lie Ken Jie, M.S.F., see Lam, C.H. (121) 303
Liebich, H.M. and Huesgen, G.
Rapid quantitative microanalysis of ketones in urine by GC-mass fragmentography (126) 465
Lierop, J.B.H. van, see Van Lierop, J.B.H. (128) 183
Ligny, C.L. de, see De Ligny, C.L. (130) 41
Lin, D.C.K., see Graffeo, A.P. (126) 717
Lin, H.-J., see Horvath, C. (126) 401
Lin, J.S., Baranowski, J.D. and Olcott, H.S.
Rapid TLC-densitometric determination of histamine in tuna (130) 426
Lindberg, C., see Hartvig, P. (121) 235
Lindner, W., see Erni, F. (125) 265
Lindquist, R., see Annino, R. (126) 301
Lindström, K. and Nordin, J.
GC-MS of chlorophenols in spent bleach liquors (128) 13
Lipavsky, V.N., see Berezkin, V.G. (130) 318
Little, J.N., Cotter, R.L., Prendergast, J.A. and McDonald, P.D.
Preparative LC using radially compressed columns (126) 439
Livertoux, M.H., see Baudot, P. (128) 141
Lloyd, R.J., see Uden, P.C. (126) 225
Lodge, B.A., see Lanouette, M. (129) 475
Lord, K.A., see Bromilow, R.H. (125) 495
Lovelock, A.J., see Simmonds, P.G. (126) 3
Lovelock, J.E., see Simmonds, P.G. (126) 3
Low, C.-E., see Asmus, P.A. (123) 109
Luan, N.-T., Pokorný, J., Čoupek, J. and Pokorný, S.
Fractionation of the oxidation products of α-tocopherol and their condensation

products with L-lysine by combined TLC and gel chromatography (130) 378
Lubkowitz, J.A. and Petit, L.R.
Determination of metamidophos and acetamidophos in formulations by reversed-phase HPLC (121) 161
Lubrano, G.J., see Dean, W.W. (124) 287
Luciani, M.L., see Alberti, G. (128) 289
Lund, E., Thomsen, J. and Brunfeldt, K.
Use of *o*-phthalaldehyde for fluorescence detection in conventional amino acid analyzers. Sub-nanomole sensitivity in the analysis of phenylthiohydantoin-amino acids (130) 51
Lund, U., see Wahlund, K.-G. (122) 269

M

MacArthur Moodie, I. and George, R.D.
GLC of amino acids. Determination of cystine and cysteine as N-acetyl, *n*-propyl S-carboxymethylcysteinate (124) 315
McCorkle, T., see Scott, C.G. (125) 157
McCoy, B.J., see Wong, A.K. (129) 1
MacDonald, J. and King, J.W.
Improved Hall conductivity detection system without solvent interference (124) 364
McDonald, P.D., see Little, J.N. (126) 439
McDuffie, N.M., see Dietrich, C.P. (130) 299
McFadden, W.H., Schwartz, H.L. and Evans, D.
Direct analysis of LC effluents (122) 389
McFadyen, P.
Determination of free toluene diisocyanate in polyurethane prepolymers by HPLC (123) 468
McGinnis, G.D. and Fang, P.
Separation of substituted carbohydrates by HPLC (130) 181
Machida, A., Ogawa, T., Ono, T. and Kawanishi, Y.
PC behaviour of α-DNP-lysine in comparison with other DNP-amino acids (130) 390
Machin, A.F., see Mundy, D.E. (121) 335
McHugh, W., Sandmann, R.A., Haney, W.G., Sood, S.P. and Wittmer, D.P.
Characterization of selected fluorescamine amino acid reaction products by HPLC (124) 376
McIllwrick, R., see Leung, A.T. (122) 355
MacKenzie, S.L.
Analysis of methionine in plant material. Improved GC procedure (130) 399
McKeown, M.C., see Siegel, M.W. (122) 397
McKerrel, E.H., see Webber, T.J.N. (122) 243
McNay, J.L. Jr., see Haegele, K.D. (126) 517
McRorie, R.A., see Brantner, J.H. (129) 97
Madani, C., Chambaz, E.M., Rigaud, M., Durand, J. and Chebroux, P.
New method for the preparation of highly stable polysiloxane-coated glass open-tubular capillary columns and application to the analysis of hormonal steroids (126) 161
Maes, R.A.A., see Plomp, T.A. (121) 243
Magee-Brown, R., see O'Hare, M.J. (125) 357
Magic, S.E.
Determination of β-cetotetrine in plasma and urine using HPLC with electrochemical detection (129) 73
Mague, T.H., see Siezen, R.J. (130) 151
Magyar, K., see Kalász, H. (128) 300

ıy, N. and Gelpi, E.
GC separation of histamine and its
netabolites (130) 237
ıy, N., see Rosello, J. (122) 469
ni, P.
Electron-capture GC determination of
esidues of anthraquinone bird repellent
128) 174
arenko, N.P., see Bortnikov, G.N. (124) 337
ita, M., Yamamoto, S., Sakai, K. and
Shiraishi, M.
GLC of the N-isobutyloxycarbonyl methyl
sters of non-protein amino acids (124) 92
ek, J., see Nondek, L. (129) 393
len, D.N.B., see Cockerill, A.F. (129) 339
speis, L., see Sams, R.A. (125) 409
a, M. and Michalec, Č.
Chromatographic study of mycolic acid-like
substances in lipids of *Listeria*
monocytogenes (130) 434
co, C. de, see De Marco, C. (129) 369
cus, C.S., see Maysinger, D. (130) 129
ík, J., Čapek, A. and Králíček, J.
GC-MS of trimethylsilyl derivatives of ω-
amino acids (128) 1
kowski, J., see Czerwiec, Z. (124) 76
riott, J.L., see Ross, M.S.F. (124) 157
shall, J.L. and Parker, D.A.
Investigations into the preparation of glass
open-tube GC columns (122) 425
shall, P.N.
TLC of some cationic dyes commonly used
in histology (129) 277
tin, A.J.P., see Shanfield, H. (126) 457
tin, I.L. and Baker, G.B.
Procedural difficulties in the GLC assay of
the arylalkylamines (123) 45
tin, M., Guiochon, G., Blu, G. and Eon, C.
Compressibility effects in syringe pumps
for LC (130) 458
tin, M., Verillon, F., Eon, C. and Guiochon,
G.
Theoretical and experimental study of
recycling in HPLC (125) 17
z, L., Barna, J. and Ebermann, R.
Localization of glycosidases on
polyacrylamide gel (123) 495
skarinec, M.P., Alexander, G. and Novotný,
M.
Analysis of the acidic fraction of marijuana
smoke condensate by capillary GC-MS
126) 559
ssart, D.L., see De Clercq, H. (122) 535
ssart, D.L., see Detaevernier, M.R. (128) 204
hews, R.G., see Schwartz, R.D. (126) 113
hiasson, L., see Olsson, A.-M. (128) 35
lin, S.A., see Evans, N. (125) 345
lorina, N.N., Chmutov, K.V., Shepetyuk, L.V.,
Buchatsky, P.M. and Formalnova, T.I.
Specific factors involved in the spreading
of chromatographic zones in ion-exchange
complexing chromatography (129) 19
rieni, G., see Sinibaldi, M. (129) 412
sumoto, I., see Karashima, D. (130) 77
Mattsson, P.E. and Nygren, S.
GC determination of polychlorinated biphenyls and some chlorinated pesticides in sewage sludge using a glass capillary column (124) 265
Mattsson, P.E., see Nygren, S. (123) 101
Matucha, M. and Smolková, E.
GC of ^{3}H- and ^{14}C-labelled compounds (Review) (127) 163
Maurer, K.H., see Zune, A. (122) 365
Maurer, P.G., see Blasius, E. (125) 511
Maysinger, D., Marcus, C.S., Wolf, W., Tarle, M. and Casanova, J.
Preparation and HPLC of iodinated diethylstilbestrols and some related steroids (130) 129
Medicus, R.G., see Brantner, J.H. (129) 97
Meienhofer, J., see Gabriel, T.F. (129) 287
Melander, W., see Horváth, C. (125) 129
Mellor, N.
Thermionic detectors in GC. Selective detection of phosphorus, nitrogen, and sulphur compounds (123) 396
Melton, H.R., see Langer, S.H. (122) 487
Menez, J.F., Berthou, F., Picart, D., Bardou, L. and Floch, H.H.
GC analysis of dialkylbarbituric acids (129) 155
Mercier, C., see Kainuma, K. (121) 361
Mesrob, B., see Dousheva, M. (121) 131
Mettler, M., see Curtius, H.C. (126) 569
Michalec, Č., see Mára, M. (130) 434
Michalewsky, J., see Gabriel, T.F. (129) 287
Michalski, E.J., see Brown, N.D. (121) 76
Michel, L., see Frei, R.W. (126) 665
Middleditch, B.S.
Aldehyde condensation products as derivatives for the vapor phase analysis of biogenic amines (126) 581
Mielniczuk, Z., Korolczuk, J. and Jakubowski, A.
Long-chain acetates as internal standards in the GLC of volatile fatty acids (125) 444
Mikeš, F., Boshart, G. and Gil-Av, E.
Resolution of optical isomers by HPLC, using coated and bonded chiral charge-transfer complexing agents as stationary phases (122) 205
Milano, M.J., Lam, S. and Grushka, E.
Rapid scanning diode array as a multi-wavelength detector in LC (125) 315
Miles, W.F., see Sen, N.P. (128) 169
Miller, V., Pacáková, V. and Smolková, E.
GC analysis of pharmaceuticals based on pyrimidine and purine substances (123) 216
Mills, A.D., see Dolphin, R.J. (122) 259
Mizuike, A., see Sakamoto, T. (121) 383
Moler, G.F., see Dessy, R.E. (126) 347
Molnár, I., see Horváth, C. (125) 129
Molodtsov, N.V., see Artyukov, A.A. (130) 451
Monal, J.L., see Baudot, P. (128) 141
Monaldi, B., see Ghebregzabher, M. (127) 133
Montgomery, W.G., see Morita, H. (123) 454

Moore, B.P. and Brown, W.V.
3,4,5-Trimethoxybenzylhydrazine: An efficient subtraction reagent for aldehydes and ketones in GC (121) 279
Moore, B.P. and Brown, W.V.
GC detection of small amounts of formic acid as dimethylformamide (128) 178
Moore, S., see Galpin, I.J. (123) 237
Mori, S.
Identification and determination of phthalate esters in river water by HPLC (129) 53
Morita, H. and Montgomery, W.G.
GC of chloromethylsilylated phenolic acids (123) 454
Morrone, A. and Beretta, E.
GC determination of diftalone in human plasma by use of an automatic sampler (128) 27
Morselli, L., see Lanzarini, G. (130) 261
Morselli, P.L., see Bianchetti, G. (124) 331
Morselli, P.L., see Frigerio, A. (130) 354
Moschetto, Y., see Desreumaux, C. (130) 336
Moss, C.W., see Choudhary, G. (128) 261
Mostecký, J., see Trdlička, V. (130) 437
Mott, S.D. and Grushka, E.
Chromatographic solute identification using peak shape analysis (126) 191
Mrkvičková, L., see Janča, J. (121) 23
Mumma, R.O., see Arjmand, M. (124) 97
Mundy, D.E., Quick, M.P. and Machin, A.F.
Determination of warfarin in animal relicta and feeding stuffs by HPLC with confirmation of identity by MS (121) 335
Murakami, F., see Rokushika, S. (130) 324
Muramatsu, H., see Tsuda, T. (130) 87
Murphy, J., see Sabatka, J.J. (125) 523
Murphy, R.C., see Anderson, F.S. (121) 251
Muusze, R.G., see Tjaden, U.R. (125) 275

N

Nachtmann, F., Spitzy, H. and Frei, R.W.
Rapid and sensitive high-resolution procedure for digitalis glycoside analysis by derivatization LC (122) 293
Nagayoshi, T., see Karashima, D. (130) 77
Nair, B.M., see Appelqvist, L.-Å. (124) 239
Najm, K.A.B., see Habboush, A.E. (130) 161
Nakajima, M., Ozawa, Y., Tanimura, T. and Tamura, Z.
Highly efficient carboxylic acid analyzer and its application (123) 129
Nakamoto, A., see Asai, K. (126) 369
Nakamura, H. and Pisano, J.J.
Derivatization of compounds at the origin of thin-layer plates with fluorescamine (121) 33
Nakamura, H. and Pisano, J.J.
Detection of compounds with primary amino groups on thin-layer plates by dipping in a fluorescamine solution (121) 7
Nakamura, T., see Fukuda, T. (128) 212
Nakamura, T., Yano, T., Fujita, A. and Ohashi, S.
Anion-exchange chromatographic separation of linear phosphates with eluent containing a chelating agent (130) 384
Nambara, T., see Shimada, K. (124) 79
Natalizia, F., see Cartoni, G.P. (123) 474
Nau, H.
GC-MS of permethylated peptides and their reduced and trimethylsilylated derivatives (121) 376
Nayyar, C.P., see Singh, M.V. (124) 145
Neale, M.E., see Jones, R.A. (130) 368
Nelson, W.C. and Wankat, P.C.
Application of cycling zone separation to preparative HPLC (121) 205
Neuhoff, V., see Osborne, N.N. (123) 212
Neuhoff, V., see Zimmer, H.G. (124) 120
Newton, N.E., Ohno, K. and Abdel-Monem, M.M.
Determination of diamines and polyamines in tissues by HPLC (124) 277
Nice, E.C., see O'Hare, M.J. (125) 357
Nicolosi, R.J., see Hojnacki, J.L. (128) 133
Niedner, R., see Ernst, W. (130) 331
Niro, C.M., see Cassidy, R.M. (126) 787
Niwaguchi, T. and Inoue, T.
Direct quantitative analysis of lysergic acid diethylamide (LSD) and 2,5-dimethoxy-4-methylamphetamine (STP) on thin-layer chromatograms (121) 165
Nogami, A., see Kainuma, K. (121) 361
Nondek, L., Šilhavý, P. and Málek, J.
LC of benzenedicarboxylic acids and their 2-hydroxyethyl esters on silica gel (129) 3
Nordin, J., see Lindström, K. (128) 13

e, N., Kobayashi, S., Hirose, A. and Watanabe, A.
GLC determination of sulphonamides (123) 167
e, N., Kobayashi, S., Tanaka, A., Hirose, A. and Watanabe, A.
Microdetermination of *o*-phenylphenol in citrus fruits by GLC (125) 439
e, N., Kobayashi, S., Tanaka, A., Hirose, A. and Watanabe, A.
Determination of thiabendazole by electron-capture GLC after reaction with pentafluorobenzoyl chloride (130) 410
a, G., Palombari, R. and Improta, C.
Determination of complex cyanides in water by GC (123) 411
ák, J., Guha, O.K. and Janák, J.
Effect of column temperature on the sensitivity of katharometer response (123) 497
otný, M., see Asmus, P.A. (123) 109
otný, M., see Asmus, P.A. (126) 317
otný, M., see Maskarinec, M.P. (126) 559
rocík, J., Komárek, K. and Poskočil, J.
GLC of some *o*-xylene, indane and tetralin derivatives (124) 73
n, W.G., see Dessy, R.E. (126) 347
ren, S. and Mattsson, P.E.
Flow programming in glass capillary column-electron capture GC by using the valve in the splitter line (123) 101
ren, S., see Mattsson, P.E. (124) 265

O

Oates, J.A., see Carr, K. (129) 363
Ogawa, T., see Machida, A. (130) 390
Ogihara, Y., Inoue, O., Otsuka, H., Kawai, K.-I., Tanimura, T. and Shibata, S.
Droplet counter-current chromatography for the separation of plant products (128) 218
O'Hare, M.J., Nice, E.C., Magee-Brown, R. and Bullman, H.
HPLC of steroids secreted by human adrenal and testis cells in monolayer culture (125) 357
Ohashi, S., see Fukuda, T. (128) 212
Ohashi, S., see Nakamura, T. (130) 384
Ohno, K., see Newton, N.E. (124) 277
Ohno, T., see Terada, H. (130) 281
Ohzeki, K., Kambara, T. and Kodama, K.
Effect of column length on HETP in GC (121) 199
Olafsson, P.G., Bryan, A.M. and Lau, K.
Differential scanning calorimetric-TLC study of 5-halo-2'-deoxynucleosides (124) 388
Olcott, H.S., see Lin, J.S. (130) 426
Olsson, A.-M., Mathiasson, L., Jönsson, J.Å. and Haraldson, L.
Determination of the loss of stationary phase in GLC from the change in retention volume (128) 35
Olsson, L., Renne, N. and Samuelson, O.
Chromatography of aromatic compounds on cross-linked polyvinylpyrrolidone and on anion-exchange resins (123) 355
Ono, T., see Machida, A. (130) 390
Onuska, F.I. and Comba, M.E.
Preparation and application of surface-modified high-resolution wall-coated open tubular columns (126) 133
Orav, A., see Rang, S. (128) 53
Orav, A., see Rang, S. (128) 59
Oró, J., see Holzer, G. (126) 771
Ortner, H.M. and Dalmonego, H.
Behaviour of rhenium(VII) on Sephadex G-10 (in German) (125) 517
Osborne, D.J., see Cockerill, A.F. (129) 339
Osborne, N.N., Stahl, W.L. and Neuhoff, V.
Separation of amino acids as mansyl derivatives on polyamide layers (123) 212
Osipova, N.A., see Tsitsishvili, G.V. (130) 13
Otsuka, H., see Ogihara, Y. (128) 218
Ozawa, T., see Saitoh, K. (124) 231
Ozawa, Y., see Nakajima, M. (123) 129

P

Pacáková, V., see Miller, V. (123) 216
Page, F.M., see Broś, E. (126) 271
Pailer, M. and Hložek, V.
Use of a nematic liquid crystal for the GC separation of aza-heterocyclic compounds (128) 163
Palombari, R., see Nota, G. (123) 411
Pantarotto, C., see Frigerio, A. (130) 354
Pantarotto, C., see Frigerio, A. (130) 361
Papendick, H.-D. and Baudisch, J.
Tapeworm columns in GC (122) 443
Parissakis, G., see Iatridis, B. (122) 505
Parker, D.A., see Marshall, J.L. (122) 425
Parry, G.J.G. and Ferry, D.G.
Rapid GC method for the determination of clonazepam in serum and cerebrospinal fluid (128) 166
Pašek, J., see Dvořák, B. (124) 1
Patel, A.B. and Gehrke, C.W.
Derivatization and chromatography of nucleosides and nucleotides (130) 115
Patel, A.B., see Gehrke, C.W. (123) 335
Patel, A.B., see Gehrke, C.W. (130) 103
Patsalides, E., see Dilli, S. (130) 251
Patte, F., see Laffort, P. (126) 625
Peil, A., see Versino, B. (122) 373
Pelizza, G., see Roggia, S. (124) 169
Perier, C., Ronzière, M.-C., Rattner, A. and Frey, J.
GC separation of ε-hydroxynorleucine (in French) (125) 526
Perrett, D.
Simplified low-pressure high-resolution nucleotide analyser (124) 187
Perrin, J.H., see Hulshoff, A. (129) 249
Perrin, J.H., see Hulshoff, A. (129) 263
Persson, B.-A. and Lagerström, P.-O.
Ion-pair partition chromatography in the analysis of drugs and biogenic substances in plasma and urine (122) 305
Pertoft, H. and Hallén, A.
Preparation of silica-agarose beads for gel chromatography (128) 125
Peška, J., Štamberg, J., Hradil, J. and Ilavský, M.
Cellulose in bead form. Properties related to chromatographic uses (125) 455
Peterkin, P.I., see Fitt, P.S. (124) 137
Petersen, B.A., Hanson, R.N., Giese, R.W. and Karger, B.L.
Picogram analysis of free triiodothyronine and free thyroxine hormones in serum by equilibrium dialysis and electron capture GC (126) 503
Petit, J., see Chabard, J.-L. (121) 295
Petit, L.R., see Lubkowitz, J.A. (121) 161
Petrin, M.J., see Scott, C.G. (125) 157
Petrin, P.
Versatile twin-trough developing tank for TLC (123) 65
Peyronel, G., Battistuzzi, R. and Debbi, G.
Radiochromatographic study of some ethylthiourea complexes of copper(I), silver(I) and gold(I) (123) 367
Pfaffenberger, C.D., Szafranek, J. and Hornin E.C.
GC study of free polyols and aldoses in cataractous human lens tissue (126) 535
Phillipou, G.
Allyldimethylsilyl ethers. New derivatives for the analysis of steroids by GC-MS (129) 384
Phillips, C.S.G., see Badger, C.M.A. (126) 11
Picart, D., see Menez, J.F. (129) 155
Pifferi, P.G., see Lanzarini, G. (130) 261
Pirkle, W.H. and Sikkenga, D.L.
Resolution of optical isomers by LC (123) 400
Pisano, J.J., see Nakamura, H. (121) 33
Pisano, J.J., see Nakamura, H. (121) 79
Plomp, T.A., Maes, R.A.A. and Thiery, M.
Rapid GC determination of thiamphenicol in plasma and amniotic fluid (121) 243
Poelmann, J., see Versino, B. (122) 373
Poitrenaud, C.
Partition of chelating agents between a cationic ion exchanger swollen with wate and a water-immiscible solvent (in Frenc (124) 197
Poitrenaud, C., see Rodriguez, A.R. (121) 104
Poitrenaud, C., see Rodriguez, A.R. (127) 29
Pokorný, J., see Luan, N.-T. (130) 378
Pokorný, S., see Luan, N.-T. (130) 378
Polcaro, C.
Simple combination of R_F value and melting-point determination for the identification of barbiturates (125) 431
Pollak, V.
Background theory for the design of a photometric instrument for quantitative thin-media chromatography (123) 11
Pooter, H. de, see De Pooter, H. (121) 49
Popl, M., Dolanský, V. and Čoupek, J.
Chromatography of aromatic hydrocarbo on macroporous polystyrene gel (130) 195
Popova, T.P., see Berezkin, V.G. (130) 318
Poppe, H., see Kraak, J.C. (122) 147
Poppe, H., see Lankelma, J. (125) 375
Poppe, H., see Tjaden, U.R. (125) 275
Porthault, M., see Lemar, M. (130) 372
Poskočil, J., see Novrocík, J. (124) 73
Potokin, J.L., see Bresler, S.E. (130) 275
Pour, J., see Franc, J. (129) 315
Preez, J.C. du, see Du Preez, J.C. (124) 63
Prendergast, J.A., see Little, J.N. (126) 439
Prescott, R., see Annino, R. (126) 301
Pretorius, V., see Boshoff, P.R. (126) 35
Preussmann, R., see Von Rappard, E. (124)
Pribyl, J. and Herzel, F.
LC parameters of groups of herbicidal

ctive substances. I. Urea herbicides (in
erman) (125) 487
ne, D.M., see Cockerill, A.F. (129) 339
itera, P.J., see Saelens, D.A. (123) 185
etti, G., see Leoni, V. (125) 399
h, J.-L., see Alibert, G. (124) 369

Q

Quick, M.P., see Mundy, D.E. (121) 335
Quivoron, C., see Lecourtier, J. (121) 173
Qureshi, M., Sharma, V., Kaushik, R.C. and Khan, T.
Influence of drying temperature on the ion-exchange properties of stannic tungstoarsenate. II. Separation of Hg^{2+} and Pb^{2+} and of Al^{3+} and Ca^{2+} (128) 149

R

Rabel, F.M., Caputo, A.G. and Butts, E.T.
Separation of carbohydrates on a new polar bonded phase material (126) 731
Raina, R., see Dhar, M.L. (129) 488
Rajapakse, L.S., see Wijesekera, R.O.B. (121) 388
Ramage, R., see Galpin, I.J. (123) 237
Rammel, O.J., see Bonilla, C.A. (124) 303
Rang, S., Kuningas, K., Orav, A. and Eisen, O.
Capillary GC of *n*-alkynes. III. Correlation of retention index increments with molecular structure (128) 59
Rang, S., Kunningas, K., Orav, A. and Eisen, O.
Capillary GC of *n*-alkynes. II. Variation of retention indices with temperature (128) 53
Rao, G.S. and Bejnarowicz, E.A.
TLC of sarcosine and its N-lauroyl and N-nitroso derivatives (123) 486
Rapp, U., see Zune, A. (122) 365
Rappard, E. von, see Von Rappard, E. (124) 247
Rassi, Z. el, see El Rassi, Z. (125) 179
Ratti, B., see Roggia, S. (124) 169
Rattner, A., see Perier, C. (125) 526
Raven, P.A., see Knox, J.H. (122) 129
Reba, R.C., see Rzeszotarski, W.J. (124) 88
Reed, L.S. and Archer, M.C.
Separation of folic acid derivatives by HPLC (121) 100
Regnier, F.E., see Chang, S.H. (125) 103
Rehg, W.R., see Tesch, J.W. (126) 743
Reid, E.H., see Jamieson, G.R. (128) 193
Reinhard, M., see Clerc, J.T. (123) 271
Renault, C., see Lawrence, J.F. (121) 343
Renne, N., see Olsson, L. (123) 355
Renterghem, R. van, see Van Renterghem, R. (124) 37
Reymer, H.G.M., see Brinkman, U.A.T. (127) 203
Reymer, H.G.M., see Brinkman, U.A.T. (128) 101
Reymer, H.G.M., see Brinkman, U.A.T. (129) 193
Reynolds, W.D., see Dessy, R.E. (126) 347
Rezl, V. and Bursa, J.
Identification of organic compounds by an elution GC-reactor-frontal GC system (126) 723
Richards, G.N., see Covacevich, M.T. (129) 420
Ridder, J.J. de, see De Ridder, J.J. (121) 96
Ridlington, J., see Jones, R.A. (130) 368
Rieder, R., see Ševčík, J. (126) 263
Riedo, F., Fritz, D., Tarján, G. and Kováts, E.sz.
Tailor-made C_{87} hydrocarbon as a possible non-polar standard stationary phase for GC (126) 63
Riess, W., see Degen, P.H. (121) 72
Rietveld, T., see Hörchner, P. (123) 414
Rigaud, M., see Madani, C. (126) 161
Rigg, J.R.A., see Rosenfeld, J. (129) 387
Righetti, P.G. and Caravaggio, T.
Isoelectric points and molecular weights of proteins. A table (Review) (127) 1
Rijks, J.A., see Franken, J.J. (126) 117
Rinaldi, A., see De Marco, C. (129) 369
Risse, C., see Chevalier, G. (124) 343
Ritter, F.J., see Dhont, J.H. (130) 205
Rittich, B. and Krška, M.
Separation of quinones and their derivatives by HPLC (130) 189
Robie, N.W., see Haegele, K.D. (126) 517
Rocca, J.L., see Collet, G. (121) 213
Rocca, J.L., see El Rassi, Z. (125) 179
Rock, J.V., see Leung, A.T. (122) 355
Rodriguez, A.R. and Poitrenaud, C.
Swelling of a sulphonic resin equilibrated with mixtures of water-acetic acid and water-tetrahydrofuran (in French) (121) 1
Rodriguez, A.R. and Poitrenaud, C.
Swelling of cation-exchange resins in aqueous organic solvents (Review) (in French) (127) 29
Roeymans, H.J., see Van Eijk, G.W. (124) 66
Roggia, S., Grossoni, G., Pelizza, G., Ratti, B. and Gallo, G.G.
Determination of diftalone and its main metabolites in human plasma and synovial fluid by HPLC (124) 169
Rohrbach, P., see Chevalier, G. (124) 343
Rokushika, S., Murakami, F. and Hatano, H.
Single-wavelength detection for amino acid analysis (130) 324
Ronzière, M.-C., see Perier, C. (125) 526
Rosello, J., Mahy, N., Tusell, J. and Gelpi, E.
GC profiles of prostaglandins A, B, E and F (series I and II) and histidine metabolites (Summary) (122) 469
Rosello, J., Tusell, J. and Gelpi, E.
Profils of prostaglandins A, B, E and F (series I and II) obtained by GC with multiple-ion detection (130) 65
Rosenfeld, J., Kawai, M., Rigg, J.R.A. and Khandelwal, J.K.
GC method for the analysis of butyrophenones based on the Hofmann degradation reaction (129) 387
Rosenmund, H., see Wad, N. (128) 231
Ross, M.S.F. and Marriott, J.L.
Forensic examination of sawdusts by TLC and flying spot densitometry (124) 157
Rosset, R., see Chevalier, G. (124) 343
Roumeliotis, P., see Unger, K.K. (125) 115
Rubinstein, R.N. and Silchenko, S.A.
Dynamics of sorption with a rectangular isotherm and kinetics limited by particle diffusion (123) 251
Ruck, R. and Gruft, H.
Disposable tubes for acrylamide gel disc electrophoresis (129) 382
Ručman, R.
Lysergic acids. II. Isolation and separation of lysergic acids (in German) (121) 353
Rudenko, B.A., see Berezkin, V.G. (130) 318
Rufini, S., see Ghebregzabher, M. (127) 133

T.S.
imultaneous separation of estrogens and
ndrogens using TLC (121) 82
n, P.W., see Giannovario, J.A. (121) 285
en, G.A.F.M., see Franken, J.J. (126) 117
, J.J.
hromatographic analysis of hormone
sidues in food (Review) (127) 53
, J.J., see Lawrence, J.F. (130) 97
, T.R. and Hastings Vogt, C.R.
etermination of physiological levels of
(III) in urine by GC (130) 346
, M.
dsorption properties of stainless-steel
pillaries used in the preparation of open
bular GC columns (123) 317
, M.
i-*n*-butyl tetrachlorophthalate as a liquid
ase in the GC identification of
drocarbons (123) 327
zotarski, W.J., Eckelman, W.C. and Reba,
C.
eversed-phase HPLC of bleomycin
24) 88

S

Sabatka, J.J., Brent, D.A., Murphy, J., Charles, J., Vance, J. and Gault, M.H.
Separation of digoxin and dihydrodigoxin by TLC or PC (125) 523
Sabelashvili, S.D., see Tsitsishvili, G.V. (130) 13
Saelens, D.A., Walle, T. and Privitera, P.J.
Quantitative determination of propranolol, propranolol glycol and N-desisopropylpropranolol in brain tissue by electron capture GC (123) 185
Sage, D., see Collet, G. (121) 213
Saha, S., see Dutta, J. (124) 29
Saitoh, K., Ozawa, T. and Suzuki, N.
Solvent dependence of gel swelling in the system of Merckogel OR-2000 and various organic solvents (124) 231
Sakai, K., see Makita, M. (124) 92
Sakamoto, T., Kawaguchi, H. and Mizuike, A.
Determination of traces of copper and aluminium in zinc by GC with the microwave plasma detector (121) 383
Sakodynski, K.I., Sokolovski, R.I., Tunitzki, N.N. and Volkov, S.A.
Possibility of increasing the selectivity of chromatographic separation under the action of laser radiation (126) 257
Saleh, N.A.M.
Chromatographic differentiation of tamarixetin and isorhamnetin by spraying (124) 174
Sampaio, L.O., see Dietrich, C.P. (130) 299
Samperi, R., see Di Corcia, A. (121) 370
Samperi, R., see Di Corcia, A. (122) 459
Sams, R.A. and Malspeis, L.
Determination of naloxone and naltrexone as perfluoroalkyl ester derivatives by electron-capture GLC (125) 409
Samuelson, O., see Olsson, L. (123) 355
Sánchez, M.C., Colomé, J. and Gelpí, E.
Electron capture and multiple ion detection of benzodiazepine esters in pharmacokinetic studies (126) 601
Sandgren, B., see Gyllenhaal, O. (122) 471
Sandmann, R.A., see McHugh, W. (124) 376
Santi, W., see Frei, R.W. (126) 665
Sargent, E.R. and Agris, P.F.
Chromatography and electrophoresis techniques for demonstrating the presence of cellular N^6-(Δ^2-isopentenyl)-adenosine-3'-monophosphate (123) 490
Saunders, D.L.
Adsorbent deactivation in HPLC (125) 163
Schauenburg, H., see Versino, B. (122) 373
Schill, G., see Fransson, B. (125) 327
Schmidt, H., see Halász, I. (126) 19

Schmidtlein, H. and Herrmann, K.
Quantitative analysis of flavanones and 3-hydroxyflavanones by TLC (123) 385
Schmitt, K.-F. and Jähnchen, E.
Rapid GC determination of underivatized phenprocoumon in plasma (130) 418
Schneider, G., see Gräbner, R. (121) 110
Schoenmakers, P.J., see Tijssen, R. (122) 185
Schomburg, G., Dielmann, R., Husmann, H. and Weeke, F.
GC analysis with glass capillary columns (122) 55
Schulman, A., see Barton, R.A. (130) 145
Schulze, E., see Zimmer, H.G. (124) 120
Schwartz, H.L., see McFadden, W.H. (122) 389
Schwartz, R.D. and Mathews, R.G.
Selectivity of high-temperature liquid phases for GC (126) 113
Schwarzenbach, R.
LC of neohesperidin dihydrochalcone (129) 31
Schwarzenbach, R., see Clerc, J.T. (123) 271
Scibiorek, M., see Kowalski, J. (130) 351
Scott, C.D., Spence, R.D. and Sisson, W.G.
Pressurized, annular chromatograph for continuous separations (126) 381
Scott, C.G., Petrin, M.J. and McCorkle, T.
Liquid chromatographic separation of some acyclic isoprenoid acid enantiomers via diastereomer derivatization (125) 157
Scott, K.F., see Badger, C.M.A. (126) 11
Scott, R.P.W.
Role of molecular interactions in chromatography (122) 35
Scott, R.P.W. and Kucera, P.
Exclusion properties of some commercially available silica gels (125) 251
Seaman, S., see Sen, N.P. (128) 169
Sebestian, I., see Karch, K. (122) 3
Sebestian, I., see Karch, K. (122) 171
Segelman, A.B. and Segelman, F.P.
Cannabis sativa L. (marijuana). VII. The relative specificity of the RIM test (123) 79
Segelman, F.P., see Segelman, A.B. (123) 79
Seki, T.
Chromatographic separation of catecholamines on a weakly acidic ion-exchange resin using a borate-containing eluent (124) 411
Sembdner, G., see Gräbner, R. (121) 110
Sen, N.P., Miles, W.F., Seaman, S. and Lawrence, J.F.
Trace analysis of 3-hydroxy-1-nitrosopyrrolidine, a non-volatile N-nitrosamine, by combined GC-MS method (128) 169
Sen, P.C., Ghosh, A. and Dutta, J.
Argentation CC. A new ternary solvent system for the separation of methyl esters of polyunsaturated fatty acids (129) 469
Serfontein, W.J. and De Villiers, L.S.
Quantitative GC analysis of barbiturates and hydantoins with quaternary ammonium hydroxides (130) 342
Ševčík, J., Kaiser, R.E. and Rieder, R.
Semi-specific flame-ionization detection system (126) 263
Sezille, G., see Desreumaux, C. (130) 336
Shanfield, H., Hsu, F. and Martin, A.J.P.
Use of a gaseous electrical discharge to induce fluorescence in organic compound separated by TLC (126) 457
Shankar, V., see Joshi, P.N. (121) 65
Sharma, V., see Qureshi, M. (128) 149
Sharpe, J.E.E., see Sutherland, I.A. (122) 333
Shepetyuk, L.V., see Matorina, N.N. (129) 19
Sherma, J., see Touchstone, J.C. (124) 111
Shibata, S., see Ogihara, Y. (128) 218
Shigematsu, A., see Karashima, D. (130) 77
Shimada, K., Hasegawa, M., Hasebe, K., Fujii Y. and Nambara, T.
Studies on steroids. CXIV. Separation of cardiotonic steroid conjugates by HPLC (124) 79
Shiraishi, M., see Makita, M. (124) 92
Shmidel, E.B., see Brazhnikov, V.V. (122) 527
Siegel, M.W. and McKeown, M.C.
Ions and electrons in the electron capture detector. Quantitative identification by atmospheric pressure ionization MS (122) 397
Sievers, A., see Thiem, J. (130) 305
Sievers, R.E., see Tesch, J.W. (126) 743
Siezen, R.J. and Mague, T.H.
GLC of the N-heptafluorobutyryl isobutyl esters of fifty biologically interesting ami acids (130) 151
Sikkenga, D.L., see Pirkle, W.H. (123) 400
Silchenko, S.A., see Rubinstein, R.N. (123) 25
Šilhavý, P., see Nondek, L. (129) 393
Silver, M. and Kelly, D.P.
TLC of oxidised and reduced lipoate and lipoamide and their persulfides (123) 479
Simmonds, P.G., Lovelock, A.J. and Lovelock J.E.
Continuous and ultrasensitive apparatus the measurement of air-borne tracer substances (126) 3
Singh, B., see Singh, M.V. (124) 145
Singh, B.N., see Willox, S. (128) 196
Singh, M.V., Dass, R.S., Nayyar, C.P. and Singh, B.
PC of radiopharmaceuticals labelled with indium-113*m* (124) 145
Sinibaldi, M., see Di Gregorio, V. (129) 407
Sinibaldi, M., Matricini, G. and Lederer, M.
Interactions between hydrolysis polymer of metal ions and other ions in aqueous solution. A gel chromatographic study (129) 412
Sinner, M.
Separation of methyl ethers of xylose, glucose and some other sugars by LC (121) 122
Sippell, W.G., see Golder, W.A. (123) 293
Sisco, W.R., see Gilpin, R.K. (124) 257
Sisson, W.G., see Scott, C.D. (126) 381
Sjövall, J., see Axelson, M. (126) 705

llern, G.G., Knight, B.I. and Stenlake, J.B.
mproved method for the determination of
nethimazole in plasma by HPLC (124) 405
dlant, H.B., see Haegele, K.D. (126) 517
rík, V., see Kouřilová, D. (128) 79
gsby, J.M. and Boulton, A.A.
Separation and quantitation of some
rinary arylalkylamines (123) 51
des, F., see Kraak, J.C. (122) 147
th, A.E.
Use of acetonitrile for the extraction of
erbicide residues from soils (129) 309
th, R.N. and Vaughan, C.G.
HPLC of cannabis. Quantitative analysis of
cidic and neutral cannabinoids (129) 347
th, R.N. and Zetlein, M.
Use of dual-wavelength detection in HPLC
or the quantitative determination of
nresolved or partially resolved compounds
130) 314
lková, E., see Matucha, M. (127) 163
lková, E., see Miller, V. (123) 216
der, L.R.
Reaction colorimeters as detectors in
HPLC. Extra-column band broadening with
egmented flow through the reaction coil
125) 287
der, L.R., see Karger, B.L. (125) 71
eswiński, E., see Szumiło, H. (124) 394
ewiński, E.
olvent composition effects in liquid-solid
ystems (130) 23
olin, G.F., see Berezkin, V.G. (130) 318
olovski, R.I., see Sakodynski, K.I. (126) 257
owski, S., see Dawidowicz, A. (125) 428
owski, S., Leboda, R. and Waksmundzki,
.
luster expansion for retention volume in
SC (128) 180
owski, S., see Leboda, R. (124) 60
, S.P., see McHugh, W. (124) 376
part, C., see Lecaillon, J.-B. (121) 227
ce, R.D., see Scott, C.D. (126) 381
er, S.
lentification of histones F2b and F1 in
ained gels (128) 244
y, H., see Nachtmann, F. (122) 293
nivasan, K., see Joshi, P.N. (121) 65
evitch, D., see Abernethy, J.L. (123) 309
ord, M., Horning, M.G. and Zlatkis, A.
rofiles of volatile metabolites in body
uids (126) 495
, E., Becker, G. and Brüderle, V.
mpregnation of silica gel layers by
rmamide in the gas phase (in German)
29) 41
, W.L., see Osborne, N.N. (123) 212
berg, J., see Peška, J. (125) 455
ny, M., see Dean, W.W. (124) 287
fer, S.C., see Hucker, H.B. (124) 164
ee, B.J., see Kauffman, G.B. (121) 138
ee, B.J., see Kauffman, G.B. (121) 395
ee, B.J., see Kauffman, G.B. (123) 448
Štefanac, Z., Štengl, B. and Vasilić, Ž.
Quantitative determination of organophosphorus pesticides by thin-layer densitometry (124) 127
Stek, W., see Van Lierop, J.B.H. (128) 183
Štengl, B., see Štefanac, Z. (124) 127
Stenlake, J.B., see Skellern, G.G. (124) 405
Stermitz, F.R., see Adamovics, J. (129) 464
Steubing, L., see Klee, R. (129) 478
Stevenson, R.L., see Abbott, S.R. (126) 421
Stevenson, R.L., see Achener, P. (130) 29
Stich, K., see Bethke, H. (123) 193
Stillwell, R.N. and Stillwell, W.G.
GC-MS-computer methods in the study of drug metabolism (126) 547
Stillwell, W.G., see Stillwell, R.N. (126) 547
Stoffyn, A., see Stoffyn, P. (129) 379
Stoffyn, P. and Stoffyn, A.
Simple, disposable, streaking sample applicator for TLC (129) 379
Stokke, O., see Jellum, E. (126) 487
Stoklosa, H.J., see Yau, W.W. (125) 219
Størseth, P., see Jellum, E. (126) 487
Stretton, R.J., Campbell, M. and Burns, D.T.
Pyrolysis GC as an aid to the identification of *Aspergillus* species (129) 321
Strömberg, L.
Minor components of cannabis resin. VI. MS data and GC retention times of components eluted after cannabinol . (121) 313
Strukova, T.P., see Vitenberg, A.G. (126) 205
Stürzenbecher, E., see Binder, H. (130) 405
Subach, D.J., Barnes, D. and Wyche, C.
LC and TLC of some substituted ureas (125) 435
Subrahmanyam, D., see Lakshmi, M.B. (130) 441
Sugden, D., Ahmed, M. and Gault, M.H.
Fractionation of tritiated digoxin and dihydrodigoxin with DEAE-Sephadex LH-20 (121) 401
Suhadolnik, R.J., see Uematsu, T. (123) 347
Sumere, C.F. van, see Van Sumere, C.F. (121) 49
Suprynowicz, Z., see Gawdzik, J. (121) 185
Sutherland, I.A. and Sharpe, J.E.E.
Counter-current chromatography using a new coil planet centrifuge (122) 333
Suzuki, N., see Saitoh, K. (124) 231
Suzuki, T., see Lee, K.-R. (123) 119
Swallow, W.H. and Hentschel, P.R.
Limitations in the specificity of Porapak Q columns in the GC analysis of ethanol in body fluids (130) 403
Szafranek, J., see Pfaffenberger, C.D. (126) 535
Szalkowski, M.B., Duane, W.C. and Chin, W.-T.
Separation and detection of thiofanox and its metabolites by TLC (129) 426
Szalontai, G.
HPLC of organophosphorus insecticides (124) 9

Szepesi, G. and Gazdag, M.
Determination of dihydroergotoxine alkaloids by GLC (122) 479
Szeto, H.H. and Inturrisi, C.E.
Simultaneous determination of meperidine and normeperidine in biofluids (125) 503
Szumiło, H. and Soczeswiński, E.
Investigations on the mechanism and selectivity of chromatography on thin layers of polyamide. IV. Chromatography of amino acids and complex phenolic substances (124) 394

T

Tabaković, I., see Trkovnik, M. (128) 227
Takeshita, R., Jinnai, N. and Yoshida, H.
Detection of sodium alkanesulphonates an alkylbenzenesulphonates by polyamide TI (123) 301
Tamura, Z., see Nakajima, M. (123) 129
Tamura, Z., see Yoshioka, M. (123) 220
Tanaka, A., see Nose, N. (125) 439
Tanaka, A., see Nose, N. (130) 410
Tanaka, F.S., see Wien, R.G. (130) 55
Tanimura, T., see Nakajima, M. (123) 129
Tanimura, T., see Ogihara, Y. (128) 218
Tannenbaum, S.R., see Iwaoka, W. (124) 105
Tanturli, G., see Lepri, L. (129) 239
Tarakanov, O.G., see Belenky, B.G. (129) 115
Tarján, G., see Riedo, F. (126) 63
Tarle, M., see Maysinger, D. (130) 129
Taylor, L.T., see Coleman, W.M. (123) 419
Tcherepennikova, N.F., see Bortnikov, G.N. (124) 337
Teig, E., see Jellum, E. (126) 487
Ter Heide, R.
Studies on terpenes. III. GC of acyclic monoterpene alcohols (129) 143
Terada, H., Hayashi, T., Kawai, S. and Ohno
HPLC determination of pyruvic acid and ketoglutaric acid in serum (130) 281
Terai, S., see Fudano, S. (128) 199
Tesch, J.W., Rehg, W.R. and Sievers, R.E.
Microdetermination of nitrates and nitrite in saliva, blood, water, and suspended particulates in air by GC (126) 743
Teven, J.M.G., see Cox, H.C. (123) 261
Tewari, S.N. and Harpalani, S.P.
Detection and determination of organophosphorus insecticides in tissues TLC (130) 229
Theobald, J.
Determination of α-chloralose in rodenticide formulations by GLC (129) 44
Thiem, J., Sievers, A. and Karl, H.
Preparative approach to mannobiose and laminaribiose (in German) (130) 305
Thiery, M., see Plomp, T.A. (121) 243
Thomas, T.H., see Biddington, N.L. (121) 107
Thompson, R.M. and Gerber, N.
Separation of permethylated isomeric glucuronides by GC and analysis of the mass spectra (124) 321
Thomsen, J., see Lund, E. (130) 51
Thomsen, M., see Hansen, S.H. (123) 205
Thunell, S.
TLC procedure for the detection, isolatio and identification of basic psychotropic drugs in urine (130) 209
Tiernay, J.M., see Karasek, F.W. (124) 179

sen, R., Billiet, H.A.H. and Schoenmakers, J.
se of the solubility parameter for redicting selectivity and retention in hromatography (122) 185
s, C.A., see Dessy, R.E. (126) 347
en, U.R., Lankelma, J., Poppe, H. and luusze, R.G.
nodic coulometric detection with a glassy arbon electrode in combination with eversed-phase HPLC. Determination of lood levels of perphenazine and uphenazine (125) 275
an, R., see Antal, M. (123) 434
asz, J.
wo-dimensional combination of the ydrogen and the ammonium forms of a ation-exchange layer for the separation of inor nucleic acid bases (128) 304
ita, H., see Watanabe, C. (121) 1
hstone, J.C., Sherma, J., Dobbins, M.F. nd Hansen, G.R.
ptimal use of fluorescamine for *in situ* LC quantitation of amino acids (124) 111
ll, R., see Evans, N. (125) 345
čka, V. and Mostecký, J.
LC behaviour of organic thiophosphorus mpounds on silica gel (in German) 30) 437
ber, L.R.
evelopment and practical utilization of a near spectrodensitometer (123) 23
ber, L.R.
xtension of the programmed multiple evelopment (PMD) technique (124) 69
vnik, M., Kuleš, M., Tabaković, I. and čević, M.
LC of some coumarin derivatives (128) 227
aut, R., see Baudot, P. (128) 141
ishvili, G.V., Andronikashvili, T.G., belashvili, S.D. and Osipova, N.A.
romatographic properties of some silica-h zeolites (130) 13
a, T., Ichiba, T., Muramatsu, H. and Ishii,

as-modified solid chromatography using ganic vapours as carrier gas. II. echanism and application for aromatic nines (130) 87
zki, N.N., see Sakodynski, K.I. (126) 257
l, J., see Rosello, J. (122) 469
l, J., see Rosello, J. (130) 65

U

Uden, P.C., Henderson, D.E. and Lloyd, R.J. Comprehensive interfaced pyrolysis GC peak identification system (126) 225
Uematsu, T. and Suhadolnik, R.J. Separation of nucleic acid hydrolysis products, purines, pyrimidines, nucleosides, nucleotides, ribonucleic acid hydrolyzates, and mixtures from nucleotide syntheses by CC on Amberlite XAD-4 (123) 347
Unger, K. and Kern, R. Column parameters controlling resolution in high-performance GPC (122) 345
Unger, K.K., Becker, N. and Roumeliotis, P. Recent developments in the evaluation of chemically bonded silica packings for LC (125) 115
Uralets, V.P., see Golovnya, R.V. (121) 118

V

Vakhtina, I.A., see Belenky, B.G. (129) 115
Valachovičová, M., see Krupčík, J. (126) 147
Valchikhina, M.D., see Belenky, B.G. (129) 115
Valdiguie, P., see De la Farge, F. (123) 247
Van de Venne, J.L.M., see Everaerts, F.M. (123) 139
Van den Berg, J.H.M., see Deelder, R.S. (125) 307
Van der Kleijn, E., see Vree, T.B. (121) 150
Van Eijk, G.W. and Roeymans, H.J.
GLC of trimethylsilyl ethers of naturally occurring anthraquinones (124) 66
Van Gorp, R.E., see Jonkman, J.H.G. (128) 208
Van Hal, H.J.M., see De Ridder, J.J. (121) 96
Van Lierop, J.B.H. and Stek, W.
Analysis of vinyl chloride in food simulants at low parts per billion levels by mass fragmentography (128) 183
Van Renterghem, R., see Bossuyt, R. (124) 37
Van Sumere, C.F., see Vande Casteele, K. (121) 49
Vance, J., see Sabatka, J.J. (125) 523
Vande Casteele, K., De Pooter, H. and Van Sumere, C.F.
GC separation and analysis of trimethylsilyl derivatives of some naturally occurring non-volatile phenolic compounds and related substances (121) 49
Vandegrift, G.F., see Horwitz, E.P. (125) 203
Vanderbist, M., see Desager, J.P. (123) 379
Vanhaelen, M., see Vanhaelen-Fastré, R. (129) 397
Vanhaelen-Fastré, R. and Vanhaelen, M.
HPLC and TLC of coumarin anticoagulants and their degradation products (129) 397
Vanroy, J., see De Graeve, J. (129) 171
Váradi, A., see Fehér, T. (123) 460
Varga, K., see Kiricsi, I. (123) 279
Varma, R. and Varma, R.S.
Simultaneous determination of neutral sugars and hexosamines in glycoproteins and acid mucopolysaccharides (glycosaminoglycans) by GLC (128) 45
Varma, R.S., see Varma, R. (128) 45
Vasilić, Ž., see Štefanac, Z. (124) 127
Vaughan, C.G., see Smith, R.N. (129) 347
Védrine, F., see Chabard, J.-L. (121) 295
Venne, J.L.M. van de, see Van de Venne, J.L.M. (123) 139
Verheggen, T.P.E.M., see Everaerts, F.M. (123) 139
Verillon, F., see Martin, M. (125) 17
Verpoorte, R. and Baerheim Svendsen, A.
TLC of some quaternary alkaloids and alkaloid N-oxides (124) 152
Versino, B., Knöppel, H., De Groot, M., Peil, A. Poelmann, J., Schauenburg, H., Vissers, H. and Geiss, F.
Organic micropollutants in air and water. Sampling, GC-MS analysis and computer identification (122) 373
Vervaeke, I.J., see Dierick, N.A. (129) 403
Verweij, A., see Dhont, J.H. (130) 205
Vigh, G. and Inczédy, J.
Separation of chloramphenicol intermediates by HPLC on MicroPak-NH_2 columns (129) 81
Vilim, A., see Graham, K.C. (125) 447
Villiers, L.S. de, see De Villiers, L.S. (130) 342
Vinkenborg, C., see Dhont, J.H. (130) 205
Vinogradskaya, G.N., see Bresler, S.E. (130) 27
Vissers, H., see Versino, B. (122) 373
Viswanathan, C.V. and Hayashi, A.
Ascending dry-column chromatography as an aid in the preparative isolation of glycolipids (123) 243
Viswanathan, C.V. and Leley, V.K.
Simple technique for the development of a dry column chromatogram (128) 302
Vitenberg, A.G., Ioffe, B.V., Dimitrova, Z.S. and Strukova, T.P.
Application of GC headspace analysis to the characterization of chemical equilibria in solutions (126) 205
Vodenik, R., see Huber, J.F.K. (122) 331
Voelter, W. and Bauer, H.
HPLC analysis of the isomerization products of carbohydrates (126) 693
Voerman, S., see Houx, N.W.H. (129) 456
Vogtel, P., see Halász, I. (126) 19
Volkov, S.A., see Sakodynski, K.I. (126) 257
Von Arx, E. and Faupel, M.
Application of cellulose acetate plates as separative layer in chromatography (in German) (123) 439
Von Rappard, E., Eisenbrand, G. and Preussmann, R.
Selective detection of N-nitrosamines by GC using a modified microelectrolytic conductivity detector in the pyrolytic mod (124) 247
Vree, T.B., Van der Kleijn, E. and Knop, H.J.
Rapid determination of 4-hydroxybutyric acid (Gamma OH) and 2-propylpentanoat (Depakine) in human plasma by means GLC (121) 150
Vries, G. de, see De Vries, G. (128) 101
Vries, G. de, see De Vries, G. (129) 193

V

ehtmeister, C.A., see Bergman, Å. (123) 231
l, N., Rosenmund, H. and Hanifl, E.
Simplified quantitative method for the simultaneous determination of diazepam and its metabolites in serum by TLC (128) 231
es, G., see Bossuyt, R. (124) 37
hlund, K.-G., see Fransson, B. (125) 327
hlund, K.-G. and Lund, U.
Reversed-phase ion-pair partition chromatography of phenylacetic, mandelic and pyridinecarboxylic acid derivatives (122) 269
ksmundzki, A., see Leboda, R. (124) 60
ksmundzki, A., see Sokołowski, S. (128) 180
lker, M.J., see Badger, C.M.A. (126) 11
lker, N.J., see Cant, P.A.E. (130) 267
lle, T., see Saelens, D.A. (123) 185
nkat, P.C., see Nelson, W.C. (121) 205
sik, S. and Chesler, S.
Use of a nematic liquid crystal for the GLC separation of naphthalene homologues (122) 451
tanabe, A., see Nose, N. (123) 167
tanabe, A., see Nose, N. (125) 439
tanabe, A., see Nose, N. (130) 410
tanabe, C. and Tomita, H.
Characteristics of non-polar glass support-coated open-tubular columns (121) 1
bber, T.J.N. and McKerrel, E.H.
Optimisation of LC performance on columns packed with microparticulate silicas (122) 243
eke, F., see Schomburg, G. (122) 55
hrli, A., Hermann, U. and Huber, J.F.K.
Effect of phase system selectivity in preparative column LC (125) 59
iner, P.H., see Karger, B.L. (128) 65
instein, S., Feibush, B. and Gil-Av, E.
N-Acyl derivatives of chiral amines as novel, readily prepared phases for the separation of optical isomers by GC (126) 97
issmann, G.
GC separation of phenol and pyrocatechol methyl ethers (in German) (129) 431
eals, B.B.
Forensic aspects of HPLC (122) 85
elpton, R. and Curry, S.H.
Chromatographic properties of imines formed from dedimethylchlorpromazine and various aldehydes and ketones (121) 88
ite, W.I. and Legg, J.I.
CC and TLC of azophenol dyes and their cobalt(III) complexes. Adsorption chromatography with lipophilic Sephadex and silica gel (124) 134
ldecke, H., see Klein, J. (129) 375
Wien, R.G. and Tanaka, F.S.
GC of N-methyl and N-aryl carbamates by flash-heater reaction with trimethylanilinium hydroxide (130) 55
Wijesekera, R.O.B., Rajapakse, L.S. and Chelvarajan, D.W.
Simple TLC method for separation of cinchona alkaloids (121) 388
Wijsbeek, J., see Jonkman, J.H.G. (128) 208
Wild, P.J., see Hunt, D.C. (130) 320
Willmott, F.W., see Dolphin, R.J. (122) 259
Willox, S. and Singh, B.N.
Sensitive GC method for the estimation of a new antiarrhythmic compound, mexiletine (Ko1173), in biological fluids (128) 196
Wilson, M.A., see Greenhalgh, R. (128) 157
Wilson, W.L., see Graham, K.C. (125) 447
Wiłkomirski, B. and Kasprzyk, Z.
GLC separation of oxidation products of triterpene pentacyclic alcohols (129) 440
Wittmer, D.P., see McHugh, W. (124) 376
Wolf, W., see Maysinger, D. (130) 129
Wong, A.K., McCoy, B.J. and Carbonell, R.G.
Theory of capillary chromatography. Effect of coiling and interphase mass transfer (129) 1
Woosley, R.L., see Carr, K. (129) 363
Wooton, D.L., see Coleman, W.M. (123) 419
Wu, A.C.M., Bough, W.A., Conrad, E.C. and Alden, K.E. Jr.
Determination of molecular-weight distribution of chitosan by HPLC (128) 87
Wyche, C., see Subach, D.J. (125) 435

Y

Yamamoto, S., see Makita, M. (124) 92
Yano, T., see Nakamura, T. (130) 384
Yashin, Y.I., see Bortnikov, G.N. (124) 337
Yau, W.W., Kirkland, J.J., Bly, D.D. and Stoklosa, H.J.
Effect of column performance on the accuracy of molecular weights obtained from size exclusion chromatography (GPC) (125) 219
Yin, S.-J., see Lee, S.-C. (129) 482
Yoshida, H., see Takeshita, R. (123) 301
Yoshioka, M. and Tamura, Z.
Fluorimetric determination of adenine and adenosine and its nucleotides by HPLC (123) 220
Young, J.C.
Detection and determination of N-nitrosamines by TLC using fluorescamine (124) 17
Young, J.C.
Detection of N-aryl-N-nitrosamines on TLC plates with 2,4-dinitrophenylhydrazine and phosphomolybdic acid (124) 115
Young, J.C.
Fluorescence method for detecting aldehydes at picomole level on TLC plates (130) 392

Z

Zabokritsky, M.P., see Berezkin, V.G. (130) 318
Zacharius, R.M.
Quantitative determination of hexosamines in glycoprotein by ion-exchange chromatography (125) 421
Zečević, M., see Trkovnik, M. (128) 227
Zeeuw, R.A. de, see De Zeeuw, R.A. (128) 208
Zeeuw, R.A. de, see De Zeeuw, R.A. (130) 205
Zetlein, M., see Smith, R.N. (130) 314
Zimmer, H.G., Neuhoff, V. and Schulze, E.
Low-fluorescence polyamide sheets for TL (124) 120
Zlatkis, A. and Kim, K.
Column elution and concentration of volatile compounds in biological fluids (126) 475
Zlatkis, A., see Stafford, M. (126) 495
Zune, A., Dobberstein, P., Maurer, K.H. and Rapp, U.
Identification of drugs using a GC-MS system equipped with electron impact-chemical ionization and electron impact-field ionization-field desorption combination sources (122) 365

SUBJECT INDEX

VOLUMES 121–130

The volume number is placed in parentheses before the page number

A

ccuracy
ariables affecting precision and accuracy in .PLC (126) 327

cenocoumarin
C determination of acenocoumarin in human lasma (124) 331

cetamidophos
etermination of metamidophos and cetamidophos in formulations by reversed-hase HPLC (121) 161

cetoxyprogesterones
tructure–GC electron capture sensitivity elationships of some substituted 17*α*-cetoxyprogesterones (126) 641

cetylacetone
artition of chelating agents between a ationic ion exchanger swollen with water and water-immiscible solvent (in French) 24) 197

cetylenic methyl esters
LC characteristics of some long-chain cetylenic methyl esters (128) 193

cetylhexosaminidase
ydrophobic chromatography of N-acetyl-β-D-exosaminidase (130) 451

cetylmethadol
omparative study on the derivatization of *l-α*-cetylmethadol metabolites for electron apture GLC (129) 329

cetylprocainamide
imultaneous quantification of procainamide nd N-acetylprocainamide with HPLC 29) 363

cetylsalicylic anhydride
pplication of GLC and HPLC to the analysis trace amounts of salicylic acid, acetylsalicylic anhydride and acetylsalicylsalicylic acid in aspirin samples and aspirin formulations (126) 651

Acetylsalicylsalicylic acid
Application of GLC and HPLC to the analysis of trace amounts of salicylic acid, acetylsalicylic anhydride and acetylsalicylsalicylic acid in aspirin samples and aspirin formulations (126) 651

Acid mucopolysaccharides
Simultaneous determination of neutral sugars and hexosamines in glycoproteins and acid mucopolysaccharides (glycosaminoglycans) by GLC (128) 45

Acrosin
Fractionation of proteolytic enzymes by affinity chromatography on Sepharose aminocaproyl proflavin (129) 97

Acrylamide gel disc electrophoresis
Disposable tubes for acrylamide gel disc electrophoresis (129) 382

Acrylate ester systems
Quantitative pyrolysis studies of styrene, acrylate ester systems, and their *a*-methyl-substituted homologs (126) 239

Acyclic monoterpene alcohols
Studies on terpenes. III. GC of acyclic monoterpene alcohols (129) 143

Adenine
Fluorimetric determination of adenine and adenosine and its nucleotides by HPLC (123) 220

Adenosine
Fluorimetric determination of adenine and adenosine and its nucleotides by HPLC (123) 220

Adrenergic β-receptor blocking agents
Simplified method for the determination of oxprenolol and other β-receptor blocking agents in biological fluids by GLC (121) 72

Adsorbent deactivation
Adsorbent deactivation in HPLC (125) 163

Adsorbents
Impregnation of silica gel with tetraalkylammonium salts in adsorption chromatography of neutral aromatic compounds (123) 231

Adsorbents
Dynamics of sorption with a rectangular isotherm and kinetics limited by particle diffusion (123) 251

Adsorbents
Expanded solubility parameter treatment for classification and use of chromatographic solvents and adsorbents. Parameters for dispersion, dipole and hydrogen bonding interactions (125) 71

Adsorbents
Development and use of carbon adsorbents in high-performance LSC. I. Carbon-coated silica particles (126) 43

Agave
HPLC analysis of the benzoate esters of sapogenins isolated from *Agave* (121) 329

Aglycones
Rapid and sensitive high-resolution procedure for digitalis glycoside analysis by derivatization LC (122) 293

Agricultural chemicals
Comparison of electron-capture and electrolytic-conductivity detection for the GLC analysis of heptafluorobutyryl derivatives of some agricultural chemicals (130) 97

Air pollution
Analysis of trace pollutants in the air by means of cryogenic GC (121) 285

Alcohols, alicyclic
Chromatographic analysis of a mixture of isomeric methylcyclohexanones and methylcyclohexanols (124) 1

Aldadiene
Simple GC method with flame ionization detection for the determination of aldadiene in human urine (123) 460

Aldehydes
3,4,5-Trimethoxybenzylhydrazine: An efficient subtraction reagent for aldehydes and ketones in GC (121) 279

Aldehydes
Automatic separation and determination of benzoic and cinnamic aldehydes by LC (in French) (124) 369

Aldehydes
Fluorescence method for detecting aldehydes at picomole level on TLC plates (130) 392

Aldoses
GC study of free polyols and aldoses in cataractous human lens tissue (126) 535

Alginic acid
Chromatographic behaviour of alkaloids on thin layers of cation exchangers. II. Alginic acid, Rexyn 102, Dowex 50-X4 and CMCNa (123) 175

Algorithms
Improving the efficiency of small GC-MS data systems by means of simple algorithms (123) 271

Alkaloids
Lysergic acids. II. Isolation and separation of lysergic acids (in German) (121) 353

Alkaloids
Simple TLC method for separation of cinchona alkaloids (121) 388

Alkaloids
Applications of HPLC in the pharmaceutical industry (122) 73

Alkaloids
Determination of dihydroergotoxine alkaloids by GLC (122) 479

Alkaloids
Chromatographic behaviour of alkaloids on thin layers of cation exchangers. II. Alginic acid, Rexyn 102, Dowex 50-X4 and CMCNa (123) 175

Alkaloids
TLC of some quaternary alkaloids and alkaloid N-oxides (124) 152

Alkaloids
Low-cost gradient system for HPLC. Quantitation of complex pharmaceutical raw materials (125) 265

Alkanesulphonates
Detection of sodium alkanesulphonates and alkylbenzenesulphonates by polyamide TLC (123) 301

Alkylbenzenesulphonates
Detection of sodium alkanesulphonates and alkylbenzenesulphonates by polyamide TLC (123) 301

Alkynes
Capillary GC of *n*-alkynes. II. Variation of retention indices with temperature (128) 53

Alkynes
Capillary GC of *n*-alkynes. III. Correlation of retention index increments with molecular structure (128) 59

Allopurinol
GC analysis of pharmaceuticals based on pyrimidine and purine substances (123) 216

Allyldimethylsilyl ethers
Allyldimethylsilyl ethers. New derivatives for the analysis of steroids by GC-MS (129) 384

Alprenolol
Simplified method for the determination of oxprenolol and other β-receptor blocking agents in biological fluids by GLC (121) 72

Aluminium
Determination of traces of copper and aluminium in zinc by GC with the microwave plasma detector (121) 383

Aluminium(III)
Influence of drying temperature on the ion-exchange properties of stannic tungstoarsenate. II. Separation of Hg^{2+} and Pb^{2+} and of Al^{3+} and Ca^{2+} (128) 149

Amines
Derivatization of compounds at the origin of thin-layer plates with fluorescamine (121) 33

Amines
Detection of compounds with primary amino groups on thin-layer plates by dipping in a fluorescamine solution (121) 79

Amines
Procedural difficulties in the GLC assay of the arylalkylamines (123) 45

Amines
Separation and quantitation of some urinary arylalkylamines (123) 51

Amines
N-Acyl derivatives of chiral amines as novel, readily prepared phases for the separation of optical isomers by GC (126) 97

Amines
Aldehyde condensation products as derivatives for the vapor phase analysis of biogenic amines (126) 581

Amines
Determination of biogenic amines in intestinal contents by ion-exchange chromatography (129) 403

Amines, aromatic
Gas-modified solid chromatography using organic vapours as carrier gas. II. Mechanism and application for aromatic amines (130) 87

Amino acid conjugates
Metabolism of 2,4-dichlorophenoxyacetic acid. IX. GLC of methyl esters of amino acid conjugates (124) 97

Amino acids
Derivatization of compounds at the origin of thin-layer plates with fluorescamine (121) 33

Amino acids
Detection of compounds with primary amino groups on thin-layer plates by dipping in a fluorescamine solution (121) 79

Amino acids
Separation by HPLC of phenylthiohydantoin derivatives of amino acids released by Edman degradation (in French) (121) 323

Amino acids
Interaction between asymmetric solutes and solvents. Diamides derived from L-valine as stationary phases in gas-liquid partition chromatography (123) 149

Amino acids
Separation of amino acids as mansyl derivatives on polyamide layers (123) 212

Amino acids
Optimal use of fluorescamine for *in situ* TLC quantitation of amino acids (124) 111

Amino acids
Improved technique for the GLC separation of the N-trifluoroacetyl *n*-butyl derivatives of amino acids (124) 239

Amino acids
GLC of amino acids. Determination of cystine and cysteine as N-acetyl, *n*-propyl S-carboxymethylcysteinate (124) 315

Amino acids
Characterization of selected fluorescamine-amino acid reaction products by HPLC (124) 376

Amino acids
Investigations on the mechanism and selectivity of chromatography on thin layers of polyamide. IV. Chromatography of amino acids and complex phenolic substances (124) 394

Amino acids
Advances in separation techniques in sequence analysis of proteins and peptides (Review) (127) 91

Amino acids
GC-MS of trimethylsilyl derivatives of ω-amino acids (128) 1

Amino acids
Improved technique for the analysis of amino acids and related compounds on thin layers of cellulose. XI. Direct, visual micro-method for investigating the primary structural sequence of collagen and other proteins (129) 211

Amino acids
Use of *o*-phthalaldehyde for fluorescence detection in conventional amino acid analyzers. Sub-nanomole sensitivity in the analysis of phenylthiohydantoin-amino acids (130) 51

Amino acids
GLC of the N-heptafluorobutyryl isobutyl esters of fifty biologically interesting amino acids (130) 151

Amino acids
Single-wavelength detection for amino acid analysis (130) 324

Amino acids
Analysis of methionine in plant materials. Improved GC procedure (130) 399

Amino acids, non-protein
GLC of the N-isobutyloxycarbonyl methyl esters of non-protein amino acids (124) 92

Aminobenzoic acid
Improved HPLC method for quantifying *p*-aminobenzoic acid and some of its metabolites (121) 76

Amitriptyline
Simultaneous determination of therapeutic levels of amitriptyline and nortriptyline in plasma by GLC (124) 401

Amperometric detection
Amperometric detection in HPLC with non-conductive eluents (in French) (130) 372

Amphetamine-related materials
Forensic aspects of HPLC (122) 85

Ampholytes
Isoelectric focusing as a method for the characterization of ampholytes (130) 41

Analysis time
Particle size, pressure and analysis time in routine HPLC (126) 19

Androgens
Simultaneous separation of estrogens and androgens using TLC (121) 82

Androgens
Chromatographic analysis of hormone residues in food (Review) (127) 53

Anion-exchange resins
Chromatography of aromatic compounds on cross-linked polyvinylpyrrolidone and on anion-exchange resins (123) 355

Anions
Anomalous behaviour of diphosphate anions in ion-exchange chromatography (128) 212

Anthocyanidins
HPLC of some anthocyanidins and flavonoids (129) 464

Anthocyanins
Pyrolysis GC-MS for the identification of anthocyanins (130) 261

Anthraquinone bird repellent
Electron-capture GC determination of residues of anthraquinone bird repellent (128) 174

Anthraquinones
GLC of trimethylsilyl ethers of naturally occurring anthraquinones (124) 66

Antibiotic residues
Identification of antibiotic residues in milk by TLC (124) 37

Antibiotics
Rapid GC determination of thiamphenicol in plasma and amniotic fluid (121) 243

Antibiotics
Applications of HPLC in the pharmaceutical industry (122) 73

Antibiotics
Bioautographic TLC analysis of antibiotics and their metabolites in the whole animal. I. Clindamycin in the rat (123) 33

Antibiotics
Comparison of candicidin, levorin and trichomycin by means of HPLC (123) 205

Antibiotics
Reversed-phase HPLC of bleomycin (124) 88

Antibiotics
HPLC of penimocycline (in French) (124) 343

Antibiotics
Quantitative determination of low levels of daunomycin and daunomycinol in plasma by HPLC (125) 369

Antibiotics
Determination of β-cetotetrine in plasma and urine using HPLC with electrochemical detection (129) 73

Antibiotics
Separation of chloramphenicol intermediates by HPLC on MicroPak-NH_2 columns (129) 81

Antidepressants
Separation of some tricyclic antidepressants by HPLC (128) 204

Argentation column chromatography
Argentation CC. A new ternary solvent system for the separation of methyl esters of polyunsaturated fatty acids (129) 469

Aromatic compounds
Impregnation of silica gel with tetraalkylammonium salts in adsorption chromatography of neutral aromatic compounds (123) 231

Aromatic compounds
Chromatography of aromatic compounds on cross-linked polyvinylpyrrolidone and on anion-exchange resins (123) 355

Aromatic compounds
Determination of nanogram amounts of aromatic compounds by spectrophotometry on thin-layer chromatograms (124) 351

Aromatic hydrocarbons
2,4,7-Trinitrofluorenone-modified graphitized carbon black as stationary phase for the GC separation of aromatic hydrocarbons (121) 370

Aromatic hydrocarbons
Improving the efficiency of small GC-MS data systems by means of simple algorithms (123) 271

Arsenic
Chlorination and GC determination of arsenic in oxides, sulphides, ores and alloys (122) 505

rylalkylamines
rocedural difficulties in the GLC assay of the rylalkylamines (123) 45

rylalkylamines
eparation and quantitation of some urinary rylalkylamines (123) 51

rylnitrosamines
etection of N-aryl-N-nitrosamines on TLC lates with 2,4-dinitrophenylhydrazine and hosphomolybdic acid (124) 115

***spergillus* species**
yrolysis GC as an aid to the identification of *spergillus* species (129) 321

spirin
pplication of GLC and HPLC to the analysis f trace amounts of salicylic acid, cetylsalicylic anhydride and cetylsalicylsalicylic acid in aspirin samples nd aspirin formulations (126) 651

tmospheric pressure ionization mass pectrometry
ons and electrons in the electron capture etector. Quantitative identification by tmospheric pressure ionization MS (122) 397

tranorin
uantitative analysis of atranorin by TLC 129) 478

utomation
ffect of microprocessors on traditional hromatography instrumentation (122) 355

utotransfer chromatography
utotransfer chromatography in the haracterization of pyrroles. Chemistry of nultiple-spot phenomena (123) 69

xial dispersion
nteraction of radial and axial dispersion in C in relation to the "infinite diameter effect" 122) 129

za-heterocyclic compounds
Jse of a nematic liquid crystal for the GC eparation of aza-heterocyclic compounds 128) 163

zauridine
C analysis of pharmaceuticals based on yrimidine and purine substances (123) 216

zophenol dyes
C and TLC of azophenol dyes and their obalt(III) complexes. Adsorption hromatography with lipophilic Sephadex and ilica gel (124) 134

B

Backflushing
Column switching techniques in the LC analysis of organochlorine pesticides in milk (122) 259

Band spreading
Movement and band spreading of unsorbed solutes in LC (126) 401

Barbiturates
Determination of phenobarbital in human saliva by GC with electron-capture detection (122) 471

Barbiturates
Chromatographic studies of the influence of water and thermal treatment on the activity of silica gel (125) 179

Barbiturates
Simple combination of R_F value and melting-point determination for the identification of barbiturates (125) 431

Barbiturates
GC analysis of dialkylbarbituric acids (129) 155

Barbiturates
Simultaneous determination of methylated barbiturates and other anticonvulsant drugs by high-resolution GC (129) 171

Barbiturates
Quantitative GC analysis of barbiturates and hydantoins with quaternary ammonium hydroxides (130) 342

Benoxaprofen
Analysis of isomeric impurities in a synthesis of the novel anti-inflammatory drug, benoxaprofen (129) 339

Benthiocarb
Separation of benthiocarb and related compounds by TLC (130) 439

Benzaldehyde
GC separation and analysis of trimethylsilyl derivatives of some naturally occurring non-volatile phenolic compounds and related substances (121) 49

Benzaldehyde
Selective and sensitive GC determination of benzaldehyde (129) 436

Benzene
Determination of the pre-exponential factor of Henry's constant by gas adsorption chromatography (121) 185

Benzenedicarboxylic acids
LC of benzenedicarboxylic acids and their 2-hydroxyethyl esters on silica gel (129) 393

Benzodiazepine esters
Electron capture and multiple ion detection of benzodiazepine esters in pharmacokinetic studies (126) 601

Benzodiazepines
Comparison of the determination of partition coefficients of 1,4-benzodiazepines by HPLC and TLC (129) 263

Benzoic acid
GC separation and analysis of trimethylsilyl derivatives of some naturally occurring non-volatile phenolic compounds and related substances (121) 49

Benzoic aldehydes
Automatic separation and determination of benzoic and cinnamic aldehydes by LC (in French) (124) 369

Benzonitriles
Separation of monosubstituted benzonitriles by GLC (130) 161

Benzoylecgonine
Analysis of benzoylecgonine in urine by HPLC and GC-MS (126) 717

Bifenox
Separation of bifenox and related compounds by TLC (124) 422

Biogenic amines
Aldehyde condensation products as derivatives for the vapor phase analysis of biogenic amines (126) 581

Biogenic amines
Determination of biogenic amines in intestinal contents by ion-exchange chromatography (129) 403

Biogenic substances
Ion-pair partition chromatography in the analysis of drugs and biogenic substances in plasma and urine (122) 305

Biological fluids
Column elution and concentration of volatile compounds in biological fluids (126) 475

Bleomycin
Reversed-phase HPLC of bleomycin (124) 88

Blood stains
Analysis of Romanowsky blood stains by HPLC (124) 287

Body fluids
Profiles of volatile metabolites in body fluids (126) 495

Boron
Separation of inorganic isomers by TLC. VI. Isomers of the non-metals boron, phosphorus and silica (123) 448

Brighteners
Separation of optical brighteners by LSC (121) 153

Bromelain
Fractionation of proteolytic enzymes by affinity chromatography on Sepharose aminocaproyl proflavin (129) 97

Butyrophenones
GC method for the analysis of butyrophenones based on the Hofmann degradation reaction (129) 387

affeic acid esters
antitative determination of caffeic acid ters and catechins by direct measurement thin-layer chromatograms (123) 391

alcium(II)
fluence of drying temperature on the ion-change properties of stannic ngstoarsenate. II. Separation of Hg^{2+} and $^{2+}$ and of Al^{3+} and Ca^{2+} (128) 149

alcium isotopes
adiochemical and isotope separations by gh-efficiency LLC (125) 203

alibration of separation systems
alibration of separation systems for GPC 21) 23

andicidin
mparison of candicidin, levorin and chomycin by means of HPLC (123) 205

annabinoids
PLC of cannabis. Quantitative analysis of idic and neutral cannabinoids (129) 347

annabis
rensic aspects of HPLC (122) 85

annabis
PLC of cannabis. Quantitative analysis of idic and neutral cannabinoids (129) 347

annabis resin
inor components of cannabis resin. VI. MS ta and GC retention times of components ated after cannabinol (121) 313

apillary chromatography
eory of capillary chromatography. Effect of iling and interphase mass transfer (129) 1

apillary columns
eparation of glass capillary columns coated th polar phase for high-temperature GC. I. udy of roughening of the glass surface 26) 117

apillary columns
eparation and application of surface-odified high-resolution wall-coated open bular columns (126) 133

apillary columns
fect of etching with gaseous hydrogen loride on the quality of glass capillary lumns (126) 147

apillary columns
ew method for the preparation of highly able polysiloxane-coated glass open-tubular capillary columns and application to the analysis of hormonal steroids (126) 161

Capillary columns, rectangular
Tapeworm columns in GC (122) 443

Capillary columns, stainless-steel
Adsorption properties of stainless-steel capillaries used in the preparation of open tubular GC columns (123) 317

Capillary gas chromatography
GC analysis with glass capillary columns (122) 55

Capsaicin
Quantitative microanalysis of capsaicin, dihydrocapsaicin and nordihydrocapsaicin using mass fragmentography (123) 119

Carbamate insecticides
GC analysis of heptafluorobutyryl derivatives of some carbamate insecticides (123) 287

Carbamate pesticides
Exploitation of phase-system selectivity by two-column LC. Separation of carbamate pesticides (Summary) (122) 331

Carbamates
Analysis of sulphur-containing carbamates by formation of derivatives in the gas-liquid chromatograph using trimethylphenyl-ammonium hydroxide (125) 495

Carbamates
GC of N-methyl and N-aryl carbamates by flash-heater reaction with trimethylanilinium hydroxide (130) 55

Carbamazepine
Simultaneous GC analysis for the four commonly used antiepileptic drugs in serum (128) 281

Carbaryl
Direct analysis of LC effluents (122) 389

Carbimazole
Improved method for the determination of methimazole in plasma by HPLC (124) 405

Carbohydrates
Application of glass capillary-column GC-MS to the studies of human diseases (126) 487

Carbohydrates
HPLC analysis of the isomerization products of carbohydrates (126) 693

Carbohydrates
Separation of carbohydrates on a new polar bonded phase material (126) 731

Carbohydrates
TLC of carbohydrates (Review) (127) 133

Carbohydrates
Separation of substituted carbohydrates by HPLC (130) 181

Carbon black, modified
Reversed-phase LSC on modified carbon black (122) 223

Carbon disulphide
Use of carbon disulphide and formamide as the mobile phase and flame-forming agent in the flame-ionization detector (130) 318

Carboxylic acid analyzer
Highly efficient carboxylic acid analyzer and its application (123) 129

Carboxylic acids
LC of *tert.*-butyl per-esters of silyl-substituted carboxylic acids on modified adsorbents (124) 337

Carboxymethylcysteinate
GLC of amino acids. Determination of cystine and cysteine as N-acetyl, *n*-propyl S-carboxymethylcysteinate (124) 315

Cardiotonic steroid conjugates
Studies on steroids. CXIV. Separation of cardiotonic steroid conjugates by HPLC (124) 79

Catechins
Quantitative determination of caffeic acid esters and catechins by direct measurement on thin-layer chromatograms (123) 391

Catecholamines
Chromatographic separation of catecholamines on a weakly acidic ion-exchange resin using a borate-containing eluent (124) 411

Catecholamines
Separation of catecholamines and their metabolites by adsorption, ion-pair and soap chromatography (125) 89

Cation exchangers
Swelling of cation-exchange resins in aqueous organic solvents (Review) (in French) (127) 29

Cation-exchange resins
Swelling of a sulphonic resin equilibrated with mixtures of water-acetic acid and water-tetrahydrofuran (in French) (121) 104

Cation-exchange thin layers
Chromatographic behaviour of alkaloids on thin layers of cation exchangers. II. Alginic acid, Rexyn 102, Dowex 50-X4 and CMCNa (123) 175

Cellulose acetate
Application of cellulose acetate plates as separative layer in chromatography (in German) (123) 439

Cellulose, bead form
Cellulose in bead form. Properties related to chromatographic uses (125) 455

Ceramides
Applications of boronate derivatives in the study of ceramides by GLC-MS (126) 591

Cerium(IV) phosphate
Crystalline insoluble acid salts of tetravalent metals. XXIV. Ion-exchange behaviour of fibrous cerium(IV) phosphate (128) 289

Cetotetrine
Determination of β-cetotetrine in plasma and urine using HPLC with electrochemical detection (129) 73

Charge-transfer complexing agents
Resolution of optical isomers by HPLC, using coated and bonded chiral charge-transfer complexing agents as stationary phases (122) 205

Chelates
GC of some oxovanadium(IV) tetradentate β-ketoamine chelates (130) 251

Chelating agents
Partition of chelating agents between a cationic ion exchanger swollen with water and a water-immiscible solvent (in French) (124) 197

Chemical equilibria
Application of GC headspace analysis to the characterization of chemical equilibria in solutions (126) 205

Chemically bonded silica packings
Recent developments in the evaluation of chemically bonded silica packings for LC (125) 115

Chiral amines
N-Acyl derivatives of chiral amines as novel, readily prepared phases for the separation of optical isomers by GC (126) 97

Chitosan
Determination of molecular-weight distribution of chitosan by HPLC (128) 87

Chloralose
Determination of α-chloralose in rodenticide formulations by GLC (129) 444

Chloramphenicol
Separation of chloramphenicol intermediates by HPLC on MicroPak-NH_2 columns (129) 81

Chlorinated naphthalenes
Polychlorinated naphthalenes (Review) (127) 203

Chlorophenols
GC-MS of chlorophenols in spent bleach liquors (128) 13

Chlorpheniramine
Determination of nanogram amounts of aromatic compounds by spectrophotometry on thin-layer chromatograms (124) 351

Chlorpromazine
Chromatographic properties of imines formed from dedimethylchlorpromazine and various aldehydes and ketones (121) 88

olesterol
thod for the estimation of free and erified cholesterol involving TLC (124) 29

oline
C separation of ^{14}C-labelled cinyldicholine, succinylmonocholine and oline (121) 170

romatography instrumentation
ect of microprocessors on traditional omatography instrumentation (122) 355

romium(III)
ermination of physiological levels of Cr(III) urine by GC (130) 346

romogenic substrates
romogenic subtrates for proteinases. ification by chromatography on lipophilic hadex (123) 429

ymopapain
aration of chymopapain from papaya latex *rica papaya)* on Amberlite IR-120 (Hg^{2+}) l) 65

ymotrypsin
ctionation of proteolytic enzymes by nity chromatography on Sepharose inocaproyl proflavin (129) 97

chona alkaloids
nple TLC method for separation of chona alkaloids (121) 388

namaldehyde
separation and analysis of trimethylsilyl ivatives of some naturally occurring non- atile phenolic compounds and related stances (121) 49

namic acid
separation and analysis of trimethylsilyl ivatives of some naturally occurring non- atile phenolic compounds and related stances (121) 49

namic aldehydes
omatic separation and determination of zoic and cinnamic aldehydes by LC (in nch) (124) 369

eoviridin
estigations on the production of cotoxins and their quantitative analysis. VI. eoviridin (in German) (130) 293

damycin
autographic TLC analysis of antibiotics their metabolites in the whole animal. I. damycin in the rat (123) 33

nazepam
id GC method for the determination of nazepam in serum and cerebrospinal fluid l) 166

CNa
omatographic behaviour of alkaloids on thin layers of cation exchangers. II. Alginic acid, Rexyn 102, Dowex 50-X4 and CMCNa (123) 175

Coal, solvent refined
Chromatographic separation studies of solvent refined coal (123) 419

Coal-derived fluids
Characterization of coal-derived fluids by capillary column GC-MS (126) 213

Codeine
Determination of nanogram amounts of aromatic compounds by spectrophotometry on thin-layer chromatograms (124) 351

Coil planet centrifuge
Counter-current chromatography using a new coil planet centrifuge (122) 333

Collagen
Improved technique for the analysis of amino acids and related compounds on thin layers of cellulose. XI. Direct, visual micro-method for investigating the primary structural sequence of collagen and other proteins (129) 211

Colorimetric detection
Reaction colorimeters as detectors in HPLC. Extra-column band broadening with segmented flow through the reaction coil (125) 287

Colorimetric detection
Determination of trace amounts of hydroperoxides by column liquid chromatography and colorimetric detection (125) 307

Column coiling
Theory of capillary chromatography. Effect of coiling and interphase mass transfer (129) 1

Column packings
Influence of the energetic heterogeneity of a column packing on the separation process in GSC (124) 60

Column parameters
Column parameters controlling resolution in high-performance GPC (122) 345

Column performance
Effect of column performance on the accuracy of molecular weights obtained from size exclusion chromatography (GPC) (125) 219

Column performances
Study of column performances in GC. C_{87} hydrocarbon on chemically modified supports (126) 87

Column switching
Column switching techniques in the LC analysis of organochlorine pesticides in milk (122) 259

Columns
Characteristics of non-polar glass support-coated open-tubular columns (121) 1

Columns
Column development and technology in GC (122) 107

Columns
Construction of columns for LC with very large plate numbers. Theory and practice (122) 147

Columns
Investigations into the preparation of glass open-tube GC columns (122) 425

Columns
Tapeworm columns in GC (122) 443

Columns
Plate height in porous-layer open-tubular columns (124) 359

Columns
New, generally applicable procedure for the preparation of glass capillary columns (125) 471

Columns
Preparation of glass capillary columns coated with polar phase for high-temperature GC. I. Study of roughening of the glass surface (126) 117

Columns
Preparation and application of surface-modified high-resolution wall-coated open tubular columns (126) 133

Columns
Effect of etching with gaseous hydrogen chloride on the quality of glass capillary columns (126) 147

Columns
New method for the preparation of highly stable polysiloxane-coated glass open-tubular capillary columns and application to the analysis of hormonal steroids (126) 161

Columns
Preparative LC using radially compressed columns (126) 439

Compressibility effects
Experimental evaluation of compressibility effects in syringe pumps for LC (130) 29

Computer-controlled evaluation in TLC
Computer-controlled evaluation in TLC. Results and possibilities (126) 449

Continuous separations
Pressurized, annular chromatograph for continuous separations (126) 381

Copper
Determination of traces of copper and aluminium in zinc by GC with the microwave plasma detector (121) 383

Copying of recorder charts
Contrast improvement in the copying of recorder charts on the Xerox Model 4500 copier (130) 454

Corticosteroids
Chromatographic analysis of hormone residues in food (Review) (127) 53

Corticosteroids
TLC separation of corticosteroids from their respective 17-oxo-oxidation products (129) 475

Coulometric detection
Anodic coulometric detection with a glassy carbon electrode in combination with reversed-phase HPLC. Determination of blood levels of perphenazine and fluphenazine (125) 275

Coulometric detector
Design and characterization of a coulometric detector with a glassy carbon electrode for HPLC (125) 375

Coulson conductivity detector
Sensitivity enhancement of the Coulson conductivity detector by modification of the bridge circuitry (128) 154

Coumarin
GC separation and analysis of trimethylsilyl derivatives of some naturally occurring non-volatile phenolic compounds and related substances (121) 49

Coumarin anticoagulants
HPLC and TLC of coumarin anticoagulants and their degradation products (129) 397

Coumarin derivatives
TLC of some coumarin derivatives (128) 227

Counter flow of electrolyte
Isotachophoretic experiments with a counter flow of electrolyte (123) 139

Counter-current chromatography
Counter-current chromatography using a new coil planet centrifuge (122) 333

Cyanide complexes
Determination of complex cyanides in water by GC (123) 411

Cyclic nucleotide phosphodiesterases
Comparison of batch and chromatographic assays of cyclic nucleotide phosphodiesterases (129) 107

Cycling zone separation
Application of cycling zone separation to preparative HPLC (121) 205

Cyclobenzaprine
GLC determination of nanogram amounts of cyclobenzaprine in plasma using a nitrogen detector (124) 164

Cyclohexane
Determination of the pre-exponential factor of Henry's constant by gas adsorption chromatography (121) 185

steine
.C of amino acids. Determination of cystine
d cysteine as N-acetyl, *n*-propyl S-
-boxymethylcysteinate (124) 315

stine
.C of amino acids. Determination of cystine
d cysteine as N-acetyl, *n*-propyl S-
rboxymethylcysteinate (124) 315

tokinins
fect of pH on the elution of cytokinins from
lyvinylpyrrolidone columns (121) 107

D

Data systems, GC-MS
Improving the efficiency of small GC-MS data systems by means of simple algorithms (123) 271

Daunomycin
Quantitative determination of low levels of daunomycin and daunomycinol in plasma by HPLC (125) 369

Daunorubicin
Quantitative determination of low levels of daunomycin and daunomycinol in plasma by HPLC (125) 369

DDE
Evaluation of environmental polychlorobiphenyls and DDE in terms of mixtures of commercial preparations from peak heights of packed-column gas chromatograms using a programmable calculator (121) 269

DDT
GC determination of polychlorinated biphenyls and some chlorinated pesticides in sewage sludge using a glass capillary column (124) 265

Deadyn
Determination of pemoline by HPLC (123) 474

DEAHP-cellulose
DEAHP-starch and DEAHP-cellulose, new ion exchangers for fractionating polysaccharides and other biopolymers (123) 434

DEAHP-starch
DEAHP-starch and DEAHP-cellulose, new ion exchangers for fractionating polysaccharides and other biopolymers (123) 434

Dedimethylchlorpromazine
Chromatographic properties of imines formed from dedimethylchlorpromazine and various aldehydes and ketones (121) 88

Dehydrohecogenin
HPLC analysis of the benzoate esters of sapogenins isolated from *Agave* (121) 329

Dehydrotigogenin
HPLC analysis of the benzoate esters of sapogenins isolated from *Agave* (121) 329

Demonomethylchlorpromazine
Chromatographic properties of imines formed from dedimethylchlorpromazine and various aldehydes and ketones (121) 88

Deoxycorticosterone
Sephadex LH-20 multiple-column chromatography for the simultaneous separation of progesterone, deoxycorticosterone and 17*a*-hydroxyprogesterone from small plasma samples (123) 293

Deoxyepinephrine
Chromatographic separation of catecholamines on a weakly acidic ion-exchange resin using a borate-containing eluent (124) 411

Deoxynucleosides
Differential scanning calorimetric-TLC study of 5-halo-2'-deoxynucleosides (124) 388

Deoxyribonucleosides
Rapid resolution of 5'-mono-, -di-, and -triphosphate ribo- and deoxyribonucleoside mixtures by conventional anion-exchange chromatography (124) 415

Deoxythymidine
Separation of deoxythymidine and deoxythymidine nucleotides by CC and TLC (124) 137

Deoxythymidine nucleotides
Separation of deoxythymidine and deoxythymidine nucleotides by CC and TLC (124) 137

Depakine
Rapid determination of 4-hydroxybutyric acid (Gamma OH) and 2-propylpentanoate (Depakine) in human plasma by means of GLC (121) 150

Desisopropylpropranolol
Quantitative determination of propranolol, propranolol glycol and N-desisopropylpropranolol in brain tissue by electron capture GC (123) 185

Desmethyldiazepam
Quantitative HPLC of diazepam and N-desmethyldiazepam in blood (128) 111

Desmethyldoxepin
Quantitative determination of doxepin and desmethyldoxepin in rat plasma by means of GLC-mass fragmentography (130) 354

Detection
Fluorescence enhancement. New selective detection principle for liquid chromatography (126) 317

Detectors
Ions and electrons in the electron capture detector. Quantitative identification by atmospheric pressure ionization MS (122) 397

Detectors
Performance of a silicon-doped hydrogen atmosphere flame ionization detector for GC (122) 515

Detectors
Thermionic ionization detector for the analysis of phosphorus- and nitrogen-containing organic compounds (122) 527

Detectors
Thermionic detectors in GC. Selective detection of phosphorus, nitrogen, and sulphur compounds (123) 396

Detectors
Chromatographic design and temperature-related characteristics of the piezoelectric detector (124) 179

Detectors
Improved Hall conductivity detection system without solvent interference (124) 364

Detectors
Anodic coulometric detection with a glassy carbon electrode in combination with reversed-phase HPLC. Determination of blood levels of perphenazine and fluphenazine (125) 275

Detectors
Reaction colorimeters as detectors in HPLC. Extra-column band broadening with segmented flow through the reaction coil (125) 287

Detectors
Determination of trace amounts of hydroperoxides by column liquid chromatography and colorimetric detection (125) 307

Detectors
Rapid scanning diode array as a multi-wavelength detector in LC (125) 315

Detectors
Design and characterization of a coulometric detector with a glassy carbon electrode for HPLC (125) 375

Detectors
TLC transport detector for HPLC (126) 35

Detectors
Semi-specific flame-ionization detection system (126) 263

Detectors
Continuous stirred reactor model as basis for optimisation of electron capture detector operation in coulometric and constant current modes (126) 271

Detectors
New mini-computer automated linear photodiode array spectrometer system for high-resolution LC (126) 347

Detectors
Sensitivity enhancement of the Coulson conductivity detector by modification of the bridge circuitry (128) 154

tectors
timization and response of the Pye flame
otometric detector to some insecticides in
phosphorus and sulphur modes (128) 157

tectors
e of dual-wavelength detection in HPLC for
quantitative determination of unresolved
partially resolved compounds (130) 314

tectors
e of carbon disulphide and formamide as
mobile phase and flame-forming agent in
flame-ionization detector (130) 318

tectors
relation of the response factors of thermal-
ductivity detector with molecular weight
methylsiloxanes (130) 351

tectors
perometric detection in HPLC with non-
ductive eluents (in French) (130) 372

veloping tank
satile twin-trough developing tank for TLC
3) 65

lkylbarbituric acids
analysis of dialkylbarbituric acids (129) 155

mines
ermination of diamines and polyamines in
ues by HPLC (124) 277

zepam
antitative HPLC of diazepam and N-
methyldiazepam in blood (128) 111

zepam
plified quantitative method for the
ultaneous determination of diazepam and
metabolites in serum by TLC (128) 231

enzodioxins
paration of qualitative standard mixtures
olychlorinated dibenzo-*p*-dioxins and
enzofurans by UV and γ-irradiation of the
achloro compounds (129) 303

enzofurans
paration of qualitative standard mixtures
olychlorinated dibenzo-*p*-dioxins and
enzofurans by UV and γ-irradiation of the
achloro compounds (129) 303

utyl tetrachlorophthalate
n-butyl tetrachlorophthalate as a liquid
se in the GC identification of
rocarbons (123) 327

hlorophenoxyacetic acid
tabolism of 2,4-dichlorophenoxyacetic acid.
GLC of methyl esters of amino acid
jugates (124) 97

ascon
ermination of pemoline by HPLC (123) 474

Diethylstilbestrol
Chromatographic analysis of hormone residues in food (Review) (127) 53

Diethylstilbestrols
Preparation and HPLC of iodinated diethylstilbestrols and some related steroids (130) 129

Diftalone
Determination of diftalone and its main metabolites in human plasma and synovial fluid by HPLC (124) 169

Diftalone
GC determination of diftalone in human plasma by use of an automatic sampler (128) 27

Digital filters
Effects of digital filters on chromatographic signals (126) 279

Digitalis glycosides
Rapid and sensitive high-resolution procedure for digitalis glycoside analysis by derivatization LC (122) 293

Digitalis glycosides
Comparison of reversed-phase and partition HPLC of some digitalis glycosides (130) 169

Digoxin
Fractionation of tritiated digoxin and dihydrodigoxin with DEAE-Sephadex LH-20 (121) 401

Digoxin
Separation of digoxin and dihydrodigoxin by TLC or PC (125) 523

Dihydrocapsaicin
Quantitative microanalysis of capsaicin, dihydrocapsaicin and nordihydrocapsaicin using mass fragmentography (123) 119

Dihydrocodeinone
GC determination of hydrocodone in serum (130) 243

Dihydrodigoxin
Fractionation of tritiated digoxin and dihydrodigoxin with DEAE-Sephadex LH-20 (121) 401

Dihydrodigoxin
Separation of digoxin and dihydrodigoxin by TLC or PC (125) 523

Dihydroergotoxine alkaloids
Determination of dihydroergotoxine alkaloids by GLC (122) 479

Dimethoxymethylamphetamine
Direct quantitative analysis of lysergic acid diethylamide (LSD) and 2,5-dimethoxy-4-methylamphetamine (STP) on thin-layer chromatograms (121) 165

Dimethylaminopropylidene-dibenzooxepin hydrochloride
Quantitative determination of doxepin and desmethyldoxepin in rat plasma by means of GLC-mass fragmentography (130) 354

Dimethylaminopyridine
Determination of urinary monohydric and dihydric phenols by GC of the acetate and TMS derivatives. 4-Dimethylaminopyridine as a catalyst for acetylation reactions (121) 41

Dinitrophenyl-amino acids
PC behaviour of α-DNP-lysine in comparison with other DNP-amino acids (130) 390

Dinoracetylmethadol
Comparative study on the derivatization of *l*-α-acetylmethadol metabolites for electron capture GLC (129) 329

Diode array
Rapid scanning diode array as a multi-wavelength detector in LC (125) 315

Diosgenin
HPLC analysis of the benzoate esters of sapogenins isolated from *Agave* (121) 329

Dioxins
Preparation of qualitative standard mixtures of polychlorinated dibenzo-*p*-dioxins and dibenzofurans by UV and γ-irradiation of the octachloro compounds (129) 303

Diphenylhydantoin
Simultaneous GC analysis for the four commonly used antiepileptic drugs in serum (128) 281

Diphenylhydantoin
Assay of the major (4-hydroxylated) metabolite of diphenylhydantoin in human urine by reversed-phase HPLC (130) 422

Diphosphate anions
Anomalous behaviour of diphosphate anions in ion-exchange chromatography (128) 212

Diseases
Application of glass capillary-column GC-MS to the studies of human diseases (126) 487

Displacement gas chromatography
Heater-displacement chromatography (126) 11

Disposable tubes
Disposable tubes for acrylamide gel disc electrophoresis (129) 382

Dithizonates
Identification of toxic metals after extraction and TLC of their dithizonates. Toxicological applications (in French) (128) 141

Diuretics
GLC determination of tienilic acid (SKF 62.698) in human plasma and urine (123) 379

Dopamine
Chromatographic separation of catecholami on a weakly acidic ion-exchange resin using borate-containing eluent (124) 411

Dowex 50-X4
Chromatographic behaviour of alkaloids on thin layers of cation exchangers. II. Alginic acid, Rexyn 102, Dowex 50-X4 and CMCNa (123) 175

Doxepin
Quantitative determination of doxepin and desmethyldoxepin in rat plasma by means o GLC-mass fragmentography (130) 354

Drug metabolism
GC-MS-computer methods in the study of drug metabolism (126) 547

Drug metabolites
Ion-pair chromatography of acidic drug metabolites and endogenic compounds (125) 327

Drugs
Chromatographic properties of imines form from dedimethylchlorpromazine and various aldehydes and ketones (121) 88

Drugs
Unexpected HPLC separation of Org GC 94 and [3,3,4,4-$^2H_4$]Org GC 94 (121) 96

Drugs
Rapid determination of 4-hydroxybutyric ac (Gamma OH) and 2-propylpentanoate (Depakine) in human plasma by means of GLC (121) 150

Drugs
Phenacetin estimation from biological samp by HPLC (121) 156

Drugs
Direct quantitative analysis of lysergic acid diethylamide (LSD) and 2,5-dimethoxy-4-methylamphetamine (STP) on thin-layer chromatograms (121) 165

Drugs
TLC separation of ^{14}C-labelled succinyldicholine, succinylmonocholine and choline (121) 170

Drugs
Quantitative assay of sulphinpyrazone in plasma and urine by HPLC (121) 227

Drugs
Determination of pethidine in plasma by electron capture GC after reaction with trichloroethyl chloroformate (121) 235

Drugs
Rapid GC determination of thiamphenicol i plasma and amniotic fluid (121) 243

Drugs
Improved theophylline serum analysis by a appropriate internal standard for GC (121) 2

ugs
nor components of cannabis resin. VI. MS
a and GC retention times of components
ted after cannabinol (121) 313

ugs
autography of erythromycin and its esters
1) 390

ugs
actionation of tritiated digoxin and
ydrodigoxin with DEAE-Sephadex LH-20
1) 401

ugs
plications of HPLC in the pharmaceutical
lustry (122) 73

ugs
rensic aspects of HPLC (122) 85

ugs
-pair partition chromatography in the
alysis of drugs and biogenic substances in
sma and urine (122) 305

ugs
ntification of drugs using a GC-MS system
uipped with electron impact-chemical
ization and electron impact-field
ization-field desorption combination
rces (122) 365

ugs
termination of phenobarbital in human
iva by GC with electron-capture detection
2) 471

ugs
autographic TLC analysis of antibiotics
d their metabolites in the whole animal. I.
ndamycin in the rat (123) 33

ugs
antitative *in situ* TLC of quinidine and
icylic acid in capillary blood (123) 57

ugs
C determination of sulphonamides (123) 167

ugs
romatographic behaviour of alkaloids on
n layers of cation exchangers. II. Alginic
d, Rexyn 102, Dowex 50-X4 and CMCNa
3) 175

ugs
antitative determination of propranolol,
pranolol glycol and N-
sisopropylpropranolol in brain tissue by
ctron capture GC (123) 185

ugs
termination of the content and purity of
gotamine preparations by means of HPLC
3) 193

ugs
analysis of pharmaceuticals based on
rimidine and purine substances (123) 216

Drugs
GLC determination of tienilic acid (SKF 62.698) in human plasma and urine (123) 379

Drugs
Identification of a major metabolite of the new hypolipidaemic agent, isopropyl 2-[4'(*p*-chlorobenzoyl)phenoxyl-2-methylpropionate (procetofene) in humans by GC-MS (123) 463

Drugs
Determination of pemoline by HPLC (123) 474

Drugs
Reversed-phase HPLC of bleomycin (124) 88

Drugs
GLC determination of nanogram amounts of cyclobenzaprine in plasma using a nitrogen detector (124) 164

Drugs
Determination of diftalone and its main metabolites in human plasma and synovial fluid by HPLC (124) 169

Drugs
TLC studies of methadone salts (124) 172

Drugs
GC determination of acenocoumarin in human plasma (124) 331

Drugs
HPLC of penimocycline (in French) (124) 343

Drugs
Determination of nanogram amounts of aromatic compounds by spectrophotometry on thin-layer chromatograms (124) 351

Drugs
Application of HPLC and MS to the identification of xanthones (in French) (124) 381

Drugs
Simultaneous determination of therapeutic levels of amitriptyline and nortriptyline in plasma by GLC (124) 401

Drugs
Improved method for the determination of methimazole in plasma by HPLC (124) 405

Drugs
Detection and significance of glycols in drug screening (124) 424

Drugs
Chromatographic studies of the influence of water and thermal treatment on the activity of silica gel (125) 179

Drugs
Anodic coulometric detection with a glassy carbon electrode in combination with reversed-phase HPLC. Determination of blood levels of perphenazine and fluphenazine (125) 275

Drugs
Quantitative determination of low levels of daunomycin and daunomycinol in plasma by HPLC (125) 369

Drugs
Determination of naloxone and naltrexone as perfluoroalkyl ester derivatives by electron-capture GLC (125) 409

Drugs
Simple combination of R_F value and melting-point determination for the identification of barbiturates (125) 431

Drugs
Simultaneous determination of meperidine and normeperidine in biofluids (125) 503

Drugs
Determination of hydralazine and its metabolites by GC-MS (126) 517

Drugs
Electron capture and multiple ion detection of benzodiazepine esters in pharmacokinetic studies (126) 601

Drugs
Chemical ionization MS for rapid assay of drugs in serum (126) 615

Drugs
Application of GLC and HPLC to the analysis of trace amounts of salicylic acid, acetylsalicylic anhydride and acetylsalicylsalicylic acid in aspirin samples and aspirin formulations (126) 651

Drugs
Analysis of benzoylecgonine in urine by HPLC and GC-MS (126) 717

Drugs
Chromatographic analysis of hormone residues in food (Review) (127) 53

Drugs
GC determination of diftalone in human plasma by use of an automatic sampler (128) 27

Drugs
Quantitative HPLC of diazepam and N-desmethyldiazepam in blood (128) 111

Drugs
Rapid GC method for the determination of clonazepam in serum and cerebrospinal fluid (128) 166

Drugs
GLC determination of ethambutol in plasma and urine of man and monkey (128) 188

Drugs
Sensitive GC method for the estimation of a new antiarrhythmic compound, mexiletine (Ko1173), in biological fluids (128) 196

Drugs
Separation of some tricyclic antidepressants by HPLC (128) 204

Drugs
Determination of thiazinamium sulphoxide in urine by means of Amberlite XAD-2 CC and thin-layer densitometry (128) 208

Drugs
TLC of some coumarin derivatives (128) 227

Drugs
Simplified quantitative method for the simultaneous determination of diazepam and its metabolites in serum by TLC (128) 231

Drugs
Determination of β-cetotetrine in plasma and urine using HPLC with electrochemical detection (129) 73

Drugs
Separation of chloramphenicol intermediates by HPLC on MicroPak-NH_2 columns (129) 81

Drugs
GC analysis of dialkylbarbituric acids (129) 1

Drugs
Simultaneous determination of methylated barbiturates and other anticonvulsant drugs by high-resolution GC (129) 171

Drugs
Chromatographic characterization of phenothiazine drugs by a reversed-phase thin layer technique (129) 249

Drugs
Comparison of the determination of partition coefficients of 1,4-benzodiazepines by HPLC and TLC (129) 263

Drugs
Comparative study on the derivatization of *l*-acetylmethadol metabolites for electron capture GLC (129) 329

Drugs
Analysis of isomeric impurities in a synthesis of the novel anti-inflammatory drug, benoxaprofen (129) 339

Drugs
General procedure for the isolation and identification of 6-α- and 6-β-hydroxy metabolites of narcotic agonists and antagonists with a hydromorphone structure (129) 355

Drugs
Simultaneous quantification of procainamide and N-acetylprocainamide with HPLC (129) 363

Drugs
Influence of the support material and liquid loading on retention indices in GLC (129) 375

ugs
method for the analysis of butyrophenones
ed on the Hofmann degradation reaction
9) 387

ugs
mparison of reversed-phase and partition
LC of some digitalis glycosides (130) 169

ugs
C procedure for the detection, isolation and
ntification of basic psychotropic drugs in
ne (130) 209

ugs
determination of hydrocodone in serum
)) 243

ugs
antitative GC analysis of barbiturates and
lantoins with quaternary ammonium
lroxides (130) 342

ugs
antitative determination of doxepin and
methyldoxepin in rat plasma by means of
C-mass fragmentography (130) 354

ugs
antitative determination of sulpyrid in
logical samples from rats by GLC and
mical ionization-mass fragmentography
)) 361

ugs
id GC determination of underivatized
nprocoumon in plasma (130) 418

ugs, antiepileptic
ultaneous GC analysis for the four
mmonly used antiepileptic drugs in serum
4) 281

column chromatogram
ple technique for the development of a dry
mn chromatogram (128) 302

ual-wavelength detection
of dual-wavelength detection in HPLC for
quantitative determination of unresolved
partially resolved compounds (130) 314

s
of disperse dyes (121) 131

s
of some cationic dyes commonly used in
ology (129) 277

stuff intermediates
p chromatography: A new HPLC technique
separation of ionizable materials. Dyestuff
rmediates (122) 17

E

Ecdysteroids
Separation of ecdysterone, inokosterone, makisterone A, α-ecdysone and ponasterone A by a combination of adsorptive and reversed-phase LC (129) 447

Efficiency
Sample loading and efficiency in adsorption, partition and bonded-phase high-speed LC (125) 43

Elastase
Fractionation of proteolytic enzymes by affinity chromatography on Sepharose aminocaproyl proflavin (129) 97

Electron capture detector
Ions and electrons in the electron capture detector. Quantitative identification by atmospheric pressure ionization MS (122) 397

Electron capture detector
Continuous and ultrasensitive apparatus for the measurement of air-borne tracer substances (126) 3

Electron capture detectors
Continuous stirred reactor model as basis for optimisation of electron capture detector operation in coulometric and constant current modes (126) 271

Electrophoretic gel plates
Storage and densitometry of electrophoretic gel plates in vacuum transparent bags (in German) (130) 444

Elution behaviour
Attempt to predict elution behaviour in a LLC model system (128) 199

Elution gas chromatography-reactor-frontal gas chromatography
Identification of organic compounds by an elution GC-reactor-frontal GC system (126) 723

Endogenic compounds
Ion-pair chromatography of acidic drug metabolites and endogenic compounds (125) 327

Enzymes
Separation of chymopapain from papaya latex *(Carica papaya)* on Amberlite IR-120 (Hg^{2+}) (121) 65

Enzymes
HPLC of proteins (125) 103

Enzymes
Fractionation of proteolytic enzymes by

affinity chromatography on Sepharose aminocaproyl proflavin (129) 97

Enzymes
Separation and detection of lipases using polyacrylamide gel electrophoresis (130) 441

Enzymes
Enzyme purification by affinity chromatography using a non-covalently bound adsorbent (130) 446

Enzymes
Hydrophobic chromatography of N-acetyl-β-D-hexosaminidase (130) 451

Epinephrine
Chromatographic separation of catecholamines on a weakly acidic ion-exchange resin using a borate-containing eluent (124) 411

Equilibria
Application of GC headspace analysis to the characterization of chemical equilibria in solutions (126) 205

Equol
Specific separation of equol from estrogens by TLC (129) 473

Ergot alkaloids
Lysergic acids. II. Isolation and separation of lysergic acids (in German) (121) 353

Ergot alkaloids
Determination of dihydroergotoxine alkaloids by GLC (122) 479

Ergotamine
Determination of the content and purity of ergotamine preparations by means of HPLC (123) 193

Erythromycin
Bioautography of erythromycin and its esters (121) 390

Erythromycin stearate
Simple TLC identification method for erythromycin stearate (125) 447

Estradiol
Preparation and HPLC of iodinated diethylstilbestrols and some related steroids (130) 129

Estrogens
Simultaneous separation of estrogens and androgens using TLC (121) 82

Estrogens
Chromatographic analysis of hormone residues in food (Review) (127) 53

Estrogens
Specific separation of equol from estrogens by TLC (129) 473

Ethambutol
GLC determination of ethambutol in plasma and urine of man and monkey (128) 188

Ethanol
Limitations in the specificity of Porapak Q columns in the GC analysis of ethanol in bod fluids (130) 403

Ethyl methylphenylpiperidinecarboxylate
Determination of pethidine in plasma by electron capture GC after reaction with trichloroethyl chloroformate (121) 235

Ethylbenzylhydroxycoumarin
Rapid GC determination of underivatized phenprocoumon in plasma (130) 418

Ethylene oxide
Determination of ethylene oxide in air by G (121) 147

Ethylpyrrolidinylmethylmethoxysulphamoyl-benzamide
Quantitative determination of sulpyrid in biological samples from rats by GLC and chemical ionization-mass fragmentography (130) 361

Ethylthiourea complexes
Radiochromatographic study of some ethylthiourea complexes of copper(I), silver(I and gold(I) (123) 367

tty acid methyl esters
aracterization of fatty acid methyl esters by
on siloxane liquid phases (121) 118

tty acids
tty acids. VIII. GLC properties of all
nethylene interrupted methyl *trans,trans*-
adecadienoates (121) 303

tty acids
tty acids. IX. The TLC behaviour of all of
cis,cis- and *trans,trans*-dimethylene-
errupted methyl octadecadienoates and
thyl octadecadiynoates (124) 147

tty acids
ng-chain acetates as internal standards in
GLC of volatile fatty acids (125) 444

tty acids
tty acids. XI. The synthesis of epoxides
m methyl octadecadienoates and a study of
ir chromatographic properties (129) 181

tty acids
termination of free fatty acids as
ntafluorobenzyl esters by electron capture
(129) 295

tty acids
antitative recovery of free and esterified
ty acids from thin-layer plates coated with
ca gel (130) 139

tty acids, C_2-C_5
determination of C_2-C_5 fatty acids in
eous media with a Porapak N column
4) 63

tty acids, polyunsaturated
gentation CC. A new ternary solvent system
the separation of methyl esters of
lyunsaturated fatty acids (129) 469

tty acids, short chain
-MS of some biologically important short
ain acid butyl esters (128) 261

in
actionation of proteolytic enzymes by
inity chromatography on Sepharose
inocaproyl proflavin (129) 97

eld-flow fractionation
eld-flow fractionation. Extending the
lecular weight range of LC to one trillion
^{12}) (125) 3

ame ionization detector
rformance of a silicon-doped hydrogen
nosphere flame ionization detector for GC
2) 515

Flame-ionization detector
Use of carbon disulphide and formamide as the mobile phase and flame-forming agent in the flame-ionization detector (130) 318

Flame-ionization detectors
Semi-specific flame-ionization detection system (126) 263

Flame photometric detector
Optimization and response of the Pye flame photometric detector to some insecticides in the phosphorus and sulphur modes (128) 157

Flavanones
Quantitative analysis of flavanones and 3-hydroxyflavanones by TLC (123) 385

Flavone
GC separation and analysis of trimethylsilyl derivatives of some naturally occurring non-volatile phenolic compounds and related substances (121) 49

Flavones
Investigations on the mechanism and selectivity of chromatography on thin layers of polyamide. IV. Chromatography of amino acids and complex phenolic substances (124) 394

Flavonoids
Chromatographic differentiation of tamarixetin and isorhamnetin by spraying (124) 174

Flavonoids
HPLC of some anthocyanidins and flavonoids (129) 464

Flow controller
Flow controller for HPLC and its applications (126) 369

Flow programming
Flow programming in glass capillary column-electron capture GC by using the valve in the splitter line (123) 101

Fluorescamine
Derivatization of compounds at the origin of thin-layer plates with fluorescamine (121) 33

Fluorescamine
Detection of compounds with primary amino groups on thin-layer plates by dipping in a fluorescamine solution (121) 79

Fluorescamine
Optimal use of fluorescamine for *in situ* TLC quantitation of amino acids (124) 111

Fluorescamine-amino acids
Characterization of selected fluorescamine-amino acid reaction products by HPLC (124) 376

Fluorescence
Use of a gaseous electrical discharge to induce fluorescence in organic compounds separated by TLC (126) 457

Fluorescence enhancement
Fluorescence enhancement. New selective detection principle for liquid chromatography (126) 317

Fluorouracil
GC analysis of pharmaceuticals based on pyrimidine and purine substances (123) 216

Fluphenazine
Anodic coulometric detection with a glassy carbon electrode in combination with reversed-phase HPLC. Determination of blood levels of perphenazine and fluphenazine (125) 275

Folates
Chromatography of folates on Sephadex G-10 (124) 53

Folic acid
Chromatography of folates on Sephadex G-10 (124) 53

Folic acid derivatives
Separation of folic acid derivatives by HPLC (121) 100

Foods
Chromatographic analysis of hormone residues in food (Review) (127) 53

Foods
Comparison of electron-capture and electrolytic-conductivity detection for the GLC analysis of heptafluorobutyryl derivatives of some agricultural chemicals (130) 97

Forensic science
Forensic aspects of HPLC (122) 85

Formamide
Use of carbon disulphide and formamide as the mobile phase and flame-forming agent in the flame-ionization detector (130) 318

Formic acid
GC detection of small amounts of formic acid as dimethylformamide (128) 178

Formulations
Applications of HPLC in the pharmaceutical industry (122) 73

Ftorafur
GC analysis of pharmaceuticals based on pyrimidine and purine substances (123) 216

Furans
Preparation of qualitative standard mixtures of polychlorinated dibenzo-*p*-dioxins and dibenzofurans by UV and γ-irradiation of the octachloro compounds (129) 303

G

Galactokinase
Purification of a vegetal galactokinase. Advantages of affinity chromatography (in French) (128) 309

Gas chromatography
Column development and technology in GC (122) 107

Gas-modified solid chromatography
Gas-modified solid chromatography using organic vapours as carrier gas. II. Mechanism and application for aromatic amines (130) 87

Gas-solid chromatography
Influence of the energetic heterogeneity of a column packing on the separation process in GSC (124) 60

Gaseous electrical discharge
Use of a gaseous electrical discharge to induc fluorescence in organic compounds separated by TLC (126) 457

Gasoline
Identification of gasoline contamination of groundwater by GC (128) 271

Gel chromatography
Numerical calculation of the separation parameters in gel chromatography (128) 300

Gel disc electrophoresis
Disposable tubes for acrylamide gel disc electrophoresis (129) 382

Gel electrophoresis
Mechanism of the molecular-sieve effect in polyacrylamide gel electrophoresis (123) 261

Gel permeation chromatography
Theoretical study of chromatographic separations performed with cross-linked organic polymers (121) 173

Gel permeation chromatography
Column parameters controlling resolution in high-performance GPC (122) 345

Gel permeation chromatography
Effect of column performance on the accurac of molecular weights obtained from size exclusion chromatography (GPC) (125) 219

Gel permeation chromatography
Porous silica microspheres for high-performance size exclusion chromatography (125) 231

Gels
Swelling and contraction of polyacrylamide slabs in aqueous solutions (124) 219

ols
olvent dependence of gel swelling in the stem of Merckogel OR-2000 and various ganic solvents (124) 231

eranial
emistry of terpenes. VII. New procedure for e determination of neral and geranial in sential oils (130) 368

bberellins
bberellins. XLIII. Fractionation of berellins, gibberellin-conjugates and other ytohormones by DEAE-Sephadex- romatography (in German) (121) 110

ass capillary columns
w, generally applicable procedure for the eparation of glass capillary columns 5) 471

ass surface
eparation of glass capillary columns coated th polar phase for high-temperature GC. I. udy of roughening of the glass surface 6) 117

ucagon
proved technique for the analysis of amino ds and related compounds on thin layers of lulose. XI. Direct, visual micro-method for restigating the primary structural sequence collagen and other proteins (129) 211

ucose
paration of methyl ethers of xylose, glucose d some other sugars by LC (121) 122

ucuronides
paration of permethylated isomeric curonides by GC and analysis of the mass ectra (124) 321

yceryl ethers
me additional observations on the analysis glyceryl ethers and chromatographically ated lipids (128) 239

yceryl-CPG
sidual anionic properties of a covalently stituted controlled-pore glass, Glyceryl- G (129) 91

ycolipids
ending dry-column chromatography as an in the preparative isolation of glycolipids 3) 243

ycols
tection and significance of glycols in drug eening (124) 424

ycoproteins
antitative determination of hexosamines in coprotein by ion-exchange chromatography 5) 421

ycoproteins
ultaneous determination of neutral sugars and hexosamines in glycoproteins and acid mucopolysaccharides (glycosaminoglycans) by GLC (128) 45

Glycosaminoglycans
Simultaneous determination of neutral sugars and hexosamines in glycoproteins and acid mucopolysaccharides (glycosaminoglycans) by GLC (128) 45

Glycosidases
Localization of glycosidases on polyacrylamide gel (123) 495

Glycosides
Rapid and sensitive high-resolution procedure for digitalis glycoside analysis by derivatization LC (122) 293

Glycosides
Low-cost gradient system for HPLC. Quantitation of complex pharmaceutical raw materials (125) 265

Glycosides
Comparison of reversed-phase and partition HPLC of some digitalis glycosides (130) 169

Gradient elution
Chromatographic reproducibility in HPLC gradient elution (126) 421

Gradient system
Low-cost gradient system for HPLC. Quantitation of complex pharmaceutical raw materials (125) 265

H

Hall detector
Improved Hall conductivity detection system without solvent interference (124) 364

Halowax 1051
HPLC analysis of the heptachloronaphthalenes present in Halowax 1051 (129) 451

Halowaxes
Polychlorinated naphthalenes (Review) (127) 203

Head-space gas chromatography
Application of an automated head-space procedure for trace analysis by GC (122) 553

Headspace analysis
Application of GC headspace analysis to the characterization of chemical equilibria in solutions (126) 205

Heater-displacement chromatography
Heater-displacement chromatography (126) 11

Hecogenin
HPLC analysis of the benzoate esters of sapogenins isolated from *Agave* (121) 329

helicenes
Resolution of optical isomers by HPLC, using coated and bonded chiral charge-transfer complexing agents as stationary phases (122) 205

Henry's constant
Determination of the pre-exponential factor of Henry's constant by gas adsorption chromatography (121) 185

Heptachloronaphthalenes
HPLC analysis of the heptachloronaphthalenes present in Halowax 1051 (129) 451

Heptafluorobutyryl isobutyl esters
GLC of the N-heptafluorobutyryl isobutyl esters of fifty biologically interesting amino acids (130) 151

Heptanone
Rapid quantitative microanalysis of ketones in urine by GC-mass fragmentography (126) 465

Herbicides
GC separation of herbicides of major interest in Canada, with electrolytic conductivity detection in the nitrogen and chlorine modes (121) 85

Herbicides
Separation of bifenox and related compounds by TLC (124) 422

Herbicides
Chromatographic studies of the influence of water and thermal treatment on the activity silica gel (125) 179

Herbicides
LC parameters of groups of herbicidal active substances. I. Urea herbicides (in German) (125) 487

Herbicides
Use of acetonitrile for the extraction of herbicide residues from soils (129) 309

Herbicides
Separation of benthiocarb and related compounds by TLC (130) 439

HETP
Effect of column length on HETP in GC (121) 199

Hexane
Determination of the pre-exponential factor Henry's constant by gas adsorption chromatography (121) 185

Hexosamines
Quantitative determination of hexosamines glycoprotein by ion-exchange chromatograph (125) 421

Hexosamines
Simultaneous determination of neutral sugar and hexosamines in glycoproteins and acid mucopolysaccharides (glycosaminoglycans) b GLC (128) 45

Hexoses
Separation of isomeric pentoses and hexoses by continuous-flow TLC (130) 431

High-performance liquid chromatography
Theoretical and experimental study of recycling in HPLC (125) 17

High-performance liquid chromatography
Adsorbent deactivation in HPLC (125) 163

High-speed liquid chromatography
Sample loading and efficiency in adsorption, partition and bonded-phase high-speed LC (125) 43

Histamine
GC separation of histamine and its metabolites (130) 237

Histamine
Rapid TLC-densitometric determination of histamine in tuna (130) 426

Histidine metabolism
TLC separation of imidazole compounds and its application to radiotracing studies of bra histidine metabolism (129) 482

Histidine metabolites
GC profiles of prostaglandins A, B, E and F (series I and II) and histidine metabolites (Summary) (122) 469

stone F1
ntification of histones F2b and F1 in
ined gels (128) 244

stone F2b
ntification of histones F2b and F1 in
ined gels (128) 244

rmonal steroids
w method for the preparation of highly
ble polysiloxane-coated glass open-tubular
illary columns and application to the
alysis of hormonal steroids (126) 161

rmone residues
romatographic analysis of hormone
idues in food (Review) (127) 53

rmones
romatography of sex gland hormones on
phadex LH-20 (in French) (129) 471

rmones
eparation and HPLC of iodinated
thylstilbestrols and some related steroids
0) 129

man diseases
plication of glass capillary-column GC-MS
the studies of human diseases (126) 487

dantoin
say of the major (4-hydroxylated)
tabolite of diphenylhydantoin in human
ne by reversed-phase HPLC (130) 422

dantoins
antitative GC analysis of barbiturates and
dantoins with quaternary ammonium
droxides (130) 342

dralazine
termination of hydralazine and its
tabolites by GC-MS (126) 517

drazines
5-Trimethoxybenzylhydrazine: An efficient
traction reagent for aldehydes and ketones
GC (121) 279

drocarbons
7-Trinitrofluorenone-modified graphitized
bon black as stationary phase for the GC
aration of aromatic hydrocarbons (121) 370

drocarbons
analysis of aliphatic and aromatic
drocarbons with 2,4,5,7-tetranitrofluorenone-
dified graphitized carbon black (122) 459

drocarbons
n-butyl tetrachlorophthalate as a liquid
ase in the GC identification of
drocarbons (123) 327

drocarbons, aromatic
romatography of aromatic hydrocarbons on
croporous polystyrene gel (130) 195

Hydrocarbons, polycyclic aromatic
Separation of N-heteropolycyclic aromatic hydrocarbons from polycyclic aromatic hydrocarbons. Separation by ion-exchange chromatography and fractionation of cigarette smoke condensate (in German) (128) 117

Hydrocarbons, polycyclic aromatic
Separation of polycyclic aromatic hydrocarbons by LC on cross-linked polyvinylpyrrolidone (129) 61

Hydrocarbons, polycyclic aromatic
Use of polyamide for the separation of different polycyclic aromatic hydrocarbons by TLC (in French) (130) 387

Hydrocarbons, polynuclear
Forensic aspects of HPLC (122) 85

Hydrocarbons, polynuclear aromatic
Phthalimidopropylsilane: A new chemically bonded stationary phase for the determination of polynuclear aromatic hydrocarbons by HPLC (130) 320

Hydrocodone
General procedure for the isolation and identification of 6-α- and 6-β-hydroxy metabolites of narcotic agonists and antagonists with a hydromorphone structure (129) 355

Hydrocodone
GC determination of hydrocodone in serum (130) 243

Hydrogen atmosphere flame ionization detector
Performance of a silicon-doped hydrogen atmosphere flame ionization detector for GC (122) 515

Hydromorphone
General procedure for the isolation and identification of 6-α- and 6-β-hydroxy metabolites of narcotic agonists and antagonists with a hydromorphone structure (129) 355

Hydroperoxides
Determination of trace amounts of hydroperoxides by column liquid chromatography and colorimetric detection (125) 307

Hydrophobic effects
Hydrophobic effects in reversed-phase LC (128) 65

Hydroxybutyric acid
Rapid determination of 4-hydroxybutyric acid (Gamma OH) and 2-propylpentanoate (Depakine) in human plasma by means of GLC (121) 150

Hydroxyflavanones
Quantitative analysis of flavanones and 3-hydroxyflavanones by TLC (123) 385

Hydroxynitrosopyrrolidine
Trace analysis of 3-hydroxy-1-nitrosopyrrolidine, a non-volatile N-nitrosamine, by combined GC-MS method (128) 169

Hydroxynorleucine
GC separation of ε-hydroxynorleucine (in French) (125) 526

Hydroxyprogesterone
Sephadex LH-20 multiple-column chromatography for the simultaneous separation of progesterone, deoxycorticosterone and 17*a*-hydroxyprogesterone from small plasma samples (123) 293

I

Imidazoles
TLC separation of imidazole compounds and its application to radiotracing studies of brain histidine metabolism (129) 482

Imines
Chromatographic properties of imines formed from dedimethylchlorpromazine and various aldehydes and ketones (121) 88

Imino-oxophenyloxazolidine
Determination of pemoline by HPLC (123) 474

Immunoglobulin G
Purification of Fab and Fc fragments from human serum immunoglobulin G by electrophoresis and affinity chromatography (123) 247

Indane derivatives
GLC of some *o*-xylene, indane and tetralin derivatives (124) 73

Indium-113*m*
PC of radiopharmaceuticals labelled with indium-113*m* (124) 145

Infinite diameter effect
Interaction of radial and axial dispersion in LC in relation to the "infinite diameter effect" (122) 129

Inorganic anions
Adsorption of inorganic anions on Sephadex gels. Part II (129) 407

Inorganic isomers
Separation of inorganic isomers by TLC. V. Structural, linkage, geometric, and conformational isomers of various coordination numbers (121) 395

Insect sex attractants
HPLC of potential insect sex attractants and other geometrical isomers on a silver-loaded ion exchanger (129) 456

Insecticides
Determination of metamidophos and acetamidophos in formulations by reversed-phase HPLC (121) 161

Insecticides
GC analysis of heptafluorobutyryl derivatives of some carbamate insecticides (123) 287

Insecticides
HPLC of organophosphorus insecticides (124) 9

Insecticides
Optimization and response of the Pye flame

otometric detector to some insecticides in
e phosphorus and sulphur modes (128) 157

secticides
paration and detection of thiofanox and its
tabolites by TLC (129) 426

secticides
tection and determination of
ganophosphorus insecticides in tissues by
C (130) 229

sulin
proved technique for the analysis of amino
ds and related compounds on thin layers of
lulose. XI. Direct, visual micro-method for
restigating the primary structural sequence
collagen and other proteins (129) 211

erphase mass transfer
eory of capillary chromatography. Effect of
ling and interphase mass transfer (129) 1

vertase
calization of glycosidases on polyacrylamide
(123) 495

n exchangers
AHP-starch and DEAHP-cellulose, new ion
hangers for fractionating polysaccharides
d other biopolymers (123) 434

n exchangers
elling of cation-exchange resins in aqueous
ganic solvents (Review) (in French) (127) 29

n-exchange complexing chromatography
ecific factors involved in the spreading of
omatographic zones in ion-exchange
nplexing chromatography (129) 19

izable materials
ip chromatography: A new HPLC technique
separation of ionizable materials. Dyestuff
ermediates (122) 17

electric focusing
electric points and molecular weights of
teins. A table (Review) (127) 1

electric points
electric points and molecular weights of
teins. A table (Review) (127) 1

flavandiol
cific separation of equol from estrogens by
C (129) 473

flavone
separation and analysis of trimethylsilyl
ivatives of some naturally occurring non-
atile phenolic compounds and related
stances (121) 49

mers, inorganic
aration of inorganic isomers by TLC. VI.
ners of the non-metals boron, phosphorus
silica (123) 448

Isopentenyl adenosine monophosphate
Chromatography and electrophoresis techniques for demonstrating the presence of cellular N^6-(Δ^2-isopentenyl)-adenosine-3'-monophosphate (123) 490

Isoprenoid acid enantiomers
Liquid chromatographic separation of some acyclic isoprenoid acid enantiomers via diastereomer derivatization (125) 157

Isopropylchlorobenzoylphenoxymethyl-propionate
Identification of a major metabolite of the new hypolipidaemic agent, isopropyl 2-(4'(*p*-chlorobenzoyl)phenoxyl-2-methylpropionate (procetofene) in humans by GC-MS (123) 463

Isoproterenol
Chromatographic separation of catecholamines on a weakly acidic ion-exchange resin using a borate-containing eluent (124) 411

Isorhamnetin
Chromatographic differentiation of tamarixetin and isorhamnetin by spraying (124) 174

Isotachophoresis
Isotachophoretic experiments with a counter flow of electrolyte (123) 139

Isotope separations
Radiochemical and isotope separations by high-efficiency LLC (125) 203

Isotopes
GC of ^{3}H- and ^{14}C-labelled compounds (Review) (127) 163

Isotopic molecules
Separation of isotopic molecules by HPLC (122) 287

K

Katharometer response
Effect of column temperature on the sensitivity of katharometer response (123) 497

Ketoglutaric acid
HPLC determination of pyruvic acid and α-ketoglutaric acid in serum (130) 281

Ketones
3,4,5-Trimethoxybenzylhydrazine: An efficient subtraction reagent for aldehydes and ketones in GC (121) 279

Ketones
Rapid quantitative microanalysis of ketones in urine by GC-mass fragmentography (126) 465

Ketones, alicyclic
Chromatographic analysis of a mixture of isomeric methylcyclohexanones and methylcyclohexanols (124) 1

Ketosteroids
Selective LC isolation procedure for GC-MS analysis of 3-ketosteroids in biological materials (126) 705

Kováts indices
New perspectives in the prediction of Kováts indices (126) 171

L

Labelled compounds, ^{14}C- and ^{3}H-
GC of ^{3}H- and ^{14}C-labelled compounds (Review) (127) 163

Laminaribiose
Preparative approach to mannobiose and laminaribiose (in German) (130) 305

Laser radiation
Possibility of increasing the selectivity of chromatographic separation under the action of laser radiation (126) 257

Layers
Preparation and characterization of chemical bonded TLC plates (124) 257

Lead(II)
Influence of drying temperature on the ion-exchange properties of stannic tungstoarsenate. II. Separation of Hg^{2+} and Pb^{2+} and of Al^{3+} and Ca^{2+} (128) 149

Lecithin: cholesterol acyltransferase
Enzyme purification by affinity chromatography using a non-covalently bound adsorbent (130) 446

Levorin
Comparison of candicidin, levorin and trichomycin by means of HPLC (123) 205

Lichen
Standardized two-dimensional TLC method for lichen products (128) 253

Lichen acids
Quantitative analysis of atranorin by TLC (129) 478

Ligand isomers
Separation of inorganic isomers by TLC. IV. Ligand isomers of various coordination numbers (121) 138

Lipases
Separation and detection of lipases using polyacrylamide gel electrophoresis (130) 441

Lipids
Quantitative separation of biological lipids by successive chromatographic runs on juxtaposed thin layers (in French) (121) 295

Lipids
Ascending dry-column chromatography as an aid in the preparative isolation of glycolipids (123) 243

Lipids
Densitometric quantitation of neutral lipids on ammonium sulfate impregnated thin-layer chromatograms (128) 133

pids
nsitometric analysis of ethanolamine- and ine-containing phosphoglycerides (128) 235

pids
me additional observations on the analysis glyceryl ethers and chromatographically ated lipids (128) 239

pids
antitative recovery of free and esterified ty acids from thin-layer plates coated with ica gel (130) 139

pids
romatographic study of mycolic acid-like bstances in lipids of *Listeria monocytogenes* 0) 434

poamide
C of oxidised and reduced lipoate and oamide and their persulfides (123) 479

poate
C of oxidised and reduced lipoate and oamide and their persulfides (123) 479

poproteins
actionation of serum lipoproteins by eparative electrophoresis in polyacrylamide l (130) 336

quid chromatographic effluents
rect analysis of LC effluents (122) 389

quid chromatography
eld-flow fractionation. Extending the olecular weight range of LC to one trillion $)^{12}$) (125) 3

quid chromatography
eoretical and experimental study of cycling in HPLC (125) 17

quid chromatography
mple loading and efficiency in adsorption, rtition and bonded-phase high-speed LC 25) 43

quid chromatography
ecent developments in the evaluation of emically bonded silica packings for LC 25) 115

quid chromatography
lvophobic interactions in LC with nonpolar ationary phases (125) 129

quid chromatography
dsorbent deactivation in HPLC (125) 163

quid chromatography
eparative LC using radially compressed lumns (126) 439

quid-solid systems
lvent composition effects in liquid-solid stems (130) 23

isteria monocytogenes
hromatographic study of mycolic acid-like substances in lipids of *Listeria monocytogenes* (130) 434

Loss of hearing
Application of glass capillary-column GC-MS to the studies of human diseases (126) 487

LSD
Direct quantitative analysis of lysergic acid diethylamide (LSD) and 2,5-dimethoxy-4-methylamphetamine (STP) on thin-layer chromatograms (121) 165

LSD
Forensic aspects of HPLC (122) 85

Lysergic acid diethylamide
Direct quantitative analysis of lysergic acid diethylamide (LSD) and 2,5-dimethoxy-4-methylamphetamine (STP) on thin-layer chromatograms (121) 165

Lysergic acids
Lysergic acids. II. Isolation and separation of lysergic acids (in German) (121) 353

Lysine
PC behaviour of α-DNP-lysine in comparison with other DNP-amino acids (130) 390

M

Malonic acid dinitrile
GC and TLC investigation of malonic acid dinitrile (in German) (130) 405

Maltosaccharides
GPC of maltosaccharides on polyacrylamide gel (121) 361

Mandelic acid derivatives
Reversed-phase ion-pair partition chromatography of phenylacetic, mandelic and pyridinecarboxylic acid derivatives (122) 269

Mannobiose
Preparative approach to mannobiose and laminaribiose (in German) (130) 305

Mannosidase
Localization of glycosidases on polyacrylamide gel (123) 495

Mansyl derivatives
Separation of amino acids as mansyl derivatives on polyamide layers (123) 212

Maple syrup urine disease
Application of glass capillary-column GC-MS to the studies of human diseases (126) 487

Marijuana
Cannabis sativa L. (marijuana). VII. The relative specificity of the RIM test (123) 79

Marijuana smoke condensate
Analysis of the acidic fraction of marijuana smoke condensate by capillary GC-MS (126) 559

McReynolds retention indices
Selection of representative substances by operations research techniques. Application to the selection of functional probes for GLC (122) 535

Meperidine
Determination of pethidine in plasma by electron capture GC after reaction with trichloroethyl chloroformate (121) 235

Meperidine
Simultaneous determination of meperidine and normeperidine in biofluids (125) 503

Merckogel OR-2000
Solvent dependence of gel swelling in the system of Merckogel OR-2000 and various organic solvents (124) 231

Mercury(II)
Influence of drying temperature on the ion-exchange properties of stannic tungstoarsenate. II. Separation of Hg^{2+} and Pb^{2+} and of Al^{3+} and Ca^{2+} (128) 149

Metal ions
o-Vanillin oxime as a chromatographic spray reagent for metal ions (129) 488

Metal ions, hydrolysis polymers
Interactions between hydrolysis polymers of metal ions and other ions in aqueous solution A gel chromatographic study (129) 412

Metals, tetravalent
Crystalline insoluble acid salts of tetravalent metals. XXIV. Ion-exchange behaviour of fibrous cerium(IV) phosphate (128) 289

Metals, toxic
Identification of toxic metals after extraction and TLC of their dithizonates. Toxicological applications (in French) (128) 141

Metamidophos
Determination of metamidophos and acetamidophos in formulations by reversed-phase HPLC (121) 161

Methadol
Comparative study on the derivatization of *l*-α-acetylmethadol metabolites for electron capture GLC (129) 329

Methadone salts
TLC studies of methadone salts (124) 172

Methimazole
Improved method for the determination of methimazole in plasma by HPLC (124) 405

Methionine
Analysis of methionine in plant materials. Improved GC procedure (130) 399

Methyl octadecadienoates
Fatty acids. VIII. GLC properties of all dimethylene interrupted methyl *trans,trans*-octadecadienoates (121) 303

Methyl octadecadienoates
Fatty acids. IX. The TLC behaviour of all of the *cis,cis*- and *trans,trans*-dimethylene-interrupted methyl octadecadienoates and methyl octadecadiynoates (124) 147

Methyl octadecadiynoates
Fatty acids. IX. The TLC behaviour of all of the *cis,cis*- and *trans,trans*-dimethylene-interrupted methyl octadecadienoates and methyl octadecadiynoates (124) 147

Methyl stearate
Direct analysis of LC effluents (122) 389

Methylcyclohexanols
Chromatographic analysis of a mixture of isomeric methylcyclohexanones and methylcyclohexanols (124) 1

Methylcyclohexanones
Chromatographic analysis of a mixture of isomeric methylcyclohexanones and methylcyclohexanols (124) 1

ethylcyclopentadiene dimer dissociation
reactor study of the kinetics of
thylcyclopentadiene dimer dissociation
2) 487

ethylsiloxanes
rrelation of the response factors of thermal-
nductivity detector with molecular weight
methylsiloxanes (130) 351

etoprolol
nplified method for the determination of
prenolol and other β-receptor blocking
nts in biological fluids by GLC (121) 72

exiletine
nsitive GC method for the estimation of a
w antiarrhythmic compound, mexiletine
1173), in biological fluids (128) 196

cropollutants
ganic micropollutants in air and water.
mpling, GC-MS analysis and computer
ntification (122) 373

croprocessors
ect of microprocessors on traditional
omatography instrumentation (122) 355

lecular interactions
le of molecular interactions in
omatography (122) 35

lecular weight range
ld-flow fractionation. Extending the
lecular weight range of LC to one trillion
^{12}) (125) 3

lecular weights of proteins
electric points and molecular weights of
teins. A table (Review) (127) 1

lecular-sieve effect
chanism of the molecular-sieve effect in
yacrylamide gel electrophoresis (123) 261

lecular-weight determination
ect of column performance on the accuracy
molecular weights obtained from size
lusion chromatography (GPC) (125) 219

lecular-weight determination
ous silica microspheres for high-
formance size exclusion chromatography
) 231

nobenzocryptate
hangers with monobenzocryptate K [2_B.2.2.]
anchor group (in German) (125) 511

nocarbonyls
generation of monocarbonyls from their 2,4-
itrophenylhydrazone derivatives (130) 267

nosaccharides
paration of methyl ethers of xylose, glucose
some other sugars by LC (121) 122

copolysaccharides
ntification of acidic mucopolysaccharides
agarose gel electrophoresis (130) 299

Mycotoxins
Investigations on the production of mycotoxins and their quantitative analysis. VI. Citreoviridin (in German) (130) 293

Myocardial depressor protein
Comparative biochemistry and pharmacology of salivary gland secretions. III. Chromatographic isolation of a myocardial depressor protein (MDP) from the venom of *Crotalus atrox* (124) 303

N

Naloxone
Determination of naloxone and naltrexone as perfluoroalkyl ester derivatives by electron-capture GLC (125) 409

Naloxone
General procedure for the isolation and identification of 6-α- and 6-β-hydroxy metabolites of narcotic agonists and antagonists with a hydromorphone structure (129) 355

Naltrexone
Determination of naloxone and naltrexone as perfluoroalkyl ester derivatives by electron-capture GLC (125) 409

Naltrexone
General procedure for the isolation and identification of 6-α- and 6-β-hydroxy metabolites of narcotic agonists and antagonists with a hydromorphone structure (129) 355

Naphthalene homologues
Use of a nematic liquid crystal for the GLC separation of naphthalene homologues (122) 451

Naphthalenes
Polychlorinated naphthalenes (Review) (127) 203

Naphthalenes
Analysis of polychlorinated naphthalenes by HPLC and TLC (129) 193

Naphthalenes
HPLC analysis of the heptachloronaphthalenes present in Halowax 1051 (129) 451

Narcotic agonists
General procedure for the isolation and identification of 6-α- and 6-β-hydroxy metabolites of narcotic agonists and antagonists with a hydromorphone structure (129) 355

Narcotic antagonists
General procedure for the isolation and identification of 6-α- and 6-β-hydroxy metabolites of narcotic agonists and antagonists with a hydromorphone structure (129) 355

Neohesperidin dihydrochalcone
LC of neohesperidin dihydrochalcone (129) 31

Neral
Chemistry of terpenes. VII. New procedure for the determination of neral and geranial in essential oils (130) 368

Nitrates
Microdetermination of nitrates and nitrites i saliva, blood, water, and suspended particulates in air by GC (126) 743

Nitrites
Microdetermination of nitrates and nitrites i saliva, blood, water, and suspended particulates in air by GC (126) 743

Nitrogen compounds
Thermionic detectors in GC. Selective detection of phosphorus, nitrogen, and sulph compounds (123) 396

Nitrogen-containing compounds
Applications of HPLC in the pharmaceutical industry (122) 73

Nitrogen-containing organic compounds
Thermionic ionization detector for the analysis of phosphorus- and nitrogen-containing organic compounds (122) 527

Nitrosamine
Trace analysis of 3-hydroxy-1-nitrosopyrrolidine, a non-volatile N-nitrosamine, by combined GC-MS method (128) 169

Nitrosamines
Quantitative determination of nitrosamines after separation of their derivatives by HPLC (in German) (121) 93

Nitrosamines
Detection and determination of N-nitrosamines by TLC using fluorescamine (124) 17

Nitrosamines
Detection of N-aryl-N-nitrosamines on TLC plates with 2,4-dinitrophenylhydrazine and phosphomolybdic acid (124) 115

Nitrosamines
Selective detection of N-nitrosamines by GC using a modified microelectrolytic conductivi detector in the pyrolytic mode (124) 247

Nitrosoamino acids
LC of N-nitrosoamino acids and their *syn* an *anti* conformers (124) 105

Noracetylmethadol
Comparative study on the derivatization of *l*-acetylmethadol metabolites for electron capture GLC (129) 329

Nordihydrocapsaicin
Quantitative microanalysis of capsaicin, dihydrocapsaicin and nordihydrocapsaicin using mass fragmentography (123) 119

Norepinephrine
Chromatographic separation of catecholamir on a weakly acidic ion-exchange resin using borate-containing eluent (124) 411

ormeperidine
multaneous determination of meperidine
d normeperidine in biofluids (125) 503

ormethadol
mparative study on the derivatization of *l-α*-
etylmethadol metabolites for electron
pture GLC (129) 329

ortriptyline
multaneous determination of therapeutic
vels of amitriptyline and nortriptyline in
sma by GLC (124) 401

ucleic acid bases
o-dimensional combination of the hydrogen
d the ammonium forms of a cation-
change layer for the separation of minor
cleic acid bases (128) 304

ucleosides
cratic separation of some purine nucleotide,
cleoside, and base metabolites from
logical extracts by HPLC (121) 251

ucleosides
C of nucleosides. Derivatization and
romatography (123) 335

ucleosides
paration of nucleic acid hydrolysis products,
rines, pyrimidines, nucleosides, nucleotides,
onucleic acid hydrolyzates, and mixtures
m nucleotide syntheses by CC on Amberlite
AD-4 (123) 347

ucleosides
romatography and electrophoresis
hniques for demonstrating the presence of
lular N^6-(Δ^2-isopentenyl)-adenosine-3'-
nophosphate (123) 490

ucleosides
fferential scanning calorimetric-TLC study
5-halo-2'-deoxynucleosides (124) 388

ucleosides
aluation of microparticle chemically bonded
versed-phase packings in the HPLC analysis
nucleosides and their bases (126) 679

ucleosides
C of nucleosides. Effect of silylating
gents and solvents (130) 103

ucleosides
rivatization and chromatography of
cleosides and nucleotides (130) 115

ucleotide analyser
mplified low-pressure high-resolution
cleotide analyser (124) 187

ucleotides
cratic separation of some purine nucleotide,
cleoside, and base metabolites from
logical extracts by HPLC (121) 251

ucleotides
norimetric determination of adenine and
adenosine and its nucleotides by HPLC (123) 220

Nucleotides
Separation of nucleic acid hydrolysis products, purines, pyrimidines, nucleosides, nucleotides, ribonucleic acid hydrolyzates, and mixtures from nucleotide syntheses by CC on Amberlite XAD-4 (123) 347

Nucleotides
Rapid resolution of 5'-mono-, -di-, and -triphosphate ribo- and deoxyribonucleoside mixtures by conventional anion-exchange chromatography (124) 415

Nucleotides
Derivatization and chromatography of nucleosides and nucleotides (130) 115

Nucleotides
Chromatographic separation of pyridine and adenine nucleotides on thin layers of poly(ethyleneimine) cellulose (130) 145

O

Octadecadienoates
Fatty acids. VIII. GLC properties of all dimethylene interrupted methyl *trans,trans*-octadecadienoates (121) 303

Oligomers
TLC of oligomers (129) 115

Oligosaccharides
Continuous quantitative TLC of oligosaccharides (129) 420

Open-tube columns
Investigations into the preparation of glass open-tube GC columns (122) 425

Open-tubular capillary columns
New method for the preparation of highly stable polysiloxane-coated glass open-tubular capillary columns and application to the analysis of hormonal steroids (126) 161

Open-tubular columns
Characteristics of non-polar glass support-coated open-tubular columns (121) 1

Open-tubular columns
Plate height in porous-layer open-tubular columns (124) 359

Opium alkaloids
Forensic aspects of HPLC (122) 85

Optical brighteners
Separation of optical brighteners by LSC (121) 153

Optical isomers
Resolution of optical isomers by LC (123) 400

Optical isomers
N-Acyl derivatives of chiral amines as novel, readily prepared phases for the separation of optical isomers by GC (126) 97

Optimisation
Optimisation of LC performance on columns packed with microparticulate silicas (122) 243

Org GC 94
Unexpected HPLC separation of Org GC 94 and [3,3,4,4-$^{2}H_{4}$]Org GC 94 (121) 96

Organic acids
TLC method for the identification of organic acids (124) 123

Organic acids
Analysis of the acidic fraction of marijuana smoke condensate by capillary GC-MS (126) 559

Organic compounds
Identification of organic compounds by an elution GC-reactor-frontal GC system (126) 72

Organic compounds, adipose tissue
Application of glass capillary-column GC-MS to the studies of human diseases (126) 487

Organic pollutants
Evaluation of organic pollutants in the open air and atmospheres in industrial sites using graphitized carbon black traps and GC-MS analysis with specific detectors (126) 757

Organochlorine pesticides
Column switching techniques in the LC analysis of organochlorine pesticides in milk (122) 259

Organophosphate pesticides
Fluorogenic labeling of organophosphate pesticides with dansyl chloride. Application t residue analysis by HPLC and TLC (121) 343

Organophosphorus insecticides
HPLC of organophosphorus insecticides (124) 9

Organophosphorus insecticides
Detection and determination of organophosphorus insecticides in tissues by TLC (130) 229

Organophosphorus pesticides
Quantitative determination of organophosphorus pesticides by thin-layer densitometry (124) 127

Orthene
Determination of metamidophos and acetamidophos in formulations by reversed-phase HPLC (121) 161

Orthohydrogen
Rapid determination of ortho- and parahydrogen by GSC (in French) (123) 405

Osmium tetroxide
Osmium tetroxide as specific detection reagent in TLC (in German) (130) 327

Oximes
Selective LC isolation procedure for GC-MS analysis of 3-ketosteroids in biological materials (126) 705

Oxine
Partition of chelating agents between a cationic ion exchanger swollen with water a a water-immiscible solvent (in French) (124) 197

Oxosteroids
TLC separation of corticosteroids from their respective 17-oxo-oxidation products (129) 47

Oxovanadium tetradentate ketoamine chelates
GC of some oxovanadium(IV) tetradentate β-ketoamine chelates (130) 251

xprenolol
implified method for the determination of xprenolol and other β-receptor blocking gents in biological fluids by GLC (121) 72

xycodone
eneral procedure for the isolation and lentification of 6-α- and 6-β-hydroxy ietabolites of narcotic agonists and ntagonists with a hydromorphone structure 29) 355

xymorphone
eneral procedure for the isolation and lentification of 6-α- and 6-β-hydroxy ietabolites of narcotic agonists and ntagonists with a hydromorphone structure .29) 355

P

Packings
Preparation and use of *in situ* chemically bonded small-particle silica as packings in HPLC (121) 13

Packings
Importance of macropores in polymer packings for GC (124) 360

Packings
Recent developments in the evaluation of chemically bonded silica packings for LC (125) 115

Packings
Cellulose in bead form. Properties related to chromatographic uses (125) 455

Packings
Evaluation of microparticle chemically bonded reversed-phase packings in the HPLC analysis of nucleosides and their bases (126) 679

Papain
Fractionation of proteolytic enzymes by affinity chromatography on Sepharose aminocaproyl proflavin (129) 97

Papain catalysis
TLC for detection of peptide cleavage or integrity during reactions of the Z-alanylglycines with aniline or phenylhydrazine under papain catalysis (123) 309

Parahydrogen
Rapid determination of ortho- and parahydrogen by GSC (in French) (123) 405

Particle size
Particle size, pressure and analysis time in routine HPLC (126) 19

Pattern recognition techniques
Analysis of pyrolysis gas chromatograms using pattern recognition techniques (126) 249

PCBs
Evaluation of environmental polychlorobiphenyls and DDE in terms of mixtures of commercial preparations from peak heights of packed-column gas chromatograms using a programmable calculator (121) 269

PCBs
Flow programming in glass capillary column-electron capture GC by using the valve in the splitter line (123) 101

PCBs
GC determination of polychlorinated

biphenyls and some chlorinated pesticides in sewage sludge using a glass capillary column (124) 265

PCBs
Use of Tenax for the extraction of pesticides and polychlorinated biphenyls from water. II. Tests with artificially polluted and natural waters (125) 399

PCBs
High-speed LC and TLC of polychlorinated biphenyls (128) 101

PCNs
Polychlorinated naphthalenes (Review) (127) 203

PCNs
Analysis of polychlorinated naphthalenes by HPLC and TLC (129) 193

PCNs
HPLC analysis of the heptachloronaphthalenes present in Halowax 1051 (129) 451

Peak identification system
Comprehensive interfaced pyrolysis GC peak identification system (126) 225

Pemoline
Determination of pemoline by HPLC (123) 474

Penicillin
Identification of antibiotic residues in milk by TLC (124) 37

Penimocycline
HPLC of penimocycline (in French) (124) 343

Pentoses
Separation of isomeric pentoses and hexoses by continuous-flow TLC (130) 431

Peptide cleavage
TLC for detection of peptide cleavage or integrity during reactions of the Z-alanylglycines with aniline or phenylhydrazine under papain catalysis (123) 309

Peptide integrity
TLC for detection of peptide cleavage or integrity during reactions of the Z-alanylglycines with aniline or phenylhydrazine under papain catalysis (123) 309

Peptide synthesis
Preparative HPLC applied to peptide synthesis (129) 287

Peptides
Derivatization of compounds at the origin of thin-layer plates with fluorescamine (121) 33

Peptides
Detection of compounds with primary amino groups on thin-layer plates by dipping in a fluorescamine solution (121) 79

Peptides
GC-MS of permethylated peptides and their reduced and trimethylsilylated derivatives (121) 376

Peptides
Relatively non-chemical approach to the isolation of peptide materials from plasma (124) 418

Peptides
Post-column fluorescence derivatization of peptides. Problems and potential in HPLC (126) 665

Peptides
Advances in separation techniques in sequence analysis of proteins and peptides (Review) (127) 91

Peptides, protected
Gel filtration of protected peptides on Enzacryl K2 in dimethylformamide and N-methyl-2-pyrrolidone (123) 237

Perphenazine
Anodic coulometric detection with a glassy carbon electrode in combination with reversed-phase HPLC. Determination of blood levels of perphenazine and fluphenazine (125) 275

Pesticides
GC separation of herbicides of major interest in Canada, with electrolytic conductivity detection in the nitrogen and chlorine modes (121) 85

Pesticides
Determination of metamidophos and acetamidophos in formulations by reversed-phase HPLC (121) 161

Pesticides
Evaluation of environmental polychlorobiphenyls and DDE in terms of mixtures of commercial preparations from peak heights of packed-column gas chromatograms using a programmable calculator (121) 269

Pesticides
Fluorogenic labeling of organophosphate pesticides with dansyl chloride. Application to residue analysis by HPLC and TLC (121) 343

Pesticides
Column switching techniques in the LC analysis of organochlorine pesticides in milk (122) 259

Pesticides
Exploitation of phase-system selectivity by two-column LC. Separation of carbamate pesticides (Summary) (122) 331

Pesticides
Direct analysis of LC effluents (122) 389

Pesticides
Impregnation of silica gel with tetraalkylammonium salts in adsorption chromatography of neutral aromatic compounds (123) 231

Pesticides
GC analysis of heptafluorobutyryl derivatives of some carbamate insecticides (123) 287

Pesticides
HPLC of organophosphorus insecticides (124) 9

Pesticides
Quantitative determination of organophosphorus pesticides by thin-layer densitometry (124) 127

Pesticides
GC determination of polychlorinated biphenyls and some chlorinated pesticides in sewage sludge using a glass capillary column (124) 265

Pesticides
Separation of bifenox and related compounds by TLC (124) 422

Pesticides
Chromatographic studies of the influence of water and thermal treatment on the activity of silica gel (125) 179

Pesticides
Use of Tenax for the extraction of pesticides and polychlorinated biphenyls from water. II. Tests with artificially polluted and natural waters (125) 399

Pesticides
LC parameters of groups of herbicidal active substances. I. Urea herbicides (in German) (125) 487

Pesticides
Analysis of sulphur-containing carbamates by formation of derivatives in the gas-liquid chromatograph using trimethylphenylammonium hydroxide (125) 495

Pesticides
High-speed LC and TLC of polychlorinated biphenyls (128) 101

Pesticides
Optimization and response of the Pye flame photometric detector to some insecticides in the phosphorus and sulphur modes (128) 157

Pesticides
Use of acetonitrile for the extraction of herbicide residues from soils (129) 309

Pesticides
Separation and detection of thiofanox and its metabolites by TLC (129) 426

Pesticides
Determination of α-chloralose in rodenticide formulations by GLC (129) 444

Pesticides
GC of N-methyl and N-aryl carbamates by flash-heater reaction with trimethylanilinium hydroxide (130) 55

Pesticides
Detection and determination of organophosphorus insecticides in tissues by TLC (130) 229

Pesticides
Separation of benthiocarb and related compounds by TLC (130) 439

Pethidine
Determination of pethidine in plasma by electron capture GC after reaction with trichloroethyl chloroformate (121) 235

Pharmaceutical raw materials
Low-cost gradient system for HPLC. Quantitation of complex pharmaceutical raw materials (125) 265

Pharmaceuticals
Applications of HPLC in the pharmaceutical industry (122) 73

Pharmaceuticals
PC of radiopharmaceuticals labelled with indium-113*m* (124) 145

Phase selectivity
Selectivity of high-temperature liquid phases for GC (126) 113

Phase system selectivity
Effect of phase system selectivity in preparative column LC (125) 59

Phenacetin
Phenacetin estimation from biological samples by HPLC (121) 156

Phenobarbital
Determination of phenobarbital in human saliva by GC with electron-capture detection (122) 471

Phenobarbital
Simultaneous GC analysis for the four commonly used antiepileptic drugs in serum (128) 281

Phenol methyl ethers
GC separation of phenol and pyrocatechol methyl ethers (in German) (129) 431

Phenolic acids
GC of chloromethylsilylated phenolic acids (123) 454

Phenolic compounds
GC separation and analysis of trimethylsilyl derivatives of some naturally occurring non-volatile phenolic compounds and related substances (121) 49

Phenolic compounds
High-performance reversed-phase liquid

chromatography of naturally occurring phenolic compounds (130) 287

Phenolic substances
Investigations on the mechanism and selectivity of chromatography on thin layers of polyamide. IV. Chromatography of amino acids and complex phenolic substances (124) 394

Phenols
Determination of urinary monohydric and dihydric phenols by GC of the acetate and TMS derivatives. 4-Dimethylaminopyridine as a catalyst for acetylation reactions (121) 41

Phenols
Analysis of the acidic fraction of marijuana smoke condensate by capillary GC-MS (126) 559

Phenols
Chromatographic behaviour of phenols on thin layers of anion and cation exchangers. III. AG 1-X4 and BD-cellulose (129) 239

Phenothiazine drugs
Chromatographic characterization of phenothiazine drugs by a reversed-phase thin-layer technique (129) 249

Phenothiazines
Anodic coulometric detection with a glassy carbon electrode in combination with reversed-phase HPLC. Determination of blood levels of perphenazine and fluphenazine (125) 275

Phenprocoumon
Rapid GC determination of underivatized phenprocoumon in plasma (130) 418

Phenylacetic acid derivatives
Reversed-phase ion-pair partition chromatography of phenylacetic, mandelic and pyridinecarboxylic acid derivatives (122) 269

Phenylethylamine
Procedural difficulties in the GLC assay of the arylalkylamines (123) 45

Phenylethylamine
Separation and quantitation of some urinary arylalkylamines (123) 51

Phenylphenol
Microdetermination of *o*-phenylphenol in citrus fruits by GLC (125) 439

Phenylthiohydantoin-amino acids
Use of *o*-phthalaldehyde for fluorescence detection in conventional amino acid analyzers. Sub-nanomole sensitivity in the analysis of phenylthiohydantoin-amino acids (130) 51

Phorbic acid
Quantitative determination of phorbic acid by GLC (130) 414

Phosphates
Anion-exchange chromatographic separation of linear phosphates with eluent containing a chelating agent (130) 384

Phosphoglycerides
Densitometric analysis of ethanolamine- and serine-containing phosphoglycerides (128) 235

Phosphorus
Separation of inorganic isomers by TLC. VI. Isomers of the non-metals boron, phosphorus and silica (123) 448

Phosphorus compounds
Thermionic detectors in GC. Selective detection of phosphorus, nitrogen, and sulphur compounds (123) 396

Phosphorus-containing organic compounds
Thermionic ionization detector for the analysis of phosphorus- and nitrogen-containing organic compounds (122) 527

Photometer
Background theory for the design of a photometric instrument for quantitative thin-media chromatography (123) 11

Phthalaldehyde
Use of *o*-phthalaldehyde for fluorescence detection in conventional amino acid analyzers. Sub-nanomole sensitivity in the analysis of phenylthiohydantoin-amino acids (130) 51

Phthalate esters
Identification and determination of phthalate esters in river water by HPLC (129) 53

Phthalazinophthalazinedione
Determination of diftalone and its main metabolites in human plasma and synovial fluid by HPLC (124) 169

Phthalimidopropylsilane
Phthalimidopropylsilane: A new chemically bonded stationary phase for the determination of polynuclear aromatic hydrocarbons by HPLC (130) 320

Phytohormones
Gibberellins. XLIII. Fractionation of gibberellins, gibberellin-conjugates and other phytohormones by DEAE-Sephadex-chromatography (in German) (121) 110

Pindolol
Simplified method for the determination of oxprenolol and other β-receptor blocking agents in biological fluids by GLC (121) 72

Plant phenolics
LC separation of plant phenolics using polyethylene glycol dimethacrylate gel (129) 466

Plant products
Droplet counter-current chromatography for the separation of plant products (128) 218

late height
late height in porous-layer open-tubular olumns (124) 359

lates
reparation and characterization of chemically onded TLC plates (124) 257

ollutants in the air
nalysis of trace pollutants in the air by eans of cryogenic GC (121) 285

olyacrylamide gel electrophoresis
mple apparatus for preparative olyacrylamide gel electrophoresis (130) 331

olyacrylamide gel slabs
welling and contraction of polyacrylamide gel abs in aqueous solutions (124) 219

olyamide sheets
ow-fluorescence polyamide sheets for TLC 24) 120

olyamides
olyamides in HPLC (in French) (121) 213

olyamides
ivestigations on the mechanism and lectivity of chromatography on thin layers of olyamide. IV. Chromatography of amino acids id complex phenolic substances (124) 394

olyamines
etermination of diamines and polyamines in ssues by HPLC (124) 277

olychlorinated biphenyls, see PCBs

olychlorinated naphthalenes, see PCNs

olycyclic hydrocarbons
nproving the efficiency of small GC-MS data stems by means of simple algorithms 23) 271

olydispersities
mplified numerical method for correction of olydispersities from GPC (125) 428

olymer packings
nportance of macropores in polymer ckings for GC (124) 360

olymers
alibration of separation systems for GPC 21) 23

olymers
heoretical study of chromatographic parations performed with cross-linked ganic polymers (121) 173

olymers
uantitative pyrolysis studies of styrene, rylate ester systems, and their a-methyl- bstituted homologs (126) 239

olymers
nalysis of pyrolysis gas chromatograms ing pattern recognition techniques (126) 249

Polyols
GC study of free polyols and aldoses in cataractous human lens tissue (126) 535

Polyoxyethylene surfactants
Application of high-speed LC to the analysis of polyoxyethylene surfactants and their decomposition products in industrial process waters (126) 787

Polysaccharides
DEAHP-starch and DEAHP-cellulose, new ion exchangers for fractionating polysaccharides and other biopolymers (123) 434

Polysaccharides
Preparation of silica-agarose beads for gel chromatography (128) 125

Polyvinylpyrrolidone
Chromatography of aromatic compounds on cross-linked polyvinylpyrrolidone and on anion-exchange resins (123) 355

Porapak Q
Limitations in the specificity of Porapak Q columns in the GC analysis of ethanol in body fluids (130) 403

Porphyrin methyl esters
Rapid method for the quantitative determination of porphyrin methyl esters by HPLC (123) 414

Porphyrins
HPLC analysis of porphyrins in clinical materials (125) 345

Precision
Variables affecting precision and accuracy in HPLC (126) 327

Preparative column liquid chromatography
Effect of phase system selectivity in preparative column LC (125) 59

Preparative high-pressure liquid chromatography
Application of cycling zone separation to preparative HPLC (121) 205

Preparative high-pressure liquid chromatography
Use of an 18-mm I.D. column for analytical- and semi-preparative-scale HPLC (122) 317

Preparative liquid chromatograph
Computer-controlled preparative liquid chromatograph (122) 277

Preparative liquid chromatography
Preparative LC using radially compressed columns (126) 439

Pressure
Particle size, pressure and analysis time in routine HPLC (126) 19

Primidone
Simultaneous GC analysis for the four

commonly used antiepileptic drugs in serum (128) 281

Probe selection for gas-liquid chromatography
Selection of representative substances by operations research techniques. Application to the selection of functional probes for GLC (122) 535

Procainamide
Simultaneous quantification of procainamide and N-acetylprocainamide with HPLC (129) 363

Process stream analyzer
Totally pneumatic GC process stream analyzer (126) 301

Procetofene
Identification of a major metabolite of the new hypolipidaemic agent, isopropyl 2-[4'(*p*-chlorobenzoyl)phenoxyl-2-methylpropionate (procetofene) in humans by GC-MS (123) 463

Progesterone
Sephadex LH-20 multiple-column chromatography for the simultaneous separation of progesterone, deoxycorticosterone and 17*a*-hydroxyprogesterone from small plasma samples (123) 293

Progesterones
Structure-GC electron capture sensitivity relationships of some substituted 17*a*-acetoxyprogesterones (126) 641

Progestogens
Chromatographic analysis of hormone residues in food (Review) (127) 53

Programmed multiple development
Extension of the programmed multiple development (PMD) technique (124) 69

Propranolol
Simplified method for the determination of oxprenolol and other β-receptor blocking agents in biological fluids by GLC (121) 72

Propranolol
Quantitative determination of propranolol, propranolol glycol and N-desisopropylpropranolol in brain tissue by electron capture GC (123) 185

Propranolol glycol
Quantitative determination of propranolol, propranolol glycol and N-desisopropylpropranolol in brain tissue by electron capture GC (123) 185

Propylpentanoate
Rapid determination of 4-hydroxybutyric acid (Gamma OH) and 2-propylpentanoate (Depakine) in human plasma by means of GLC (121) 150

Prostaglandins
GC profiles of prostaglandins A, B, E and F (series I and II) and histidine metabolites (Summary) (122) 469

Prostaglandins
Simultaneous separation of individual prostaglandins by TLC on an unmodified support (128) 224

Prostaglandins
Profils of prostaglandins A, B, E and F (series I and II) obtained by GC with multiple-ion detection (130) 65

Protein amino acids
Improved technique for the GLC separation o the N-trifluoroacetyl *n*-butyl derivatives of amino acids (124) 239

Proteinases
Chromogenic subtrates for proteinases. Purification by chromatography on lipophilic Sephadex (123) 429

Proteins
Comparative biochemistry and pharmacology of salivary gland secretions. III. Chromatographic isolation of a myocardial depressor protein (MDP) from the venom of *Crotalus atrox* (124) 303

Proteins
HPLC of proteins (125) 103

Proteins
Isoelectric points and molecular weights of proteins. A table (Review) (127) 1

Proteins
Advances in separation techniques in sequence analysis of proteins and peptides (Review) (127) 91

Proteins
Preparation of silica-agarose beads for gel chromatography (128) 125

Proteins
Purification of a vegetal galactokinase. Advantages of affinity chromatography (in French) (128) 309

Proteins
Residual anionic properties of a covalently substituted controlled-pore glass, Glyceryl-CPG (129) 91

Proteins
Improved technique for the analysis of amin acids and related compounds on thin layers cellulose. XI. Direct, visual micro-method for investigating the primary structural sequenc of collagen and other proteins (129) 211

Proteins
Use of *o*-phthalaldehyde for fluorescence detection in conventional amino acid analyzers. Sub-nanomole sensitivity in the

analysis of phenylthiohydantoin-amino acids (130) 51

Proteins
Fractionation of serum lipoproteins by preparative electrophoresis in polyacrylamide gel (130) 336

Proteolytic enzymes
Fractionation of proteolytic enzymes by affinity chromatography on Sepharose aminocaproyl proflavin (129) 97

Psychotropic drugs
TLC procedure for the detection, isolation and identification of basic psychotropic drugs in urine (130) 209

Purine
Isocratic separation of some purine nucleotide, nucleoside, and base metabolites from biological extracts by HPLC (121) 251

Purine reutilization pathway components
Chromatography of the components of the purine reutilization pathway (124) 141

Purines
Separation of nucleic acid hydrolysis products, purines, pyrimidines, nucleosides, nucleotides, ribonucleic acid hydrolyzates, and mixtures from nucleotide syntheses by CC on Amberlite CAD-4 (123) 347

Purines
Simple screening method for urinary purines (125) 530

Putrescine
Determination of diamines and polyamines in tissues by HPLC (124) 277

Pyridinecarboxylic acid derivatives
Reversed-phase ion-pair partition chromatography of phenylacetic, mandelic and pyridinecarboxylic acid derivatives (122) 269

Pyrimidines
Separation of nucleic acid hydrolysis products, purines, pyrimidines, nucleosides, nucleotides, ribonucleic acid hydrolyzates, and mixtures from nucleotide syntheses by CC on Amberlite CAD-4 (123) 347

Pyrimidines
Chromatographic studies of the influence of water and thermal treatment on the activity of silica gel (125) 179

Pyrocatechol methyl ethers
GC separation of phenol and pyrocatechol methyl ethers (in German) (129) 431

Pyrolysis gas chromatography
Comprehensive interfaced pyrolysis GC peak identification system (126) 225

Pyrroles
Autotransfer chromatography in the characterization of pyrroles. Chemistry of multiple-spot phenomena (123) 69

Pyruvic acid
HPLC determination of pyruvic acid and α-ketoglutaric acid in serum (130) 281

Q

Quantitative thin-layer chromatography
Development and practical utilization of a linear spectrodensitometer (123) 23

Quantitative thin-media chromatography
Background theory for the design of a photometric instrument for quantitative thin-media chromatography (123) 11

Quinidine
Quantitative *in situ* TLC of quinidine and salicylic acid in capillary blood (123) 57

Quinones
Separation of quinones and their derivatives by HPLC (130) 189

R

Radial dispersion
Interaction of radial and axial dispersion in LC in relation to the "infinite diameter effect" (122) 129

Radio gas chromatographs
Some theoretical and practical aspects of the use of radio gas chromatographs (123) 279

Radio-gas chromatography
GC of ^{3}H- and ^{14}C-labelled compounds (Review) (127) 163

Radiochemical separations
Radiochemical and isotope separations by high-efficiency LLC (125) 203

Radiopharmaceuticals
PC of radiopharmaceuticals labelled with indium-113*m* (124) 145

Recorder charts
Contrast improvement in the copying of recorder charts on the Xerox Model 4500 copier (130) 454

Recycling
Theoretical and experimental study of recycling in HPLC (125) 17

Retention in chromatography
Use of the solubility parameter for predicting selectivity and retention in chromatography (122) 185

Retention index increments
Capillary GC of *n*-alkynes. III. Correlation of retention index increments with molecular structure (128) 59

Retention indices
Capillary GC of *n*-alkynes. II. Variation of retention indices with temperature (128) 53

Retention indices
Influence of the support material and liquid loading on retention indices in GLC (129) 37

Retention volume
Determination of the loss of stationary phase in GLC from the change in retention volume (128) 35

Retention volume
Cluster expansion for retention volume in GSC (128) 180

Retinol
Gel chromatographic separation of retinol, retinyl esters and other fat-soluble vitamins (123) 225

Retinyl esters
Gel chromatographic separation of retinol, retinyl esters and other fat-soluble vitamins (123) 225

Reversed phases
Preparation and properties of reversed phases (122) 3

Reversed-phase liquid chromatography
Separation of isotopic molecules by HPLC (122) 287

Reversed-phase system
Optimization of reversed-phase separations (122) 171

Reversed-phase thin-layer chromatography
Preparation and characterization of chemically bonded TLC plates (124) 257

Reversed-phase thin-layer chromatography
Application of R_F correction in TLC by means of two reference R_F values. III. Results obtained in reversed-phase TLC (130) 205

Rexyn 102
Chromatographic behaviour of alkaloids on thin layers of cation exchangers. II. Alginic acid, Rexyn 102, Dowex 50-X4 and CMCNa (123) 175

R_F values
Application of R_F correction in TLC by means of two reference R_F values. III. Results obtained in reversed-phase TLC (130) 205

Rhenium(VII)
Behaviour of rhenium(VII) on Sephadex G-10 (in German) (125) 517

Ribonucleic acid hydrolyzates
Separation of nucleic acid hydrolysis products, purines, pyrimidines, nucleosides, nucleotides, ribonucleic acid hydrolyzates, and mixtures from nucleotide syntheses by CC on Amberlite XAD-4 (123) 347

Ribonucleosides
Rapid resolution of 5'-mono-, -di-, and -triphosphate ribo- and deoxyribonucleoside mixtures by conventional anion-exchange chromatography (124) 415

RNA
Fractionation of Sendai virus RNA by polylysine-Kieselguhr column chromatography (130) 396

Rodenticides
Determination of α-chloralose in rodenticide formulations by GLC (129) 444

Rohrschneider retention indices
Selection of representative substances by operations research techniques. Application to the selection of functional probes for GLC (122) 535

Rubidomycin
Quantitative determination of low levels of daunomycin and daunomycinol in plasma by HPLC (125) 369

Rutgers identification for marijuana test (RIM-test)
Cannabis sativa L. (marijuana). VII. The relative specificity of the RIM test (123) 79

S

Saccharides
GPC of maltosaccharides on polyacrylamide gel (121) 361

Saccharides
TLC of carbohydrates (Review) (127) 133

Saccharides
Identification of acidic mucopolysaccharides by agarose gel electrophoresis (130) 299

Saccharides
Preparative approach to mannobiose and laminaribiose (in German) (130) 305

Saccharides
Separation of isomeric pentoses and hexoses by continuous-flow TLC (130) 431

Salicylic acid
Quantitative *in situ* TLC of quinidine and salicylic acid in capillary blood (123) 57

Salicylic acid
Application of GLC and HPLC to the analysis of trace amounts of salicylic acid, acetylsalicylic anhydride and acetylsalicylsalicylic acid in aspirin samples and aspirin formulations (126) 651

Salivary gland secretions
Comparative biochemistry and pharmacology of salivary gland secretions. III. Chromatographic isolation of a myocardial depressor protein (MDP) from the venom of *Crotalus atrox* (124) 303

Sample applicator
Simple, disposable, streaking sample applicator for TLC (129) 379

Sample loading
Sample loading and efficiency in adsorption, partition and bonded-phase high-speed LC (125) 43

Sapogenins
HPLC analysis of the benzoate esters of sapogenins isolated from *Agave* (121) 329

Sarcosine
TLC of sarcosine and its N-lauroyl and N-nitroso derivatives (123) 486

Sarsasapogenin
HPLC analysis of the benzoate esters of sapogenins isolated from *Agave* (121) 329

Sawdusts
Forensic examination of sawdusts by TLC and flying spot densitometry (124) 157

Scanning of thin-layer chromatograms
Significant factors in the preparation and scanning of thin-layer chromatograms, particularly by transmission in the UV (123) 5

Selectivity
Selectivity of high-temperature liquid phases for GC (126) 113

Selectivity
Possibility of increasing the selectivity of chromatographic separation under the action of laser radiation (126) 257

Selectivity in chromatography
Use of the solubility parameter for predicting selectivity and retention in chromatography (122) 185

Selenohomohypotaurine
Chromatographic separation of selenohypotaurine, selenotaurine, selenohomohypotaurine and selenohomotaurine (129) 369

Selenohomotaurine
Chromatographic separation of selenohypotaurine, selenotaurine, selenohomohypotaurine and selenohomotaurine (129) 369

Selenohypotaurine
Chromatographic separation of selenohypotaurine, selenotaurine, selenohomohypotaurine and selenohomotaurine (129) 369

Selenotaurine
Chromatographic separation of selenohypotaurine, selenotaurine, selenohomohypotaurine and selenohomotaurine (129) 369

Sendai virus RNA
Fractionation of Sendai virus RNA by polylysine-Kieselguhr column chromatography (130) 396

Separation parameters
Numerical calculation of the separation parameters in gel chromatography (128) 300

Sex gland hormones
Chromatography of sex gland hormones on Sephadex LH-20 (in French) (129) 471

Signals, chromatographic
Effects of digital filters on chromatographic signals (126) 279

Silica
Preparation and use of *in situ* chemically bonded small-particle silica as packings in HPLC (121) 13

Silica
Relationship between chromatographic performance and surface structure of silica microspheres (122) 159

Silica
Optimisation of LC performance on columns packed with microparticulate silicas (122) 243

Silica
Separation of inorganic isomers by TLC. VI. Isomers of the non-metals boron, phosphorus and silica (123) 448

Silica, bonded phase prepared through reaction with chlorodimethyl [4-(4-chloromethylphenyl)butyl] silane
Preparation and chromatographic evaluation of chemically bonded ion-exchange stationary phases. II. Weak and strong cation exchangers (123) 109

Silica, bonded phase prepared through reaction with chlorodimethyl (4-phenylbutyl) silane
Preparation and chromatographic evaluation of chemically bonded ion-exchange stationary phases. II. Weak and strong cation exchangers (123) 109

Silica gel
Impregnation of silica gel with tetraalkylammonium salts in adsorption chromatography of neutral aromatic compounds (123) 231

Silica gel
Chromatographic studies of the influence of water and thermal treatment on the activity of silica gel (125) 179

Silica gel layers
Impregnation of silica gel layers by formamide in the gas phase (in German) (129) 41

Silica gels
Exclusion properties of some commercially available silica gels (125) 251

Silica microspheres
Porous silica microspheres for high-performance size exclusion chromatography (125) 231

Silica packings
Recent developments in the evaluation of chemically bonded silica packings for LC (125) 115

Silica particles
Development and use of carbon adsorbents in high-performance LSC. I. Carbon-coated silica particles (126) 43

Silica-agarose beads
Preparation of silica-agarose beads for gel chromatography (128) 125

Silylating reagents
GLC of nucleosides. Effect of silylating reagents and solvents (130) 103

Smoke condensate
Separation of N-heteropolycyclic aromatic hydrocarbons from polycyclic aromatic hydrocarbons. Separation by ion-exchange chromatography and fractionation of cigarette smoke condensate (in German) (128) 117

Soap chromatography
Soap chromatography: A new HPLC technique for separation of ionizable materials. Dyestuff intermediates (122) 17

Soap chromatography
Separation of catecholamines and their metabolites by adsorption, ion-pair and soap chromatography (125) 89

Solubility factors
Solubility factors in GLC. Comparison between two approaches and application to some biological studies (126) 625

Solubility parameter
Use of the solubility parameter for predicting selectivity and retention in chromatography (122) 185

Solubility parameter
Expanded solubility parameter treatment for classification and use of chromatographic solvents and adsorbents. Parameters for dispersion, dipole and hydrogen bonding interactions (125) 71

Solute identification
Chromatographic solute identification using peak shape analysis (126) 191

Solute-solvent interactions
Interaction between asymmetric solutes and solvents. Diamides derived from L-valine as stationary phases in gas-liquid partition chromatography (123) 149

Solvents
Expanded solubility parameter treatment for classification and use of chromatographic solvents and adsorbents. Parameters for dispersion, dipole and hydrogen bonding interactions (125) 71

Solvophobic interactions
Solvophobic interactions in LC with nonpolar stationary phases (125) 129

Sorption dynamics
Dynamics of sorption with a rectangular isotherm and kinetics limited by particle diffusion (123) 251

Spectrodensitometer
Development and practical utilization of a linear spectrodensitometer (123) 23

Spermidine
Determination of diamines and polyamines in tissues by HPLC (124) 277

Spermine
Determination of diamines and polyamines in tissues by HPLC (124) 277

Sphingosines
New derivatives for the analysis of sphingosine long-chain bases by GLC-MS (122) 415

Spironolactone
Simple GC method with flame ionization detection for the determination of aldadiene in human urine (123) 460

Spray reagent
General spray reagent for the detection of terpene derivatives on thin-layer plates (121) 116

Stannic tungstoarsenate
Influence of drying temperature on the ion-exchange properties of stannic tungstoarsenate. II. Separation of Hg^{2+} and Pb^{2+} and of Al^{3+} and Ca^{2+} (128) 149

Starch hydrolysis products
Comparison of spectrodensitometric and colorimetric methods for quantifying starch hydrolysis products separated by TLC (129) 415

Stationary phase
Tailor-made C_{87} hydrocarbon as a possible non-polar standard stationary phase for GC (126) 63

Stationary phase, loss
Determination of the loss of stationary phase in GLC from the change in retention volume (128) 35

Stationary phase selectivity
Selectivity of stationary phases for the resolution of some simple substances (129) 125

Stationary phases
Preparation and properties of reversed phases (122) 3

Stationary phases
Relationship between chromatographic performance and surface structure of silica microspheres (122) 159

Stationary phases
Reversed-phase LSC on modified carbon black (122) 223

Stationary phases
Optimisation of LC performance on columns packed with microparticulate silicas (122) 243

Stationary phases
Preparation and chromatographic evaluation of chemically bonded ion-exchange stationary phases. II. Weak and strong cation exchangers (123) 109

Stationary phases
Interaction between asymmetric solutes and solvents. Diamides derived from L-valine as stationary phases in gas-liquid partition chromatography (123) 149

Stationary phases
Solvophobic interactions in LC with nonpolar stationary phases (125) 129

Stationary phases
Study of column performances in GC. C_{87} hydrocarbon on chemically modified supports (126) 87

Stationary phases
N-Acyl derivatives of chiral amines as novel, readily prepared phases for the separation of optical isomers by GC (126) 97

Steroids
Simultaneous separation of estrogens and androgens using TLC (121) 82

Steroids
Applications of HPLC in the pharmaceutical industry (122) 73

Steroids
Sephadex LH-20 multiple-column chromatography for the simultaneous separation of progesterone, deoxycorticosterone and 17*a*-hydroxyprogesterone from small plasma samples (123) 293

Steroids
Studies on steroids. CXIV. Separation of cardiotonic steroid conjugates by HPLC (124) 79

Steroids
HPLC of steroids secreted by human adrenal and testis cells in monolayer culture (125) 357

Steroids
New method for the preparation of highly stable polysiloxane-coated glass open-tubular capillary columns and application to the analysis of hormonal steroids (126) 161

Steroids
Structure-GC electron capture sensitivity relationships of some substituted 17*a*-acetoxyprogesterones (126) 641

Steroids
Selective LC isolation procedure for GC-MS analysis of 3-ketosteroids in biological materials (126) 705

Steroids
Chromatographic analysis of hormone residues in food (Review) (127) 53

Steroids
Allyldimethylsilyl ethers. New derivatives for the analysis of steroids by GC-MS (129) 384

Steroids
Separation of ecdysterone, inokosterone, makisterone A, *a*-ecdysone and ponasterone by a combination of adsorptive and reversed-phase LC (129) 447

Steroids
Specific separation of equol from estrogens by TLC (129) 473

Steroids
TLC separation of corticosteroids from their respective 17-oxo-oxidation products (129) 475

Steroids
Preparation and HPLC of iodinated diethylstilbestrols and some related steroids (130) 129

Stopped-flow gas chromatography, non-equilibrium
Theory of non-equilibrium stopped-flow GC (130) 3

STP
Direct quantitative analysis of lysergic acid diethylamide (LSD) and 2,5-dimethoxy-4-methylamphetamine (STP) on thin-layer chromatograms (121) 165

Structure of silica microspheres
Relationship between chromatographic performance and surface structure of silica microspheres (122) 159

Styrene
Quantitative pyrolysis studies of styrene, acrylate ester systems, and their *a*-methyl-substituted homologs (126) 239

Subtraction reagent
3,4,5-Trimethoxybenzylhydrazine: An efficient subtraction reagent for aldehydes and ketones in GC (121) 279

Succinyldicholine
TLC separation of ^{14}C-labelled succinyldicholine, succinylmonocholine and choline (121) 170

Succinylmonocholine
TLC separation of ^{14}C-labelled succinyldicholine, succinylmonocholine and choline (121) 170

Sucrose
TLC of carbohydrates (Review) (127) 133

Sugars
Separation of methyl ethers of xylose, glucose and some other sugars by LC (121) 122

Sugars
TLC of carbohydrates (Review) (127) 133

Sugars
Simultaneous determination of neutral sugars and hexosamines in glycoproteins and acid mucopolysaccharides (glycosaminoglycans) by GLC (128) 45

Sulphides, cyclic
Application of methylene-insertion reactions to cyclic sulphides (C_4H_8S, $C_5H_{10}S$ and $C_6H_{12}S$) to produce standard compounds for GC (124) 43

Sulphinpyrazone
Quantitative assay of sulphinpyrazone in plasma and urine by HPLC (121) 227

Sulphinylamines
GC analysis of aromatic sulphinylamines (124) 76

Sulphonamides
GLC determination of sulphonamides (123) 167

Sulphonamides
HPLC of some sulphonamides (123) 444

Sulphonic resins
Swelling of a sulphonic resin equilibrated with mixtures of water-acetic acid and water-tetrahydrofuran (in French) (121) 104

Sulphur compounds
Thermionic detectors in GC. Selective detection of phosphorus, nitrogen, and sulphur compounds (123) 396

sulphur compounds
GC separation of some sulphur compounds on glass capillary columns using flame photometric detection (125) 389

Sulphur-containing compounds
Applications of HPLC in the pharmaceutical industry (122) 73

Sulphur-containing substances
Continuous elemental analysis of sulphur-containing substances by GC (129) 315

Sulpyrid
Quantitative determination of sulpyrid in biological samples from rats by GLC and chemical ionization-mass fragmentography (130) 361

Supports
Study of column performances in GC. C_{87} hydrocarbon on chemically modified supports (126) 87

Supports
Residual anionic properties of a covalently substituted controlled-pore glass, Glyceryl-CPG (129) 91

Surface structure of silica microspheres
Relationship between chromatographic performance and surface structure of silica microspheres (122) 159

Suxamethonium
TLC separation of ^{14}C-labelled succinyldicholine, succinylmonocholine and choline (121) 170

Sweeteners
LC of neohesperidin dihydrochalcone (129) 31

Syringe pumps
Experimental evaluation of compressibility effects in syringe pumps for LC (130) 29

Syringe pumps
Compressibility effects in syringe pumps for LC (130) 458

T

Tamarixetin
Chromatographic differentiation of tamarixetin and isorhamnetin by spraying (124) 174

Tamaron
Determination of metamidophos and acetamidophos in formulations by reversed-phase HPLC (121) 161

Tapeworm columns
Tapeworm columns in GC (122) 443

Taurine
Chromatographic separation of selenohypotaurine, selenotaurine, selenohomohypotaurine and selenohomotaurine (129) 369

Tea constituents
Reversed-phase HPLC of tea constituents (129) 460

Temperature gradient
Device for LC with a dynamic temperature gradient (128) 79

Tenax
Use of Tenax for the extraction of pesticides and polychlorinated biphenyls from water. II. Tests with artificially polluted and natural waters (125) 399

Terpene derivatives
General spray reagent for the detection of terpene derivatives on thin-layer plates (121) 116

Terpenes
Studies on terpenes. III. GC of acyclic monoterpene alcohols (129) 143

Terpenes
Chemistry of terpenes. VII. New procedure for the determination of neral and geranial in essential oils (130) 368

Tetrahydroisoquinolines
Aldehyde condensation products as derivatives for the vapor phase analysis of biogenic amines (126) 581

Tetralin derivatives
GLC of some *o*-xylene, indane and tetralin derivatives (124) 73

Theophylline
Improved theophylline serum analysis by an appropriate internal standard for GC (121) 26

Theoretical plates
Construction of columns for LC with very

arge plate numbers. Theory and practice 122) 147

Thermal-conductivity detector
Correlation of the response factors of thermal-conductivity detector with molecular weight for methylsiloxanes (130) 351

Thermionic detectors
Thermionic detectors in GC. Selective detection of phosphorus, nitrogen, and sulphur compounds (123) 396

Thermionic ionization detector
Thermionic ionization detector for the analysis of phosphorus- and nitrogen-containing organic compounds (122) 527

Thiabendazole
Determination of thiabendazole by electron-capture GLC after reaction with pentafluorobenzoyl chloride (130) 410

Thiacyclanes
Application of methylene-insertion reactions to cyclic sulphides (C_4H_8S, $C_5H_{10}S$ and $C_6H_{12}S$) to produce standard compounds for GC (124) 43

Thiamphenicol
Rapid GC determination of thiamphenicol in plasma and amniotic fluid (121) 243

Thiazinamium sulphoxide
Determination of thiazinamium sulphoxide in urine by means of Amberlite XAD-2 CC and thin-layer densitometry (128) 208

Thiazine dyes
Analysis of Romanowsky blood stains by HPLC (124) 287

Thiazolinones
Improved conversion of thiazolinones to phenylthiohydantoins during amino acid sequence analysis (123) 482

Thiazolylbenzimidazole
Determination of thiabendazole by electron-capture GLC after reaction with pentafluorobenzoyl chloride (130) 410

Thin layers
Impregnation of silica gel layers by formamide in the gas phase (in German) (129) 41

Thin-layer chromatograms
Significant factors in the preparation and scanning of thin-layer chromatograms, particularly by transmission in the UV (123) 5

Thin-layer chromatography
Computer-controlled evaluation in TLC. Results and possibilities (126) 449

Thin-layer plates
Application of cellulose acetate plates as separative layer in chromatography (in German) (123) 439

Thiofanox
Separation and detection of thiofanox and its metabolites by TLC (129) 426

Thiophosphorus compounds
TLC behaviour of organic thiophosphorus compounds on silica gel (in German) (130) 437

Thyroid hormones
Picogram analysis of free triiodothyronine and free thyroxine hormones in serum by equilibrium dialysis and electron capture GC (126) 503

Thyroxine hormones
Picogram analysis of free triiodothyronine and free thyroxine hormones in serum by equilibrium dialysis and electron capture GC (126) 503

Tienilic acid
GLC determination of tienilic acid (SKF 62.698) in human plasma and urine (123) 379

Tigogenin
HPLC analysis of the benzoate esters of sapogenins isolated from *Agave* (121) 329

Tobacco smoke
GC-MS evaluation of exhaled tobacco smoke (126) 771

Tocopherol
Fractionation of the oxidation products of α-tocopherol and their condensation products with L-lysine by combined TLC and gel chromatography (130) 378

Toluene diisocyanate
Determination of free toluene diisocyanate in polyurethane prepolymers by HPLC (123) 468

Trace analysis
Application of an automated head-space procedure for trace analysis by GC (122) 553

Tracer substances
Continuous and ultrasensitive apparatus for the measurement of air-borne tracer substances (126) 3

Trichomycin
Comparison of candicidin, levorin and trichomycin by means of HPLC (123) 205

Trifluoroacetic acid
Esterification of trifluoroacetic acid with phenyldiazomethane for quantitative GC analysis. Methods involving separation from biological materials (130) 77

Triiodothyronine hormones
Picogram analysis of free triiodothyronine and free thyroxine hormones in serum by equilibrium dialysis and electron capture GC (126) 503

Trimethoxybenzylhydrazine
3,4,5-Trimethoxybenzylhydrazine: An efficient subtraction reagent for aldehydes and ketones in GC (121) 279

Triterpene pentacyclic alcohols
GLC separation of oxidation products of triterpene pentacyclic alcohols (129) 440

Trypsin
Fractionation of proteolytic enzymes by affinity chromatography on Sepharose aminocaproyl proflavin (129) 97

Tryptamine
Separation and quantitation of some urinary arylalkylamines (123) 51

Tryptamines
Aldehyde condensation products as derivatives for the vapor phase analysis of biogenic amines (126) 581

Tryptolines
Aldehyde condensation products as derivatives for the vapor phase analysis of biogenic amines (126) 581

Twin-trough developing tank
Versatile twin-trough developing tank for TLC (123) 65

Tyramine
Separation and quantitation of some urinary arylalkylamines (123) 51

Tyrosine metabolism
Study of the intestinal tyrosine metabolism using stable isotopes and GC-MS (126) 569

U

Urea herbicides
LC parameters of groups of herbicidal active substances. I. Urea herbicides (in German) (125) 487

Ureas
LC and TLC of some substituted ureas (125) 435

V

Valine, diamide derivatives
Interaction between asymmetric solutes and solvents. Diamides derived from L-valine as stationary phases in gas-liquid partition chromatography (123) 149

Vanillin oxime
o-Vanillin oxime as a chromatographic spray reagent for metal ions (129) 488

Vinyl chloride
Analysis of vinyl chloride in food simulants at low parts per billion levels by mass fragmentography (128) 183

Viruses
Adsorption chromatography of viruses (130) 275

Vitamin A
Gel chromatographic separation of retinol, retinyl esters and other fat-soluble vitamins (123) 225

Vitamins
Gel chromatographic separation of retinol, retinyl esters and other fat-soluble vitamins (123) 225

Vitamins
Separation of quinones and their derivatives by HPLC (130) 189

Volatile compounds
Column elution and concentration of volatile compounds in biological fluids (126) 475

Volatile metabolites
Profiles of volatile metabolites in body fluids (126) 495

W

Warfarin
Determination of warfarin in animal relicta and feeding stuffs by HPLC with confirmation of identity by MS (121) 335

Water
Use of Tenax for the extraction of pesticides and polychlorinated biphenyls from water. II. Tests with artificially polluted and natural waters (125) 399

Woods
Forensic examination of sawdusts by TLC and flying spot densitometry (124) 157

X

Xanthones
Application of HPLC and MS to the identification of xanthones (in French) (124) 381

Xylene derivatives
GLC of some *o*-xylene, indane and tetralin derivatives (124) 73

Xylose
Separation of methyl ethers of xylose, glucose and some other sugars by LC (121) 122

Z

Zeolites
Chromatographic properties of some silica-rich zeolites (130) 13

Zone spreading
Specific factors involved in the spreading of chromatographic zones in ion-exchange complexing chromatography (129) 19

QUANTITATIVE MASS SPECTROMETRY IN LIFE SCIENCES

Proceedings of the First International Symposium, State University of Ghent, Belgium, 16 - 18 June, 1976.

A. P. DE LEENHEER and R. R. RONCUCCI (Editors)



This volume reflects the methodological progress made in the field of quantitative mass spectrometry, treating in detail the recent applications of this method in medical, pharmaceutical and biochemical sciences.

The book's rapid publication so soon after the meeting ensures that the material is particularly up-to-date.

CONTENTS: PLENARY LECTURES. Quantification of drugs by MS (E. C. Horning et al.). Quantitative MS of endogenous and exogenous steroids in metabolic studies in man (H. Adlercreutz). Techniques for quantitative measurements by MS (C. C. Sweeley et al.). Evaluation by MF of metabolic pathways of endogenous and exogenous compounds in eukaryote cell cultures (P. Padieu et al.). SHORT COMMUNICATIONS. Quantitative MF of unlabeled and deuterium labeled propoxyphene in plasma (H. R. Sullivan et al.). MF of alclofenac and its metabolites in plasma of human beings (M.-J. Simon et al.). Measurement of imipramine and desipramine in plasma, cerebrospinal fluid and saliva of patients with primary affective disorders (M. Claeys et al.). MS of phencyclidine in body fluids of intoxicated patients (D. C. K. Lin et al.). Identification of papaverine metabolites in human urine by MS (M. T. Rosseel et al.). Direct GC-MS of prostaglandins from biological sources (R. W. Kelly). Picomole determination of coenzyme B_{12} by MF (B. Zagalak et al.). MF of vitamin D_3 in blood samples (A. P. De Leenheer et al.). Qualitative and quantitative analysis of dopamine by electron impact and field desorption MS (W. D. Lehmann et al.). Quantitative field desorption MS (H.-R. Schulten et al.). Design, operation and application of a low-cost electronic device for the determination of ion-intensity ratios (A. M. Lawson et al.). Theory of stable dilution MS (J. F. Pickup et al.). Comparison between the fluorimetric and MF determination of PAHs of organic particulate matter (G. Broddin et al.). Quantitative evaluation of carbohydrate metabolism at rest and in physical exercise by the use of naturally labeled ^{13}C-glucose (F. Mosora et al.). MF as a tool for enzyme activity assay (F. Cattabeni et al.). Quantitative determination of piperidine in the rat brain by selected ion monitoring following dinitrophenyl derivatization (I. Matsumoto et al.).

1977 viii + 254 pages US $30.25/Dfl. 74.00 ISBN 0-444-41557-2

ELSEVIER P.O. Box 211, Amsterdam The Netherlands

7002E

Analytical Pyrolysis

Proceedings of the Third International Symposium held in Amsterdam, September 7 - 9, 1976

C. E. ROLAND JONES and CARL A. CRAMERS *(Editors)*

This symposium is particularly noteworthy because of the emphasis given to the newly emergent technique of pyrolysis/mass spectrometry. The large number of papers devoted to this technique at the meeting are an indication of the impetus which this recent development has given to analytical pyrolysis.

These Proceedings provide examples of a diversity of applications of pyrolysis/gas chromatography and pyrolysis/mass spectrometry ranging from geochemical exploration through energy resource studies to the elucidation of biopolymers and complex synthetic resins. The thirty-four papers give perspective to the current state of the fields, as well as reporting on the most recent developments in them. The introductory contributions in the sessions, provided by prominent figures in the particular fields, summarize the position to date before revealing the latest trends in the authors' own work. It could be said that each session was a miniature symposium in itself.

CONTENTS: **Automation.** Contributors: G. L. Coulter and W. C. Thompson. **Special Techniques.** Contributors: F. W. McLafferty, H.-R. Schulten and E. Stahl. **Microbiology.** Contributors: H. D. Donoghue, N. D. Fields, M. Marshall, M. Needleman, G. S. Oxborrow, J. R. Puleo, E. Reiner, M. V. Stack, P. Stuchbery and J. E. Tyler. **Forensic Science and Pharmacology.** Contributors: W. J. Irwin, J. P. Schmid, P. P. Schmid, W. Simon, J. A. Slack and B. B. Wheals. **Pyrolysis Mass Spectrometry.** Contributors: D. O. Hummel, I. Lüderwald and H. Urrutia. **Reproducibility and Specificity.** Contributors: W. Eshuis, P. G. Kistemaker and H. L. C. Meuzelaar. **Soil Chemistry and Geochemistry.** Contributors: J. M. Bracewell, J. W. de Leeuw, A. G. Douglas, B. Horsfield, S. R. Larter, F. Martin, W. L. Maters, D. v.d. Meent, H. L. C. Meuzelaar, G. W. Robertson, P. A. Schenck and P. J. W. Schuyl. **Biochemistry.** Contributors: F. L. Bayer, J. J. Hopkins, F. M. Menger and A. C. M. Weijman. **Laser Pyrolysis.** Contributors: J. C. Means, E. G. Perkins and N. E. Vanderborgh. **Reaction Mechanisms.** Contributors: D. C. De Jongh, S. Foti, I. Lüderwald, G. Montaudo, N. M. M. Nibbering, M. A. Posthumus, M. Przybylski, H. Ringsdorf and G. Schaden. **Polymers.** Contributors: M. Blazsó, J. S. Crighton, B. Dickens, J. H. Flynn, D. Gross, G. Guiochon, D. E. Henderson, C. E. R. Jones, J. Kelm, H.-J. Kretzschmar, E. J. Levy, R. J. Lloyd, W. J. Pummer, N. Sellier, T. Székely, T. Takeuchi, S. Tsuge and P. C. Uden.

1977 x + 424 pages US $39.25/Dfl. 96.00 ISBN 0-444-41558-0

The Dutch guilder price is definitive. The US $ price is subject to exchange rate fluctuations.

ELSEVIER

P.O. Box 211, Amsterdam
The Netherlands

52 Vanderbilt Ave
New York, N.Y. 10017
U.S.A.

GENERAL INFORMATION

(A leaflet *Instructions to Authors* can be obtained by application to the publisher.)

Types of Contributions. The following types of papers are published in the *Journal of Chromatography* a the section on *Biomedical Applications:* Regular research papers (full-length papers), short communicatio and notes. Short communications are preliminary announcements of important new developments a will, whenever possible, be published with maximum speed. Notes are usually descriptions of short inves gations and reflect the same quality of research as full-length papers, but should preferably not exce four printed pages. For reviews, see page 2 of cover under Submission of Papers.

Manuscripts. Manuscripts should be typed in double spacing on consecutively numbered pages of unifor size. The manuscript should be preceded by a sheet of manuscript paper carrying the title of the pap and the name and full postal address of the person to whom the proofs are to be sent. Authors of pape in French or German are requested to supply an English translation of the title of the paper. As a ru papers should be divided into sections, headed by a caption (e.g., Summary, Introduction, Experiment Results, Discussion, etc.). All illustrations, photographs, tables, etc. should be on separate sheets.

Title. The title of the paper should be concise and informative. Since titles are widely used in informati retrieval systems, care should be taken to include the key words. The title should be followed by t authors' full names, academic or professional affiliations, and the address of the laboratory where the wo was carried out. If the present address of an author is different from that mentioned, it should be given a footnote. Acknowledgements of financial support are *not* to be made in a footnote to the title or nan of the author, but should be included in the Acknowledgements at the end of the paper.

Summary. Full-length papers and review articles should have a summary of 50–100 words which clearly a briefly indicates what is new, different and significant. In the case of French or German articles an addition summary in English, headed by an English translation of the title, should also be provided. (Short co munications and Notes are published without a summary.)

Illustrations. The figures should be submitted in a form suitable for reproduction, drawn in Indian ink drawing or tracing paper. One original and two photocopies are required. Attention should be given any lettering (which should be kept to a minimum) and to spacing on axes of graphs in order to ensu that numbers etc. remain legible after reduction. Axes of a graph should be clearly labelled. The figur should preferably be of such a size that the same degree of reduction can be applied to all of them. Phot graphs should have good contrast and intensity. Sharp, glossy photographs are required to obtain goo halftones. References to the illustrations should be included in appropriate places in the text using arab numerals. Each illustration should have a legend, all the *legends* being typed (with double spacing) togeth on a *separate sheet.* If structures are given in the text, the original drawings should be supplied. Coloure illustrations are reproduced at the authors' expense, the cost being determined by the number of pag and by the number of colours needed. The written permission of the author and publisher must be obtaine for the use of any figure already published. Its source must be indicated in the legend.

References. References should be numbered in the order in which they are cited in the text, and listed numerical sequence on a separate sheet at the end of the article. The numbers should appear in the te at the appropriate places in square brackets. In the reference list, periodicals [1], books [2], multi-auth books [3] and proceedings [4] should be cited in accordance with the following examples:

1 A. T. James and A. J. P. Martin, *Biochem. J.*, 50 (1952) 679.
2 L. R. Snyder, *Principles of Adsorption Chromatography*, Marcel Dekker, New York, 1968, p. 201.
3 H. C. S. Wood and R. Wrigglesworth, in S. Coffey (Editor), *Rodd's Chemistry of Carbon Compound Vol. IV, Heterocyclic Compounds*, Part B, Elsevier, Amsterdam, Oxford, New York, 2nd ed., 197 Ch. 11, p. 201.
4 E. C. Horning, J.-P. Thenot and M. G. Horning, in A. P. De Leenheer and R. R. Roncucci (Editor *Proc. 1st Int. Symp. Quantitative Mass Spectrometry in Life Sciences, Ghent, June 16–18, 1976*, Elsevie Amsterdam, Oxford, New York, 1977, p. 1.

Abbreviations for the titles of journals should follow the system used by *Chemical Abstracts.* Articles n yet published should be given as "in press", "submitted for publication", "in preparation" or "person communication". The *Journal of Chromatography; Journal of Chromatography, Biomedical Applications* a *Chromatographic Reviews* should be cited as *J. Chromatogr.*

Proofs. One set of proofs will be sent to the author to be carefully checked for printer's errors. Correctio must be restricted to instances in which the proof is at variance with the manuscript. "Extra correction will be inserted at the author's expense.

Reprints. Fifty reprints of Full-length papers, Short communications and Notes will be supplied free charge. Additional reprints can be ordered by the authors. An order form containing price quotatio will be sent to the authors together with the proofs of their article.

News. News releases of new products and developments, and information leaflets of meetings should addressed to: The Editor of the News Section, Journal of Chromatography/Journal of Chromatograph Biomedical Applications, Elsevier Scientific Publishing Company, P.O. Box 330, Amsterdam, The Nethe lands.

Advertisements. Advertisement rates are available from the publisher on request. The Editors of t journal accept no responsibility for the contents of the advertisements.

ANALYTICA CHIMICA ACTA
COMPUTER TECHNIQUES AN
OPTIMIZATION

EDITOR: J.T. CLERC
Laboratorium für Organische Chemie, Swiss Federal Institute of Techn
Universitätstrasse 16, CH-8092 Zürich, Switzerland.

Associate Editor: E. ZIEGLER
Max-Planck-Institut für Kohlenforschung, 4330 Mülheim a.d. Ruhr 1, Postfach 0
GFR

EDITORIAL BOARD:
R.E. Dessy, Blacksburg, Va., U.S.A.; J.W. Frazer, Livermore, Calif., U.S.A.; H. Günzler, Lu
hafen, G.F.R.; S.R. Heller, Washington, D.C., U.S.A.; J.F.K. Huber, Vienna, Austria, P.C
University Park, Pa., U.S.A.; M. Knedel, Munich, G.F.R.; D.L. Massart, Sint Genesius-
Belgium; H.C. Smit, Amsterdam, The Netherlands.

Analytica Chimica Acta, published monthly, has a well established worldwide reputa
the international scientific journal offering supreme service to authors and the rapid publ
of original papers, short communications, and reviews dealing with every possible as
modern chemical analysis, both fundamental and applied. Since its inception, ir
Analytical Chimica Acta has increased steadily in size from 1 volume to 8 volumes per a
In 1977, *Analytica Chimica Acta Computer Techniques and Optimization,* a new spec
section, will be introduced in order to encourage developments in this rapidly expandi
by providing rapid publication of manuscripts concerned with non-trivial applicat
computers in analytical chemistry. This new section will form an integral part of Ar
Chimica Acta, which will continue under the general editorship of Professor Philip W. W
Dr. A.M.G. Macdonald in association with Dr. D.M.W. Anderson.
The aim of the new section is to publish papers dealing with:

- Computer acquisition, processing and evaluation of data.
- Computer methods for the interpretation of analytical data including chemome
  cluster analysis and pattern recognition.
- Storage and retrieval systems.
- Optimization procedures and their application.
- Automated analysis for industrial process and quality control.
- Organizational problems.

These contributions will be in the form of: Original papers, short communications,
(written by invitation of the editors, who welcome suggestions for subjects), reviews c
within the scope of the journal
Subscribers to Analytica Chimica Acta will receive the new section automatically. Sp
who wish to receive only the new section, may subscribe to it separately.

Publication Schedule: 1977
One volume in four issues.

Subscribers to Analytica Chimica Acta will receive the new section automatically. Sp
who wish to receive only the new section, may subscribe to it separately.

Free sample copies will be available, on request, from the publishers.

The subscription price for the first volume is: US $51.75/Dfl. 129.00

ELSEVIER SCIENTIFIC PUBLISHING COMPANY

P.O. Box 211, Amsterdam, The Netherlands

The Dutch guilder price is definitive. US $ prices are subject to exchange rate fluctuations.



LIBRARY USE ONLY